

**MEPS HC-061
2001 Medical Conditions**

April 2004

**Agency for Healthcare Research and Quality
Center for Financing, Access, and Cost Trends
540 Gaither Road
Rockville, MD 20850
(301) 427-1406**

TABLE OF CONTENTS

A	Data Use Agreement	A-1
B	Background	B-1
1.0	Household Component.....	B-1
2.0	Medical Provider Component.....	B-2
3.0	Insurance Component	B-2
4.0	Survey Management	B-3
C	Technical and Programming Information.....	C-1
1.0	General Information.....	C-1
2.0	Data File Information.....	C-1
2.1	Using MEPS Data for Trend and Longitudinal Analysis.....	C-2
2.2	Codebook Structure.....	C-3
2.3	Reserved Codes	C-3
2.4	Codebook Format.....	C-4
2.5	Variable Naming	C-4
2.6	File Contents.....	C-5
2.6.1	Identifier Variables (DUID-CONDNR)	C-5
2.6.2	Medical Condition Variables (PRIOLIST-CCCODEX)	C-5
2.6.3	Utilization Variables (OBNUM-RXNUM)	C-10
3.0	Sample Weight (PERWT01F)	C-11
3.1	Overview	C-11
3.2	Details on Person Weight Construction	C-11
3.2.1	MEPS Panel 5 Weight	C-12
3.2.2	MEPS Panel 6 Weight	C-12
3.2.3	The Final Weight for 2001.....	C-12
3.2.4	Coverage	C-13
4.0	Merging MEPS Data Files	C-13
	References.....	C-15
Appendix 1:	Variable-Source Crosswalk	A1-1
Appendix 2:	Condition, Procedure and Clinical Classification Code Frequencies	A2-1
Appendix 3:	Clinical Classification Code to ICD-9-CM Code Crosswalk	A3-1
Appendix 4:	List of Priority Conditions	A4-1

A. Data Use Agreement

Individual identifiers have been removed from the micro-data contained in these files. Nevertheless, under sections 308 (d) and 903 (c) of the Public Health Service Act (42 U.S.C. 242m and 42 U.S.C. 299 a-1), data collected by the Agency for Healthcare Research and Quality (AHRQ) and/or the National Center for Health Statistics (NCHS) may not be used for any purpose other than for the purpose for which they were supplied; any effort to determine the identity of any reported cases is prohibited by law.

Therefore in accordance with the above referenced Federal Statute, it is understood that:

1. No one is to use the data in this data set in any way except for statistical reporting and analysis; and
2. If the identity of any person or establishment should be discovered inadvertently, then (a) no use will be made of this knowledge, (b) the Director Office of Management AHRQ will be advised of this incident, (c) the information that would identify any individual or establishment will be safeguarded or destroyed, as requested by AHRQ, and (d) no one else will be informed of the discovered identity; and
3. No one will attempt to link this data set with individually identifiable records from any data sets other than the Medical Expenditure Panel Survey or the National Health Interview Survey.

By using these data you signify your agreement to comply with the above stated statutorily based requirements with the knowledge that deliberately making a false statement in any matter within the jurisdiction of any department or agency of the Federal Government violates Title 18 part 1 Chapter 47 Section 1001 and is punishable by a fine of up to \$10,000 or up to 5 years in prison.

The Agency for Healthcare Research and Quality requests that users cite AHRQ and the Medical Expenditure Panel Survey as the data source in any publications or research based upon these data.

B. Background

The Medical Expenditure Panel Survey (MEPS) provides nationally representative estimates of health care use, expenditures, sources of payment, and insurance coverage for the U.S. civilian non-institutionalized population. MEPS is cosponsored by the Agency for Healthcare Research and Quality (AHRQ) and the National Center for Health Statistics (NCHS).

MEPS is a family of three surveys. The Household Component (HC) is the core survey and forms the basis for the Medical Provider Component (MPC) and part of the Insurance Component (IC). Together these surveys yield comprehensive data that provide national estimates of the level and distribution of health care use and expenditures, support health services research, and can be used to assess health care policy implications.

MEPS is the third in a series of national probability surveys conducted by AHRQ on the financing and use of medical care in the United States. The National Medical Care Expenditure Survey (NMCES, also known as NMES-1) was conducted in 1977 and the National Medical Expenditure Survey (NMES-2) in 1987. Since 1996, MEPS continues this series with design enhancements and efficiencies that provide a more current data resource to capture the changing dynamics of the health care delivery and insurance system.

The design efficiencies incorporated into MEPS are in accordance with the Department of Health and Human Services (DHHS) Survey Integration Plan of June 1995, which focused on consolidating DHHS surveys, achieving cost efficiencies, reducing respondent burden, and enhancing analytical capacities. To advance these goals, MEPS includes linkage with the National Health Interview Survey (NHIS) - a survey conducted by NCHS from which the sample for the MEPS HC is drawn - and enhanced longitudinal data collection for core survey components. The MEPS HC augments NHIS by selecting a sample of NHIS respondents, collecting additional data on their health care expenditures, and linking these data with additional information collected from the respondents' medical providers, employers, and insurance providers.

1.0 Household Component

The MEPS HC, a nationally representative survey of the U.S. civilian non-institutionalized population, collects medical expenditure data at both the person and household levels. The HC collects detailed data on demographic characteristics, health conditions, health status, use of medical care services, charges and payments, access to care, satisfaction with care, health insurance coverage, income, and employment.

The HC uses an overlapping panel design in which data are collected through a preliminary contact followed by a series of five rounds of interviews over a 2 ½-year period. Using computer-assisted personal interviewing (CAPI) technology, data on

medical expenditures and use for two calendar years are collected from each household. This series of data collection rounds is launched each subsequent year on a new sample of households to provide overlapping panels of survey data and, when combined with other ongoing panels, will provide continuous and current estimates of health care expenditures.

The sampling frame for the MEPS HC is drawn from respondents to NHIS. NHIS provides a nationally representative sample of the U.S. civilian non-institutionalized population, with oversampling of Hispanics and blacks.

2.0 Medical Provider Component

The MEPS MPC supplements and/or replaces information on medical care events reported in the MEPS HC by contacting medical providers and pharmacies identified by household respondents. The MPC sample includes all home health agencies and pharmacies reported by HC respondents. Office-based physicians, hospitals, and hospital physicians are also included in the MPC but may be subsampled at various rates, depending on burden and resources, in certain years.

Data are collected on medical and financial characteristics of medical and pharmacy events reported by HC respondents. The MPC is conducted through telephone interviews and record abstraction.

3.0 Insurance Component

The MEPS IC collects data on health insurance plans obtained through private and public-sector employers. Data obtained in the IC include the number and types of private insurance plans offered, benefits associated with these plans, premiums, contributions by employers and employees, eligibility requirements, and employer characteristics.

Establishments participating in the MEPS IC are selected through three sampling frames:

- A list of employers or other insurance providers identified by MEPS HC respondents who report having private health insurance at the Round 1 interview.
- A Bureau of the Census list frame of private sector business establishments.
- The Census of Governments from the Bureau of the Census.

To provide an integrated picture of health insurance, data collected from the first sampling frame (employers and insurance providers identified by MEPS HC respondents) are linked back to data provided by those respondents. Data from the two Census Bureau sampling frames are used to produce annual national and state estimates of the supply and cost of private health insurance available to American workers and to evaluate policy issues pertaining to health insurance. National estimates of employer contributions to

group insurance from the MEPS IC are used in the computation of Gross Domestic Product (GDP) by the Bureau of Economic Analysis.

The MEPS IC is an annual survey. Data are collected from the selected organizations through a prescreening telephone interview, a mailed questionnaire, and a telephone follow-up for nonrespondents.

4.0 Survey Management

MEPS data are collected under the authority of the Public Health Service Act. They are edited and published in accordance with the confidentiality provisions of this act and the Privacy Act. NCHS provides consultation and technical assistance.

As soon as data collection and editing are completed, the MEPS survey data are released to the public in staged releases of summary reports, microdata files and compendiums of tables. Data are released through MEPSnet, an online interactive tool developed to give users the ability to statistically analyze MEPS data in real time. Summary reports and compendiums of tables are released as printed documents and electronic files. Microdata files are released on electronic files.

Selected printed documents are available through the AHRQ Publications Clearinghouse. Write or call:

AHRQ Publications Clearinghouse
Attn: (publication number)
P.O. Box 8547
Silver Spring, MD 20907
800-358-9295
410-381-3150 (callers outside the United States only)
888-586-6340 (toll-free TDD service; hearing impaired only)

Be sure to specify the AHRQ number of the document you are requesting.

Additional information on MEPS is available from the MEPS project manager or the MEPS public use data manager at the Center for Financing, Access, and Cost Trends, Agency for Healthcare Research and Quality, 540 Gaither Road, Rockville, MD 20850 (301-427-1406).

C. Technical and Programming Information

1.0 General Information

This documentation describes the data contained in MEPS Public Use Release HC-061, which is one in a series of public use data files to be released from the 2001 Medical Expenditure Panel Survey Household Component (MEPS HC).

Released in ASCII (with related SAS and SPSS programming statements) and SAS formats, this public use file provides information on household-reported medical conditions collected on a nationally representative sample of the civilian noninstitutionalized population of the United States for calendar year 2001 MEPS HC.

The following documentation offers a brief overview of the types and levels of data provided, the content and structure of the files. It contains the following sections:

- Data File Information
- Survey Sample Information
- Merging MEPS Data Files
- Appendices
 - Variable to Source Crosswalk
 - Detailed ICD-9-CM Condition, Procedure, and Clinical Classification
 - Code Frequencies
 - Clinical Classification Code to ICD-9-CM Code Crosswalk
 - List of Priority Conditions

A codebook of all the variables included in the 2001 Medical Conditions File is provided in separate files (H61CB.PDF and H61CB.ASP). The Readme file contains the programming information.

For more information on MEPS survey design, see Cohen, 1997; Cohen 1997; and Cohen 1996. A copy of the survey instrument used to collect the information on this file is available on the MEPS web site: <http://www.meps.ahrq.gov>.

2.0 Data File Information

This file contains 102,489 records. Each record represents one medical condition reported by a household survey respondent who resides in an eligible responding household and who has a positive person or family weight. Records meeting one of the following criteria are included on the file.

In Panel 6:

- All Round 1 and Round 2 conditions;
- Round 3 conditions that are linked to a 2001 event;

- Round 3 conditions that were on the priority list, not due to an accident or injury, and began before 2002;
- Round 3 conditions that were due to an accident or injury and began before 2002
- Round 3 conditions where fifty percent or more of person's reference period occurred in 2001

In Panel 5:

- All Round 4 and Round 5 conditions;
- Round 1, Round 2, and Round 3 conditions that meet at least one of the following two criteria:
 - The condition is linked to a 2001 event
 - The condition is a priority condition
- Round 3 conditions that are injuries
- Round 3 conditions that were not previously delivered in the FY 2000 Conditions PUF (HC-052). This includes:
 - Round 3 conditions created after the delivery of the FY 2000 Conditions File due to Round 4 and Round 5 comments processing
 - Round 3 conditions where the person did not have a positive person or family weight in FY 2000 but has a positive person or family weight in FY 2001
 - Round 3 conditions where fifty percent or more of person's reference period occurred in 2001

For each variable on the file, the codebook provides both weighted and unweighted frequencies. Because the conditions identified in this file are derived from self-reports, these data cannot be used to make estimates of disease, prevalence of health conditions, or mortality/morbidity.

Data from this file can be merged with 2001 MEPS person-level data using DUPERSID to append person-level characteristics such as demographic or health insurance characteristics to each record (see Section 4.0 for details). Since each record represents a single condition reported by a household respondent, some household respondents may have multiple medical conditions and thus will be represented on multiple records on this file. Other household respondents may have reported no medical conditions and thus will have no records on this file. Still other respondents may have reported a medical condition that did not meet the criteria above and thus will have no records on this file. Data from this file also can be merged to 2001 MEPS Event Files (HC-059H, HC-059D, HC-059G, HC-059F, HC-059E, and HC-059A) by using the link files provided in HC-059I, File 1 (see HC-059I for details).

2.1 Using MEPS Data for Trend and Longitudinal Analysis

MEPS began in 1996 and several annual data files have been released. As more years of data are produced, MEPS will become increasingly valuable for examining health care trends. However, it is important to consider a variety of factors when examining trends over time using MEPS. Statistical significance tests should be conducted to assess the

likelihood that observed trends are attributable to sampling variation. MEPS expenditures estimates are especially sensitive to sampling variation due to the underlying skewed distribution of expenditures. For example, one percent of the population accounts for about one-quarter of all expenditures. The extent to which observations with extremely high expenditures are captured in the MEPS sample varies from year to year (especially for smaller population subgroups), which can produce substantial shifts in estimates of means or totals that are simply an artifact of the sample(s). The length of time being analyzed should also be considered. In particular, large shifts in survey estimates over short periods of time (e.g. from one year to the next) that are statistically significant should be interpreted with caution, unless they are attributable to known factors such as changes in public policy or MEPS survey methodology. Looking at changes over longer periods of time can provide a more complete picture of underlying trends. Analysts may wish to consider using techniques to smooth or stabilize trends analyses of MEPS data such as pooling time periods for comparison (e.g. 1996-97 versus 1998-99), working with moving averages, or using modeling techniques with several consecutive years of MEPS data to test the fit of specified patterns over time. Finally, researchers should be aware of the impact of multiple comparisons on Type I error because performing numerous statistical significance tests of trends increases the likelihood of inappropriately concluding a change is statistically significant.

2.2 Codebook Structure

The codebook and data file sequence lists variables in the following order:

Unique person identifiers
Unique condition identifiers
Medical condition variables
Utilization variables
Weight and variance estimation variables

2.3 Reserved Codes

The following reserved code values are used:

VALUE	DEFINITION
-1 INAPPLICABLE	Question was not asked due to skip pattern.
-7 REFUSED	Question was asked and respondent refused to answer question.
-8 DK	Question was asked and respondent did not know answer.
-9 NOT ASCERTAINED	Interviewer did not record the data.

2.4 Codebook Format

This codebook describes an ASCII data set and provides the following programming identifiers for each variable:

Identifier	Description
Name	Variable name (maximum of 8 characters)
Description	Variable descriptor (maximum 40 characters)
Format	Number of bytes
Type	Type of data: numeric (indicated by NUM) or character (indicated by CHAR)
Start	Beginning column position of variable in record
End	Ending column position of variable in record

2.5 Variable Naming

In general, variable names reflect the content of the variable, with an 8-character limitation. For questions asked in a specific Round, the end digit in the variable name reflects the round in which the question was asked. Edited variables end in an “X” and are so noted in the variable label. (CONDIDX, which is an encrypted identifier variable, also ends in an “X”).

Variables contained in this delivery were derived either from the questionnaire itself or from the CAPI. The source of each variable is identified in Appendix 1 entitled “Variable to Source Crosswalk.” Sources for each variable are indicated in one of three ways: (1) variables derived from CAPI or assigned in sampling are so indicated; (2) variables collected at one or more specific questions have those numbers and questionnaire sections indicated in the “SOURCE” column; and (3) variables constructed from multiple questions using complex algorithms are labeled “Constructed” in the “SOURCE” column.

2.6 File Contents

2.6.1 Identifier Variables (DUID-CONDNRN)

The definitions of Dwelling Units (DUs) and Group Quarters in the MEPS HC are generally consistent with the definitions employed for the National Health Interview Survey (NHIS). The dwelling unit ID (DUID) is a five-digit random number assigned after the case was sampled for MEPS. The person number (PID) uniquely identifies each person within the dwelling unit. The variable DUPERSID uniquely identifies each person represented on the file and is the combination of the variables DUID and PID. CONDRN indicates the condition number as it was reported during the interview for an individual respondent (e.g. condition number 1, 2, 3, etc.) plus a control digit. Although the current range for CONDRN is 10-469, the actual range of the number of records per person on the file is 1 - 40. This is because some records did not meet the criteria to be included on the file (see Section 2.0) and CONDRN has not been edited. CONDIDX uniquely identifies each condition (i.e., each record on the file), and is the combination of DUPERSID and CONDRN.

PANEL01 is a constructed variable used to specify the panel number for the interview in which the condition was reported. PANEL01 will indicate either Panel 5 or Panel 6.

CONDNRN indicates the round in which the condition was first reported. For a small number of cases, conditions that actually began in an earlier round were not reported by respondents until subsequent rounds of data collection. During file construction, editing was performed for these cases in order to reconcile the round in which a condition began and the round in which the condition was first reported.

2.6.2 Medical Condition Variables (PRIOLIST-CCCODEX)

This file contains variables describing medical conditions reported by respondents in several sections of the MEPS questionnaire, including the Condition Enumeration section, Health Status section, and all questionnaire sections collecting information about health provider visits, prescription medications, and disability days (see Variable-Source Crosswalk in Appendix 1 for details).

Priority Conditions and Injuries

Certain conditions were a priori designated as “priority conditions” (PRIOLIST=1) due to their prevalence, expense, or relevance to policy. Some were long-term life-threatening conditions, such as cancer, diabetes, emphysema, high cholesterol, HIV/AIDS, hypertension, ischemic heart disease, and stroke. Others were chronic manageable conditions, including arthritis, asthma, gall bladder disease, stomach ulcers, and back problems of any kind. In addition, Alzheimer’s disease or other dementias, as well as depression and anxiety disorders, were included in the priority list. For a complete listing of “priority conditions” see Appendix 4. Priority conditions were identified as such in the field by MEPS interviewers. Occasionally, priority conditions were not identified as

such due to interviewer misinterpretation. Consequently, these records are missing the follow-up questions described below. Likewise, some conditions were inaccurately identified as priority conditions. These records do have follow-up questions even though they are not priority conditions.

When a condition was first mentioned, respondents were asked whether it was due to an accident or injury (INJURY=1). Some injuries are also priority conditions (e.g. back pain).

Date Priority Condition Began/Accident Occurred

The date a priority condition began (CONDBEGD, CONDBEGM, CONDBEGY) is collected only for conditions that appear on the priority list and are not accident/injury conditions. The date an accident or injury occurred (ACCIDENTD, ACCENTM, ACCDENTY) is collected only for accident/injury conditions, including accident/injury conditions that are also priority conditions.

Round-Specific Questions for Priority Conditions and Injuries

When a respondent first reported a condition on the priority list (PRIOLIST=1) or a condition caused by an injury (INJURY=1), the interviewer asked a series of questions regarding health care utilization for that condition and the effect of that condition on the person's overall health. The names of these variables end in 1, 2, 3, 4, or 5 indicating the round in which they were asked. The following questions were asked in the round in which the respondent first reported a priority condition or a condition resulting from an injury:

- a. Whether the respondent ever saw or talked to a doctor about the condition (SEEDREV1 – SEEDREV5).
- b. Whether the latest time a doctor was seen for this condition was before or after the beginning of the reference period for the interview Round (LSTSAY1). This question was asked **only** in Round 1.
- c. Whether the person was still being treated for the condition (STILTR1-STILTR5).
- d. How seriously the condition affected the person's overall health and well-being since it began (OVRALL1-OVRALL5).
- e. Whether the person with the condition provided the information himself/herself, versus the condition being reported by another household member (WHOTYP1 – WHOTYP5).
- f. Whether the health care provider recommended further treatment or consultation for the condition (FURTCA1 – FURTCA5).

- g. How much of the recommended follow-up care the person received for the condition (all; some; none; or still being treated) (FOLOCA1 – FOLOCA5).
- h. Whether the person saw or talked to a doctor about the condition during the reference period (SEEDREF1 – SEEDREF5). This variable was constructed for priority conditions only.

When a respondent reported a condition that resulted from an accident or injury (INJURY=1), the following information was obtained from respondents during the round in which the injury was first reported:

- a. Whether the accident/injury occurred at work (ACCDNWRK) – respondents aged 15 and younger were not asked this question and the condition was coded ACCDNWRK = -1;
- b. Where the accident/injury happened (ACDNTLOC);
- c. Whether the accident/injury occurred at home, was it inside or outside the house (INOUTH);
- d. Whether the accident involved a motor vehicle, gun, weapon other than a gun, poison, fire, drowning or near-drowning, sports injury, a non-sports related fall, something else (VEHICLE, GUN, WEAPON, POISON, FIREBURN, DROWN, SPORTS, FALL, ACDNTOTH);
- e. Whether the person has fully recovered from the accident/injury (RECOVER).

For priority conditions only, additional information was obtained in rounds subsequent to the one in which the condition was first reported. This information was obtained only if there was an event, a prescribed medication, or a disability day associated with the condition in that round. If this occurred, the condition was “selected” for follow-up questions for the round.

For priority conditions selected in rounds after they were first reported, the following questions were asked in that round:

- a. Whether the person was still being treated for the condition (STILTR1 – STILTR5);
- b. How seriously the condition affected the person’s overall health and well-being since it began (OVRALL1 – OVRALL5);
- c. Whether the person with the condition provided the information himself/herself, versus the condition being reported by another household member (WHOTYP1 – WHOTYP5);

- d. Whether the person saw or talked to a doctor about the condition during the reference period (SEEDREF1 – SEEDREF5).

The variable, AFCOND, indicates whether the person's condition is related to service in the Armed Forces of the United States. This is asked of all persons age 18 years or older who indicated that one of the selected or reported health conditions is related to service in the Armed Forces of the United States. This question is asked in both Round 3 and Round 5 about all conditions, not just those that are priority conditions or injuries.

Treatment of Data from Rounds Not Occurring in 2001

For Panel 5, Rounds 1 and 2 occurred in 2000 and conditions reported during these rounds are not included on this file unless the condition was identified as a priority condition (see the discussion of PRIORFLG below) or was related to a 2001 event. Note that if, in Rounds 3, 4, and 5 of Panel 5, the person "selects" a Round 1 or 2 condition as the reason for a reported disability day, this condition does not appear on the 2001 file unless it is also a priority condition or is related to a 2001 event. For Panel 6, Rounds 4 and 5 occurred in 2002 and conditions reported during these rounds are not included on this file. Therefore, round-specific variables for Rounds 1 and 2 of Panel 5 are assigned an inapplicable code (-1) on all of the condition records for respondents in Panel 5, and round-specific variables for Rounds 4 and 5 of Panel 6 are assigned an inapplicable code (-1) on all of the condition records for respondents in Panel 6. Round-specific data for Rounds 4 and 5 pertain only to Panel 5; round-specific data for Rounds 1 and 2 pertain only to Panel 6, and both panels provide data from Round 3. (Note: Use PANEL01 to identify whether Round 3 variables were collected in Panel 5 or Panel 6.)

Conditions in this 2001 file first reported in Rounds 1 or 2 of Panel 5 that are priority conditions OR conditions resulting from an injury have round-specific data for those rounds included on the 2000 Medical Conditions File (HC-052). The variables PRIORFLG and INJURFLG indicate if the condition is "Not a priority/injury condition" (0), if "Additional information is included on the 2000 Medical Conditions File" (1), or if "all priority/injury information is included on the current file" (2).

Note: Priority conditions are generally chronic conditions. Even though a respondent may not have reported an event, a prescribed medicine, or a disability day in 2001 due to the condition, analysts should consider that the respondent is probably still experiencing the condition. If a Panel 5 respondent reported a priority condition in Round 1 or 2 and did not have an event, a prescribed medicine, or a disability day for the condition in Round 3, 4, or 5, round-specific variables for Rounds 3, 4, and 5 are coded as -1. The only information provided on the current 2001 file for such conditions are the ICD9CODX, ICD9PROX, CCCODEX, and non-round-specific variables. These records are identified by PRIORFLG=1. Round-specific data from Rounds 1 and 2 for these records are available in the 2000 Medical Conditions File.

Rounds in which Conditions Were Reported/Selected (CRND1 – CRND5)

A set of constructed variables (CRND1 – CRND5) indicate the round in which the condition was first reported, and for subsequent rounds, the round(s) in which an event, prescription medication, or disability day occurred due to the condition. For example, consider a condition for which CRND1 = 0, CRND2 = 1, and CRND3 = 1. This sequence of CRND indicators on a condition record implies that the condition was not present during Round 1 (CRND1 = 0), was first mentioned during Round 2, and was associated with a medical event, prescribed medicine, or disability day during Round 3. CRND1 – CRND5 are not applicable for most pregnancies, prenatal visits, or deliveries due to the questionnaire design.

Disability Flag Variables

This file contains three flag variables indicating whether a condition is associated with a missed work day (MISSWORK), a missed school day (MISSSCHL), or a day spent in bed (INBEDFLG). Due to the MEPS instrument design, there is no link indicating the specific number of disability days associated with a particular medical condition.

Diagnosis and Procedure Codes

The medical conditions and procedures reported by the Household Component respondent were recorded by the interviewer as verbatim text, which were then coded by professional coders to fully-specified ICD-9-CM codes, including medical condition and V codes (see Health Care Financing Administration, 1980). Although codes were verified and error rates did not exceed 2.5 percent for any coder, analysts should not presume this level of precision in the data; the ability of household respondents to report condition data that can be coded accurately should not be assumed (see Cox and Iachan, 1987; Edwards, et al, 1994; and Johnson and Sanchez, 1993).

In order to preserve respondent confidentiality, nearly all of the condition codes provided on this file (ICD9CODX) have been collapsed from fully-specified codes to 3-digit code categories. Table 1 in Appendix 2 provides unweighted and weighted frequencies for all ICD-9-CM condition code values reported on the file. In this table, values that reflect this collapsing have an asterisk in the label indicating that the 3-digit category includes all the subclassifications within that category. For example, the ICD9CODX value of 034 “Strep Throat/Scarlet Fev *” includes the fully-specified subclassifications 034.0 and 034.1; the value 296 “Affective Psychoses*” includes the fully-specified subclassifications 296.0 through 296.99. Less than 2 percent of the records on this file were edited further by collapsing two or more 3-digit codes into one 3-digit code.

Similarly, most of the procedure codes (ICD9PROX) were collapsed from fully-specified codes to 2-digit category codes. Table 2 in Appendix 2 provides unweighted and weighted frequencies for ICD9PROX, and this type of collapsing is identified by an asterisk in the variable label. For example, the ICD9PROX value of 81 “Joint Repair*”

includes subclassifications 81.0 through 81.99. Less than 1 percent of records were further edited to combine two or more 2-digit categories.

Users should note that because of the design of the survey, most deliveries (i.e. births) are coded as pregnancies. For more accurate estimates for deliveries, analysts should use RSNINHOS “Reason Entered Hospital” found on the Hospital Inpatient Stays Public Use File (HC-059D).

Conditions and procedures were reported in the same sections of the HC questionnaire (see Variable-Source Crosswalk in Appendix 1). Labels for all values of the variables ICD9CODX and ICD9PROX, as shown in Tables 1 and 2, are provided in the SAS programming statements included in this release (see the H61SU.TXT file).

Clinical Classification Codes

ICD-9-CM condition codes have been aggregated into clinically meaningful categories that group similar conditions (CCCODEX). CCCODEX was generated using Clinical Classification Software (formerly known as Clinical Classifications for Health Care Policy Research (CCHPR)), (Elixhauser, et.al., 2000), which aggregates conditions and V-codes into 260 mutually exclusive categories, most of which are clinically homogeneous. Appendix 3 lists the ICD-9-CM codes that have been aggregated for each clinical classification category. Note that the reported ICD-9-CM code values were mapped to the appropriate clinical classification category prior to being collapsed to 3-digit ICD-9-CM codes. A small number (less than 1 percent) of clinical classification codes have been edited for confidentiality purposes. Table 3 in Appendix 2 provides weighted and unweighted frequencies for CCCODEX. Labels for all values of the variable CCCODEX, as shown in Table 3, are provided in the SAS programming statements included in this release (see the H61SU.TXT file).

2.6.3 Utilization Variables (OBNUM – RXNUM)

The variables OBNUM, OPNUM, HHNUM, IPNUM, ERNUM, and RXNUM indicate the total number of 2001 events that can be linked to each condition record on the current file, i.e., office-based, outpatient, home health, inpatient hospital stays, emergency room visits, and prescribed medicines, respectively.

These counts of events were derived from Expenditure Event Public Use Files (HC-059G, HC-059F, HC-059H, HC-059D, HC-059E, and HC-059A) respectively. Events associated with conditions include all utilization that occurred between January 1, 2001 and December 31, 2001.

Because persons can be seen for more than one condition per visit, these frequencies will not match the person- or event-level utilization counts. For example, if a person had one inpatient hospital stay and was treated for a fractured hip and a fractured shoulder and a concussion, each of these conditions has a unique record in this file and IPNUM=1 for each record. By summing IPNUM for these records, the total inpatient hospital stays

would be three when actually there was only one inpatient hospital stay for that person and three conditions were treated. These variables are useful for determining the number of inpatient hospital stays for head injuries, hip fractures, etc.

Prior to 2001, the utilization variable DNNUM was used to indicate the number of dental visits that could be linked to each condition record on the file. Note that DNNUM has been omitted beginning on this 2001 file. At Panel 6 Round 3, the CAPI question DN02 (*What kind of dental injury did (PERSON) have?*) was no longer asked, meaning that a count of dental visits per condition was no longer applicable. COND, CRND, and CLNK records are no longer created in the Dental Care section of CAPI.

3.0 Sample Weight (PERWT01F)

3.1 Overview

There is a single full year person-level weight (PERWT01F) assigned to each record for each key, in-scope person who responded to MEPS for the full period of time that he or she was in-scope during 2001. A key person either was a member of an NHIS household at the time of the NHIS interview, or became a member of a family associated with such a household after being out-of-scope at the time of the NHIS (examples of the latter situation include newborns and persons returning from military service, an institution, or living outside the United States). A person is in-scope whenever he or she is a member of the civilian noninstitutionalized portion of the U.S. population.

3.2 Details on Person Weight Construction

The person-level weight PERWT01F was developed in several stages. Person-level weights for Panels 5 and 6 were created separately. The weighting process for each panel included an adjustment for nonresponse over time and poststratification.

Poststratification was achieved initially by controlling to Current Population Survey (CPS) population estimates based on five variables. The five variables used in the establishment of the initial person-level poststratification control figures were: census region (Northeast, Midwest, South, West); MSA status (MSA, non-MSA); race/ethnicity (Hispanic, black but non-Hispanic, and other); sex; and age. A 2001 composite weight was then formed by multiplying each weight from Panel 5 by the factor (1/3) and each weight from Panel 6 by the factor (2/3). The choice of factors reflected the relative sample sizes of the two panels, helping to limit the variance of estimates obtained from pooling the two samples. The composite weight was then poststratified to the same set of CPS-based control totals. When poverty status information derived from income variables became available, a final poststratification was done on the previously established weight variable. Control totals were established based on poverty status (below poverty, from 100 to 125 percent of poverty, from 125 to 200 percent of poverty, from 200 to 400 percent of poverty, at least 400 percent of poverty) as well as the original five poststratification variables.

3.2.1 MEPS Panel 5 Weight

The person-level weight for MEPS Panel 5 was developed using the 2000 full year weight for an individual as a “base” weight for survey participants present in 2000. For key, in-scope respondents who joined an RU some time in 2001 after being out-of-scope in 2000, the 2000 family weight associated with the family the person joined served as a “base” weight. The weighting process included an adjustment for nonresponse over Rounds 4 and 5 as well as poststratification to population control figures for December 2001. These control figures were derived by scaling back the population totals obtained from the March 2001 CPS to reflect the December 2001 CPS estimated population distribution across age and sex categories as of December 2001. Variables used in the establishment of person-level poststratification control figures included: census region (Northeast, Midwest, South, West); MSA status (MSA, non-MSA); race/ethnicity (Hispanic, black but non-Hispanic, and other); sex; and age. Overall, the weighted population estimate for the civilian noninstitutionalized population on December 31, 2001 is 280,791,812. Key, responding persons not in-scope on December 31, 2001 but in-scope earlier in the year retained, as their final Panel 5 weight, the weight after the nonresponse adjustment.

3.2.2 MEPS Panel 6 Weight

The person-level weight for MEPS Panel 6 was developed using the MEPS Round 1 person-level weight as a “base” weight. For key, in-scope respondents who joined an RU after Round 1, the round 1 family weight served as a “base” weight. The weighting process included an adjustment for nonresponse over Round 2 and the 2001 portion of Round 3 as well as poststratification to the same population control figures for December 2001 used for the MEPS Panel 5 weights. The same five variables employed for Panel 5 poststratification (census region, MSA status, race/ethnicity, sex, and age) were used for Panel 6 poststratification. Similarly, for Panel 6, key, responding persons not in-scope on December 31, 2001 but in-scope earlier in the year retained, as their final Panel 6 weight, the weight after the nonresponse adjustment.

Note that the MEPS Round 1 weights (for both panels with one exception as noted below) incorporated the following components: the original household probability of selection for the NHIS; ratio-adjustment to NHIS-based national population estimates at the household (occupied dwelling unit) level; adjustment for nonresponse at the dwelling unit level for Round 1; and poststratification to figures at the family and person level obtained from the March 2001 CPS data base.

3.2.3 The Final Weight for 2001

Variables used in the establishment of person-level poststratification control figures included: poverty status (below poverty, from 100 to 125 percent of poverty, from 125 to 200 percent of poverty, from 200 to 400 percent of poverty, at least 400 percent of poverty); census region (Northeast, Midwest, South, West); MSA status (MSA, non-MSA); race/ethnicity (Hispanic, black but non-Hispanic, and other); sex; and age.

Overall, the weighted population estimate for the civilian noninstitutionalized population for December 31, 2001 is 280,791,812 (PERWT01F>0 and INSC1231=1). The weights of some persons out-of-scope on December 31, 2001 were also poststratified. Specifically, the weights of persons out-of-scope on December 31, 2001 who were in-scope some time during the year and also entered a nursing home during the year were poststratified to a corresponding control total obtained from the 1996 MEPS Nursing Home Component. The weights of persons who died while in-scope during 2001 were poststratified to corresponding estimates derived using data obtained from the Medicare Current Beneficiary Survey (MCBS) and Vital Statistics information provided by the National Center for Health Statistics (NCHS). Separate control totals were developed for the “65 and older” and “under 65” civilian noninstitutionalized populations. The sum of the person-level weights across all persons assigned a positive person level weight is 284,247,327.

3.2.4 Coverage

The target population for MEPS in this file is the 2001 U.S. civilian noninstitutionalized population. However, the MEPS sampled households are a subsample of the NHIS households interviewed in 1999 (Panel 5) and 2000 (Panel 6). New households created after the NHIS interviews for the respective Panels and consisting exclusively of persons who entered the target population after 1999 (Panel 5) or after 2000 (Panel 6) are not covered by MEPS. Neither are previously out-of-scope persons who join an existing household but are unrelated to the current household residents. Persons not covered by a given MEPS panel thus include some members of the following groups: immigrants; persons leaving the military; U.S. citizens returning from residence in another country; and persons leaving institutions. The set of uncovered persons constitutes only a small segment of the MEPS target population.

4.0 Merging MEPS Data Files

Data from the current file can be used alone or in conjunction with other files. Merging characteristics of interest from person-level files expands the scope of potential estimates. See HC-059I for instructions on merging the condition file to the Medical Event Files. Person-level characteristics can be merged to this Conditions File using the following procedure:

1. Sort the person-level file by person identifier, DUPERSID. Keep only DUPERSID and the variables to be merged onto the Conditions File.
2. Sort the conditions file by person identifier, DUPERSID.
3. Merge both files by DUPERSID, and output all records in the conditions file.
4. If PERS contains the person-level variables, and COND is the conditions file, the following code can be used to add person-level variables to the person’s conditions in condition-level file.

```
PROC SORT DATA=PERS(KEEP=DUPERSID AGE SEX EDUCLEV)  
OUT=PERSX; BY DUPERSID;  
RUN;  
  
PROC SORT DATA=COND; BY DUPERSID;  
RUN;  
  
DATA COND;  
MERGE COND (IN=A) PERSX(IN=B); BY DUPERSID;  
IF A;  
RUN;
```

References

- Cohen, S. B. (1997). A Sample Design of the 1996 Medical Expenditure Panel Survey Household Component, Rockville (MD): Agency for Healthcare Research and Quality; 1997. *MEPS Methodology Report, No. 2.* AHCPR Pub. No. 97-0027.
- Cohen, J. W. (1997). A Design and Methods of the Medical Expenditure Panel Survey Household Component. Rockville (MD): Agency for Healthcare Research and Quality; 1997. *MEPS Methodology Report, No.1.* AHCPR Pub. No. 97-0026.
- Cohen, S. B. (1996). The Redesign of the Medical Expenditure Panel Survey: A Component of the DHHS Survey Integration Plan. *Proceedings of the COPAFS Seminar on Statistical Methodology in the Public Service.*
- Cox, B. and Iachan, R. (1987). A Comparison of Household and Provider Reports of Medical Conditions. *Journal of the American Statistical Association* 82(400):1013-18.
- Edwards, W. S., Winn, D. M., Kurlantzick, V., et al. Evaluation of National Health Interview Survey Diagnostic Reporting. National Center for Health Statistics, Vital Health 2(120). 1994.
- Elixhauser, A., Steiner, C. A., Whittington,, C. A., and McCarthy, E. Clinical Classifications for health policy research: Hospital inpatient statistics, 1995. Healthcare Cost and Utilization project, HCUP-3 research Note. Rockville, MD: Agency for Healthcare Research and Quality; 2000. AHCPR Pub. No. 98-0049.
- Health Care Financing Administration (1980). International Classification of Diseases, 9th Revision, Clinical Modification (ICD-CM). Vol. 1. (DHHS Pub. No (PHS) 80-1260). DHHS: U.S. Public Health Services.
- Johnson, Ayah E., and Sanchez, Maria Elena. (1993), "Household and Medical Reports on Medical Conditions: National Medical Expenditure Survey." *Journal of Economic and Social Measurement,* 19, 199-223.

Appendix 1

Variable to Source Crosswalk

Appendix 1 – Variable to Source Crosswalk

UNIQUE IDENTIFIER VARIABLES

VARIABLE	LABEL	SOURCE ¹
DUID	Dwelling Unit ID	Assigned In Sampling
PID	Person Number	Assigned In Sampling
DUPERSID	Person ID (DUID + PID)	Assigned In Sampling
CONDN	Condition Number	CAPI Derived
CONDIDX	Condition ID	CAPI Derived
PANEL01	Panel Number	Constructed
CONDRN	Condition Round Number	CAPI Derived

MEDICAL CONDITION VARIABLES

VARIABLE	LABEL	SOURCE ¹
PRIOLIST	Is Condition On Priority List	CN02
CONDBEGD	Date Condition Started -- Day	CN05
CONDBEGM	Date Condition Started -- Month	CN05
CONDBEGY	Date Condition Started -- Year	CN05
SEEDREV1	RD1: Ever Seen Dr For Cond	CN03, CN17
SEEDREV2	RD2: Ever Seen Dr For Cond	CN03, CN17
SEEDREV3	RD3: Ever Seen Dr For Cond	CN03, CN17
SEEDREV4	RD4: Ever Seen Dr For Cond	CN03, CN17
SEEDREV5	RD5: Ever Seen Dr For Cond	CN03, CN17
LSTSAW1	RD1: When Was Last Time Dr Was Seen	CN04
STILTR1	RD1: Is Pers Still Treated For Cond	CN11, CN18
STILTR2	RD2: Is Pers Still Treated For Cond	CN11, CN18
STILTR3	RD3: Is Pers Still Treated For Cond	CN11, CN18
STILTR4	RD4: Is Pers Still Treated For Cond	CN11, CN18
STILTR5	RD5: Is Pers Still Treated For Cond	CN11, CN18
OVRALL1	RD1: How Cond Affect Overall Health	CN13, CN19
OVRALL2	RD2: How Cond Affect Overall Health	CN13, CN19
OVRALL3	RD3: How Cond Affect Overall Health	CN13, CN19
OVRALL4	RD4: How Cond Affect Overall Health	CN13, CN19
OVRALL5	RD5: How Cond Affect Overall Health	CN13, CN19
WHOTYP1	RD1: Who Reported Condition Affect	CN13OV, CN19OV
WHOTYP2	RD2: Who Reported Condition Affect	CN13OV, CN19OV
WHOTYP3	RD3: Who Reported Condition Affect	CN13OV, CN19OV
WHOTYP4	RD4: Who Reported Condition Affect	CN13OV, CN19OV
WHOTYP5	RD5: Who Reported Condition Affect	CN13OV, CN19OV
FURTCA1	RD1: Further Treatment Recommended	CN14

¹ See the README file in the Survey Instruments section of the MEPS home page for information on the MEPS HC questionnaire sections (e.g., CN, DD) shown in the Source column.

VARIABLE	LABEL	SOURCE ¹
FURTCA2	RD2: Further Treatment Recommended	CN14
FURTCA3	RD3: Further Treatment Recommended	CN14
FURTCA4	RD4: Further Treatment Recommended	CN14
FURTCA5	RD5: Further Treatment Recommended	CN14
FOLOCA1	RD1: Rcv FollowUp Care For Condition	CN15
FOLOCA2	RD2: Rcv FollowUp Care For Condition	CN15
FOLOCA3	RD3: Rcv FollowUp Care For Condition	CN15
FOLOCA4	RD4: Rcv FollowUp Care For Condition	CN15
FOLOCA5	RD5: Rcv FollowUp Care For Condition	CN15
SEEDREF1	RD1: Saw Dr In Reference Period	CN03, CN17
SEEDREF2	RD2: Saw Dr In Reference Period	CN03, CN17
SEEDREF3	RD3: Saw Dr In Reference Period	CN03, CN17
SEEDREF4	RD4: Saw Dr In Reference Period	CN03, CN17
SEEDREF5	RD5: Saw Dr In Reference Period	CN03, CN17
CRND1	Has Condition Information In Round	Constructed
CRND2	Has Condition Information In Round	Constructed
CRND3	Has Condition Information In Round	Constructed
CRND4	Has Condition Information In Round	Constructed
CRND5	Has Condition Information In Round	Constructed
PRIORFLG	Location Of Rnd Specific Priority Info	Constructed
INJURY	Was Condition Due To Accident/Injury	CN02
ACCIDENTD	Date Of Accident -- Day	CN06
ACCIDENTM	Date Of Accident -- Month	CN06
ACCIDENTY	Date Of Accident -- Year	CN06
ACCDNWRK	Did Accident Occur At Work	CN07
ACDNTLOC	Where Did Accident Happen	CN08
INOUTH	Was Accident Inside/Outside The House	CN09
VEHICLE	Was A Motor Vehicle Involved	CN10
GUN	Was A Gun Involved	CN10
WEAPON	Was Some Other Weapon Involved	CN10
POISON	Was Poison/Poisonous Substance Involved	CN10
FIREBURN	Was Fire/Burning Involved	CN10
DROWN	Was Drowning/Near-Drowning Involved	CN10
SPORTS	Was It A Sports Injury	CN10
FALL	Was It A Fall	CN10
ACDNTOTH	Was Something Else Involved	CN10
RECOVER	Fully Recovered From Condition	CN12
AFCOND	Condition Rel To Srvc In Armed Forces	CN21
INJURFLG	Location Of Rnd Specific Injury Info	Constructed
MISSWORK	Flag Associated With Missed Work Days	DD03
MISSSCHL	Flag Associated With Missed School Days	DD06

¹ See the README file in the Survey Instruments section of the MEPS home page for information on the MEPS HC questionnaire sections (e.g., CN, DD) shown in the Source column.

VARIABLE	LABEL	SOURCE ¹
INBEDFLG	Flag Associated With Bed Days	DD09
ICD9CODX	ICD-9-CM Code For Condition - Edited	CE05, HS04, ER04, OP09, MV09, HH05, PM09 (Edited)
ICD9PROX	ICD-9-CM Code For Procedure - Edited	CE05, HS04, ER04, OP09, MV09, HH05, PM09 (Edited)
CCCODEX	Clinical Classification Code - Edited	Constructed/Edited

UTILIZATION VARIABLES

VARIABLE	LABEL	SOURCE ¹
HHNUM	# Home Health Events Assoc. w/ Condition	Constructed
IPNUM	# Inpatient Events Assoc. w/ Condition	Constructed
OPNUM	# Outpatient Events Assoc. w/ Condition	Constructed
OBNUM	# Office-Based Events Assoc. w/ Condition	Constructed
ERNUM	# ER Events Assoc. w/ Condition	Constructed
RXNUM	# Prescribed Medicines Assoc. w/ Cond.	Constructed

WEIGHTS AND VARIANCE ESTIMATION VARIABLES

VARIABLE	LABEL	SOURCE ¹
PERWT01F	Final Person Level Weight, 2001	Constructed
VARSTR01	Variance Estimation Stratum, 2001	Constructed
VARPSU01	Variance Estimation PSU, 2001	Constructed

¹ See the README file in the Survey Instruments section of the MEPS home page for information on the MEPS HC questionnaire sections (e.g., CN, DD) shown in the Source column.

Appendix 2

Condition, Procedure and Clinical Classification Code Frequencies

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY PERWT01F
-1	INAPPLICABLE	2,102	19,376,774
-9	NOT ASCERTAINED	637	5,667,573
005	OTHER FOOD POISONING*	105	934,442
008	INTESTINAL INFECTION NEC*	3,073	27,001,602
009	ILL-DEFINED INTEST INF*	46	323,572
011	PULMONARY TUBERCULOSIS*	22	152,560
034	STREP THROAT/SCARLET FEV*	819	7,373,967
038	SEPTICEMIA*	23	175,718
040	OTHER BACTERIAL DISEASES*	7	99,529
041	BACT INF IN OTH DIS/NOS*	150	1,401,328
042	HUMAN IMMUNO VIRUS DIS	28	209,206
052	CHICKENPOX*	65	538,808
053	HERPES ZOSTER*	119	1,104,063
054	HERPES SIMPLEX*	108	1,111,856
057	OTHER VIRAL EXANTHEMATA*	34	284,960
070	VIRAL HEPATITIS*	59	560,964
074	COXSACKIE VIRAL DISEASE*	10	84,371
075	INFECTIOUS MONONUCLEOSIS	51	555,834
077	OTH VIRAL CONJUNCTIVITIS*	9	104,418
078	OTHER VIRAL DISEASE*	288	2,871,881
079	VIRAL INF IN OTH DIS/NOS*	877	8,265,494
088	OTH ARTHROPOD-BORNE DIS*	17	226,190
099	OTHER VENEREAL DISEASE*	3	16,312
110	DERMATOPHYTOSIS*	310	2,594,489
111	DERMATOMYCOSIS NEC/NOS*	23	240,336
112	CANDIDIASIS*	311	2,983,253
117	OTHER MYCOSES*	29	241,161
131	TRICHOMONIASIS*	4	41,354
132	PEDICULOSIS AND PHTHIRUS*	13	99,054
133	ACARIASIS*	16	117,211
135	SARCOIDOSIS	9	91,354
136	INF/PARASITE DIS NEC/NOS*	144	1,189,514
139	LATE EFFECT INFECT NEC*	9	85,798
145	MALIG NEO MOUTH NEC/NOS*	10	114,377
149	OTH MALIG NEO OROPHARYNX*	10	69,996
150	MALIGNANT NEO ESOPHAGUS*	5	54,180
151	MALIGNANT NEO STOMACH*	10	88,361
153	MALIGNANT NEOPLASM COLON*	38	343,129
154	MALIG NEO RECTUM/ANUS*	4	38,871
155	MALIGNANT NEOPLASM LIVER*	7	67,949
157	MALIGNANT NEO PANCREAS*	4	32,237
162	MAL NEO TRACHEA/LUNG*	37	367,050
170	MAL NEO BONE/ARTIC CART*	9	76,026
172	MALIGNANT MELANOMA SKIN*	34	331,295
173	OTHER MALIG NEOPL SKIN*	299	3,038,449
174	MALIG NEO FEMALE BREAST*	118	1,222,117
179	MALIG NEOPL UTERUS NOS	13	129,342
180	MALIG NEOPL CERVIX UTERI*	18	151,103
183	MAL NEO UTERINE ADNEXA*	4	42,700
185	MALIGN NEOPL PROSTATE	93	904,940
186	MALIGN NEOPL TESTIS*	4	30,917

NOTE: ' * ' indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.6.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY PERWT01F
188	MALIGN NEOPL BLADDER*	15	173,623
189	MAL NEO URINARY NEC/NOS*	10	89,323
191	MALIGNANT NEOPLASM BRAIN*	6	59,370
193	MALIGN NEOPL THYROID	6	69,519
195	MAL NEO OTH/ILL-DEF SITE*	18	136,351
199	MALIGNANT NEOPLASM NOS*	98	877,357
201	HODGKIN'S DISEASE*	7	93,161
202	OTH MAL NEO LYMPH/HISTIO*	27	260,618
203	MULTIPLE MYELOMA ET AL*	9	86,550
204	LYMPHOID LEUKEMIA*	4	62,728
208	LEUKEMIA-UNSPECIF CELL*	22	208,287
210	BEN NEO ORAL CAV/PHARYNX*	4	30,426
211	OTH BENIGN NEOPLASM GI*	62	587,812
214	LIPOMA*	17	164,009
215	OTH BEN NEO SOFT TISSUE*	63	546,710
216	BENIGN NEOPLASM OF SKIN*	298	3,193,426
217	BENIGN NEOPLASM BREAST	8	86,330
218	UTERINE LEIOMYOMA*	28	314,414
229	BENIGN NEOPLASM NEC/NOS*	39	435,345
237	UNCER NEO ENDOCRINE/NERV*	3	20,349
238	UNC BEHAV NEO NEC/NOS*	53	584,886
239	UNSPECIFIED NEOPLASM*	250	2,422,108
240	GOITER, SIMPLE/NOS*	26	244,697
241	NONTOXIC NODULAR GOITER*	9	131,359
242	THYROTOXICOSIS*	108	1,034,285
244	ACQUIRED HYPOTHYROIDISM*	484	4,926,000
245	THYROIDITIS*	6	60,959
246	OTH DISORDERS OF THYROID*	615	5,672,540
250	DIABETES MELLITUS*	1,751	13,999,634
251	OTH PANCREATIC DISORDER*	52	469,404
253	PITUITARY/HYPOTHALM DIS*	11	126,593
255	ADRENAL GLAND DISORDERS*	9	68,699
256	OVARIAN DYSFUNCTION*	27	323,205
259	OTH ENDORINE DISORDERS*	349	3,190,324
263	PROT-CAL MALNUTR NEC/NOS*	2	12,232
266	B-COMPLEX DEFICIENCIES*	18	228,281
269	OTH NUTRITION DEFICIENCY*	21	210,488
271	DIS CARBOHYDRATE METABOL*	11	114,096
272	DIS OF LIPOID METABOLISM*	1,970	18,602,028
274	GOUT*	243	2,321,683
275	DIS MINERAL METABOLISM*	26	217,251
276	FLUID/ELECTROLYTE DIS*	724	6,405,288
277	METABOLISM DIS NEC/NOS*	20	204,415
278	OBESITY/HYPERALIMENT*	111	982,699
279	DIS IMMUNE MECHANISM*	7	60,314
280	IRON DEFICIENCY ANEMIAS*	67	586,897
281	OTHER DEFICIENCY ANEMIA*	12	129,923
282	HEREDIT HEMOLYTIC ANEMIA*	13	110,022
284	APLASTIC ANEMIA*	4	28,328
285	ANEMIA NEC/NOS*	266	2,066,962
286	COAGULATION DEFECTS*	4	28,454

NOTE: ' * ' indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.6.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY PERWT01F
287	PURPURA & OTH HEMOR COND*	18	164,587
288	WBC DISORDERS*	19	192,766
289	OTHER BLOOD DISEASE*	111	918,896
294	OTHER ORGANIC PSYCH COND*	42	502,560
295	SCHIZOPHRENIC DISORDERS*	44	381,384
296	AFFECTIVE PSYCHOSES*	182	1,769,763
297	PARANOID STATES*	8	73,647
298	OTH NONORGANIC PSYCHOSES*	22	183,860
299	PSYCHOSES OF CHILDHOOD*	22	191,225
300	NEUROTIC DISORDERS*	1,086	10,477,618
301	PERSONALITY DISORDERS*	26	229,530
302	SEXUAL DISORDERS*	26	219,965
303	ALCOHOL DEPENDENCE SYNDR*	32	299,083
304	DRUG DEPENDENCE*	10	113,760
305	NONDEPENDENT DRUG ABUSE*	38	357,620
306	PSYCHOPHYSIOLOGIC DIS*	21	188,456
307	SPECIAL SYMPTOM NEC*	54	494,870
308	ACUTE REACTION TO STRESS*	492	4,608,677
309	ADJUSTMENT REACTION*	137	1,310,291
310	NONPSYCHOTIC BRAIN SYND*	5	37,461
311	DEPRESSIVE DISORDER NEC	1,947	17,724,420
312	CONDUCT DISTURBANCE NEC*	42	280,437
313	EMOTIONAL DIS CHILD/ADOL*	12	82,312
314	HYPERKINETIC SYNDROME*	373	3,421,219
315	SPECIFIC DEVELOP DELAYS*	46	358,756
319	MENTAL RETARDATION NOS	19	115,133
322	MENINGITIS, UNSPECIFIED*	14	154,475
331	CEREBRAL DEGENERATION*	69	629,233
332	PARKINSON'S DISEASE*	54	583,437
333	EXTRAPYRAMIDAL DIS NEC*	36	345,141
336	SPINAL CORD DISEASE NEC*	8	64,541
337	AUTONOMIC NERVE DISORDER*	7	56,509
340	MULTIPLE SCLEROSIS	39	362,251
343	INFANTILE CEREBRAL PALSY*	32	239,454
344	OTH PARALYTIC SYNDROMES*	17	124,387
345	EPILEPSY*	91	749,259
346	MIGRAINE*	699	6,430,022
347	CATAPLEXY AND NARCOLEPSY	9	76,527
348	OTHER BRAIN CONDITIONS*	41	414,535
349	CNS DISORDER NEC/NOS*	42	358,411
350	TRIGEMINAL NERV DISORDER*	8	72,874
351	FACIAL NERVE DISORDERS*	30	214,723
353	NERVE ROOT/PLEXUS DIS*	22	181,922
354	MONONEURITIS UPPER LIMB*	254	2,381,500
355	MONONEURITIS LEG*	244	2,244,520
356	HERED PERIPH NEUROPATHY*	17	151,487
358	MYONEURAL DISORDERS*	5	48,425
359	MUSCULAR DYSTROPHIES*	7	71,004
360	DISORDERS OF THE GLOBE*	226	1,943,748
361	RETINAL DETACHMENT*	21	199,594
362	RETINAL DISORDERS NEC*	144	1,585,142

NOTE: ' * ' indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.6.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY PERWT01F
364	IRIS/CILIARY BODY DIS*	10	107,682
365	GLAUCOMA*	361	3,456,832
366	CATARACT*	516	4,895,532
367	DISORDERS OF REFRACTION*	360	3,570,790
368	VISUAL DISTURBANCES*	124	1,119,189
369	BLINDNESS AND LOW VISION*	119	1,032,765
370	KERATITIS*	6	67,091
371	CORNEAL OPACITY/DISORDER*	17	135,087
372	DISORDERS OF CONJUNCTIVA*	276	2,518,864
373	INFLAMMATION OF EYELIDS*	54	503,826
374	DISORDERS OF EYELIDS NEC*	26	240,107
375	LACRIMAL SYSTEM DISORDER*	93	934,449
377	DISORDERS OF OPTIC NERVE*	14	118,403
378	STRABISMUS*	28	326,700
379	EYE DISORDERS NEC*	321	2,759,366
380	DISORDER OF EXTERNAL EAR*	121	1,154,036
381	NONSUPPUR OTITIS MEDIA*	22	218,755
382	OTITIS MEDIA, SUPPUR/NOS*	1,998	16,763,387
383	MASTOIDITIS ET AL*	5	45,145
384	DISORD TYMPANIC MEMB NEC*	27	259,759
385	DIS MID EAR/MASTOID NEC*	7	60,074
386	VERTIGINOUS SYNDROMES*	80	705,315
388	DISORDERS OF EAR NEC*	327	2,779,729
389	HEARING LOSS*	213	2,126,685
401	ESSENTIAL HYPERTENSION*	4,190	36,511,052
410	ACUTE MYOCARDIAL INFARCT*	140	1,190,628
411	OTH AC ISCHEMIC HRT DIS*	15	176,629
412	OLD MYOCARDIAL INFARCT	39	365,035
413	ANGINA PECTORIS*	125	1,140,662
414	OTH CHR ISCHEMIC HRT DIS*	101	1,034,223
415	ACUTE PULMONARY HRT DIS*	11	83,699
416	CHR PULMONARY HEART DIS*	5	46,576
423	OTH PERICARDIAL DISEASE*	6	55,187
424	OTH ENDOCARDIAL DISEASE*	134	1,404,523
425	CARDIOMYOPATHY*	12	114,413
426	CONDUCTION DISORDERS*	8	81,099
427	CARDIAC DYSRHYTHMIAS*	408	4,047,017
428	HEART FAILURE*	189	1,728,881
429	ILL-DEFINED HEART DIS*	734	6,439,373
433	PRECEREBRAL OCCLUSION*	30	313,634
435	TRANSIENT CEREB ISCHEMIA*	25	270,467
436	CVA	229	1,987,029
437	OTH CEREBROVASC DISEASE*	14	114,511
438	LATE EFF CEREBROVASC DIS*	25	221,572
440	ATHEROSCLEROSIS*	44	430,466
441	AORTIC ANEURYSM*	17	160,394
442	OTHER ANEURYSM*	19	223,141
443	OTH PERIPH VASCULAR DIS*	16	171,968
444	ARTERIAL EMBOLISM*	93	865,822
446	POLYARTERIT NODOSA ET AL*	6	52,828
447	OTHER ARTERIAL DISEASE*	30	266,012

NOTE: ' * ' indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.6.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY PERWT01F
451	THROMBOPHLEBITIS*	24	283,186
453	OTH VENOUS THROMBOSIS*	75	723,024
454	VARICOSE VEINS, LEG*	55	481,121
455	HEMORRHOIDS*	154	1,553,006
456	VARICOSE VEINS NEC*	6	91,372
457	NONINFECT LYMPHATIC DIS*	10	98,625
458	HYPOTENSION*	59	520,522
459	OTH CIRCULATORY DISEASE*	227	1,975,340
460	ACUTE NASOPHARYNGITIS	5,452	48,049,657
461	ACUTE SINUSITIS*	16	186,706
462	ACUTE PHARYNGITIS	672	5,990,334
463	ACUTE TONSILLITIS	148	1,191,850
464	AC LARYNGITIS/TRACHEITIS*	112	1,155,102
465	AC URI MULT SITES/NOS*	352	3,415,411
466	AC BRONCHITIS/BRONCHIOL*	35	287,664
470	DEVIATED NASAL SEPTUM	20	225,621
471	NASAL POLYPS*	14	168,880
472	CHR PHARYNG/NASOPHARYNG*	13	139,314
473	CHRONIC SINUSITIS*	1,863	18,112,194
474	CHR T & A DIS*	54	432,188
477	ALLERGIC RHINITIS*	2,907	26,555,246
478	OTH UPPR RESPIRATORY DIS*	958	7,530,641
480	VIRAL PNEUMONIA*	6	53,188
482	OTH BACTERIAL PNEUMONIA*	5	64,627
485	BRONCHOPNEUMONIA ORG NOS	13	100,762
486	PNEUMONIA, ORGANISM NOS	541	5,083,881
487	INFLUENZA*	1,935	15,969,726
490	BRONCHITIS NOS	1,289	11,891,133
491	CHRONIC BRONCHITIS*	43	411,967
492	EMPHYSEMA*	201	1,743,925
493	ASTHMA*	1,695	13,725,939
496	CHR AIRWAY OBSTRUCT NEC	54	515,626
500	COAL WORKERS' PNEUMOCON	3	24,832
505	PNEUMOCONIOSIS NOS	8	85,967
511	PLEURISY*	43	345,966
514	PULM CONGEST/HYPOSTASIS	98	859,329
515	POSTINFLAM PULM FIBROSIS	6	89,774
518	OTHER LUNG DISEASES*	148	1,232,406
519	OTH RESP SYSTEM DISEASES*	237	2,236,261
520	TOOTH DEVELOP/ERUPT DIS*	47	403,410
521	HARD TISSUE DIS OF TEETH*	87	730,527
522	PULP & PERIAPICAL DIS*	368	3,338,350
523	GINGIVAL/PERIODONTAL DIS*	174	1,487,430
524	DENTOFACIAL ANOMALIES*	61	640,278
525	OTHER DENTAL DISORDER*	401	3,550,440
526	JAW DISEASES*	31	242,931
527	SALIVARY GLAND DISEASES*	22	249,645
528	ORAL SOFT TISSUE DISEASE*	131	1,135,752
529	TONGUE DISORDERS*	5	50,534
530	DISEASES OF ESOPHAGUS*	902	8,521,120
531	GASTRIC ULCER*	154	1,328,139

NOTE: ' * ' indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.6.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY PERWT01F
532	DUODENAL ULCER*	6	33,295
533	PEPTIC ULCER, SITE NOS*	9	71,240
535	GASTRITIS AND DUODENITIS*	163	1,084,442
536	STOMACH FUNCTION DISORD*	1,048	8,983,521
537	OTH GASTRODUodenal DIS*	289	2,462,996
540	ACUTE APPENDICITIS*	6	75,461
541	APPENDICITIS NOS	34	269,237
550	INGUINAL HERNIA*	13	122,439
553	OTHER ABDOMINAL HERNIA*	319	2,957,870
555	REGIONAL ENTERITIS*	24	225,300
556	IDIOPATHIC PROCTOCOLITIS*	11	123,351
558	OTH NONINF GASTROENTERIT*	77	628,787
560	INTESTINAL OBSTRUCTION*	22	220,303
562	DIVERTICULA OF INTESTINE*	109	1,076,430
564	FUNCT DIGESTIVE DIS NEC*	312	2,761,078
565	ANAL FISSURE & FISTULA*	6	68,341
566	ANAL & RECTAL ABSCESS	3	30,839
567	PERITONITIS*	4	21,748
568	OTH PERITONEAL DISORDERS*	4	36,221
569	OTH INTESTINAL DISORDERS*	156	1,518,835
571	CHR LIVER DIS/CIRRHOSIS*	17	102,572
573	OTH LIVER DISORDERS*	71	468,457
574	CHOLELITHIASIS*	74	572,294
575	OTH GALLBLADDER DISORDER*	99	925,978
576	OTH DIS OF BILIARY TRACT*	6	52,061
577	DISEASES OF PANCREAS*	32	257,823
578	GASTROINTESTINAL HEMORR*	56	509,922
583	NEPHRITIS NOS*	7	55,588
585	CHRONIC RENAL FAILURE	8	42,663
586	RENAL FAILURE NOS	64	462,861
590	KIDNEY INFECTION*	177	1,329,947
592	RENAL/URETERAL CALCULUS*	168	1,609,280
593	OTH RENAL & URETERAL DIS*	145	1,196,611
595	CYSTITIS*	414	3,787,880
596	OTHER BLADDER DISORDERS*	142	1,305,594
599	OTH URINARY TRACT DISOR*	564	5,090,901
600	HYPERPLASIA OF PROSTATE*	100	952,886
601	PROSTATIC INFLAMMATION*	42	400,317
602	OTH PROSTATIC DISORDERS*	165	1,518,600
604	ORCHITIS & EPIDIDYMITIS*	7	57,654
607	DISORDERS OF PENIS*	20	183,251
608	MALE GENITAL DIS NEC*	35	351,646
610	BENIGN MAMMARY DYSPLASIA*	99	963,834
611	OTHER BREAST DISORDERS*	243	2,179,395
614	FEMALE PELVIC INFLAM DIS*	22	157,581
615	UTERINE INFLAMMATORY DIS*	11	90,606
616	OTH FEMALE GEN INFLAM*	115	915,146
617	ENDOMETRIOSIS*	53	539,515
618	GENITAL PROLAPSE*	31	359,704
620	NONINFLAM DIS OVAR/ADNEX*	131	1,036,547
621	DISORDERS OF UTERUS NEC*	38	322,232

NOTE: ' * ' indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.6.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY PERWT01F
622	NONINFLAMM DIS CERVIX*	36	326,201
623	NONINFLAMM DIS VAGINA*	89	756,810
625	FEMALE GENITAL SYMPTOMS*	312	2,702,719
626	DISORDER OF MENSTRUATION*	229	2,146,038
627	MENOPAUSAL DISORDERS*	630	5,724,359
628	FEMALE INFERTILITY*	7	92,874
629	OTH FEMALE GENITAL DIS*	56	488,207
633	ECTOPIC PREGNANCY*	3	37,336
634	SPONTANEOUS ABORTION*	68	631,786
637	UNSPECIFIED ABORTION*	12	95,470
642	HYPERTENSION COMPL PREG*	6	30,160
643	EXCESS VOMITING IN PREG*	8	82,563
644	EARLY/THREATENED LABOR*	30	227,621
646	OTHER COMPL OF PREGNANCY*	13	78,388
648	OTH CURRENT COND IN PREG*	45	376,408
650	NORMAL DELIVERY	124	966,278
669	OTH COMPL LABOR/DELIVERY*	12	106,698
674	PUERPERAL COMPL NEC/NOS*	9	65,035
680	CARBUNCLE AND FURUNCLE*	38	350,759
681	CELLULITIS, FINGER/TOE*	44	430,238
682	OTHER CELLULITIS/ABSCESS*	68	566,360
683	ACUTE LYMPHADENITIS	6	49,576
684	IMPETIGO	34	290,126
685	PILONIDAL CYST*	5	34,970
686	OTH LOCAL SKIN INFECTION*	222	1,987,495
690	ERYTHEMATOSQUAMOUS DERM*	15	156,139
691	ATOPIC DERMATITIS*	33	269,183
692	CONTACT DERMATITIS*	546	5,076,570
693	DERMAT D/T INTERN AGENT*	43	419,963
695	ERYTHEMATOUS CONDITIONS*	116	1,239,209
696	PSORIASIS/LIKE DISORDERS*	119	1,246,687
698	PRURITUS & LIKE COND*	62	537,877
700	CORNS AND CALLOSITIES	86	992,264
701	OTH SKIN HYPERTRO/ATROPH*	118	1,151,262
702	OTHER DERMATOSES*	17	209,985
703	DISEASES OF NAIL*	193	1,784,264
704	HAIR & FOLLICLE DISEASE*	71	690,669
705	DISORDERS OF SWEAT GLAND*	13	101,097
706	SEBACEOUS GLAND DISEASE*	631	6,579,485
707	CHRONIC ULCER OF SKIN*	207	1,667,782
708	URTICARIA*	76	727,274
709	OTHER SKIN DISORDERS*	534	4,973,993
710	DIFF CONNECTIVE TISS DIS*	61	587,695
711	ARTHROPATHY W INFECTION*	12	112,660
714	OTH INFLAMM POLYARTHROP*	128	1,119,620
715	OSTEOARTHRROSIS ET AL*	211	2,171,333
716	ARTHROPATHIES NEC/NOS*	3,279	29,311,555
717	INTERNAL DERANGEMNT KNEE*	26	269,454
718	OTHER JOINT DERANGEMENT*	31	273,637
720	INFLAM SPONDYLOPATHIES*	10	87,745
721	SPONDYLOYSIS ET AL*	93	917,833

NOTE: ' * ' indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.6.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY PERWT01F
722	INTERVERTEBRAL DISC DIS*	430	3,985,135
723	OTHER CERVICAL SPINE DIS*	268	2,503,374
724	BACK DISORDER NEC & NOS*	1,883	17,800,197
725	POLYMYALGIA RHEUMATICA	13	155,681
726	PERIPH ENTHESOPATHIES*	432	4,527,226
727	OTH DIS SYNOV/TEND/BURSA*	332	3,218,923
728	DIS OF MUSCLE/LIG/FASCIA*	285	2,558,448
729	OTHER SOFT TISSUE DIS*	991	8,573,914
730	OSTEOMYELITIS*	17	143,602
731	OSTEITIS DEFORMANS*	9	103,660
732	OSTEOCHONDROPATHIES*	14	159,270
733	OTH BONE & CARTILAGE DIS*	588	5,665,370
734	FLAT FOOT	48	411,655
735	ACQ DEFORMITIES OF TOE*	28	255,660
736	OTH ACQ LIMB DEFORMITIES*	15	120,236
737	CURVATURE OF SPINE*	101	1,072,389
738	OTHER ACQUIRED DEFORMITY*	9	69,127
741	SPINA BIFIDA*	12	86,814
743	CONGENITAL EYE ANOMALY*	6	43,070
746	OTHER CONGEN HEART ANOM*	11	98,833
747	OTH CONG CIRC SYST ANOM*	5	45,076
749	CLEFT PALATE & CLEFT LIP*	8	32,069
750	OTHER UPPER GI ANOMALY*	5	53,367
752	GENITAL ORGAN ANOMALIES*	9	106,229
753	URINARY SYSTEM ANOMALIES*	31	269,465
754	CONG MUSCULOSKEL DEFORM*	11	117,708
755	OTH CONGEN LIMB ANOMALY*	19	165,302
756	OTH MUSCULOSKELET ANOMAL*	24	208,718
757	CONGEN SKIN ANOMALIES*	6	56,806
758	CHROMOSOMAL ANOMALIES*	18	151,422
759	CONGEN ANOMALIES NEC/NOS*	32	276,607
765	SHORT GESTATION AND LOW WT*	10	86,015
770	OTH NB RESPIRATORY COND*	3	49,250
779	OTH PERINATAL CONDITION*	8	73,752
780	GENERAL SYMPTOMS*	2,690	23,049,131
781	NERV/MUSCULSKEL SYS SYMP*	89	766,107
782	SKIN/OTH INTEGUMENT SYMP*	951	8,922,207
783	NUTRIT/METAB/DEVEL SYMP*	108	965,887
784	SYMPTOMS INVOL HEAD/NECK*	1,021	8,762,671
785	CARDIOVASCULAR SYS SYMP*	337	3,042,975
786	RESP SYS/OTH CHEST SYMP*	1,271	10,542,241
787	GI SYSTEM SYMPTOMS*	673	5,496,373
788	URINARY SYSTEM SYMPTOMS*	231	2,225,703
789	OTH ABDOMEN/PELVIS SYMP*	235	1,985,342
790	ABNORMAL BLOOD FINDINGS*	177	1,673,749
791	ABNORMAL URINE FINDINGS*	10	86,342
792	ABN FIND-OTH BODY SUBST*	5	40,455
793	ABN FIND-BODY STRUCT NOS*	21	195,373
794	ABNORMAL FUNCTION STUDY*	18	141,454
795	ABN HISTOLOG/IMMUNO FIND*	103	950,155
796	OTHER ABNORMAL FINDINGS*	419	3,868,560

NOTE: ' * ' indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.6.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY PERWT01F
797	SENIILITY W/O PSYCHOSIS	94	794,902
799	OTH ILL-DEF MORBID/MORTL*	413	3,386,657
802	FRACTURE OF FACE BONES*	37	292,230
803	OTHER SKULL FRACTURE*	11	76,676
805	VERTEBRL FX W/O CORD INJ*	63	617,304
807	FX RIB/STERN/LARYN/TRACH*	71	663,150
808	PELVIC FRACTURE*	15	87,404
810	CLAVICLE FRACTURE*	23	163,532
812	HUMERUS FRACTURE*	44	462,247
813	RADIUS & Ulna FRACTURE*	15	122,605
814	CARPAL FRACTURE*	80	806,732
815	METACARPAL FRACTURE*	40	355,636
816	FRACTURE PHALANGES, HAND*	94	824,517
818	FRACTURE ARM MULT/NOS*	73	672,759
820	FRACTURE NECK OF FEMUR*	40	436,098
821	OTHER FEMORAL FRACTURE*	12	125,580
822	PATELLA FRACTURE*	26	184,466
823	TIBIA & FIBULA FRACTURE*	8	74,681
824	ANKLE FRACTURE*	76	712,389
825	FX OF TARSAL/METATARSAL*	65	581,648
826	FRACTURE PHALANGES, FOOT*	65	628,740
827	LOWER LIMB FRACTURE NEC*	33	265,162
829	FRACTURE NOS*	10	76,907
831	SHOULDER DISLOCATION*	50	470,628
832	ELBOW DISLOCATION*	14	90,294
834	DISLOCATION OF FINGER*	8	62,410
835	DISLOCATION OF HIP*	18	175,547
836	DISLOCATION OF KNEE*	53	454,622
837	DISLOCATION OF ANKLE*	4	22,729
839	DISLOCATION NEC*	59	545,546
840	SPRAIN SHOULDER & ARM*	212	2,099,818
841	SPRAIN ELBOW & FOREARM*	18	197,965
842	SPRAIN WRIST & HAND*	125	1,158,077
843	SPRAIN OF HIP & THIGH*	30	267,128
844	SPRAIN OF KNEE & LEG*	204	2,044,390
845	SPRAIN OF ANKLE & FOOT*	368	3,476,608
846	SPRAIN SACROILIAC REGION*	56	634,040
847	SPRAIN OF BACK NEC/NOS*	382	3,634,326
848	SPRAIN NEC*	163	1,608,681
850	CONCUSSION*	64	671,461
853	OTH TRAUMATIC BRAIN HEM*	4	38,669
854	OTHER BRAIN INJURY*	83	733,101
863	GI TRACT INJURY*	5	40,272
869	INTERNAL INJURY NOS*	16	137,791
870	OCULAR ADNEXA OPEN WOUND*	4	33,009
871	EYEBALL OPEN WOUND*	21	207,124
872	OPEN WOUND OF EAR*	10	84,777
873	OTHER OPEN WOUND OF HEAD*	469	4,440,373
874	OPEN WOUND OF NECK*	3	44,830
879	OPEN WOUND SITE NEC*	83	767,999
880	OPN WND SHOULDR/UPT ARM*	6	63,099

NOTE: ' * ' indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.6.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY PERWT01F
881	OPEN WOUND OF LOWER ARM*	25	173,537
882	OPEN WOUND OF HAND*	99	856,447
883	OPEN WOUND OF FINGER*	180	1,635,716
884	OPEN WOUND ARM MULT/NOS*	33	276,998
886	TRAUM AMPUTATION FINGER*	4	55,396
890	OPEN WOUND OF HIP/THIGH*	7	61,944
891	OPEN WND KNEE/LEG/ANKLE*	67	606,668
892	OPEN WOUND OF FOOT*	56	541,703
893	OPEN WOUND OF TOE*	18	172,030
904	BLOOD VESSEL INJURY NEC*	6	45,430
905	LATE EFF MUSCULOSKEL INJ*	4	38,705
908	LATE EFF INJURY NEC/NOS*	11	107,070
910	SUPERFICIAL INJURY HEAD*	39	322,721
911	SUPERFICIAL INJURY TRUNK*	3	22,694
912	SUPERFIC INJ SHOULDR/ARM*	3	32,578
913	SUPERFICIAL INJ FOREARM*	14	140,470
914	SUPERFICIAL INJ OF HAND*	10	97,187
915	SUPERFICIAL INJ FINGER*	6	43,869
916	SUPERFICIAL INJ HIP/LEG*	42	334,107
917	SUPERFICIAL INJ FOOT/TOE*	20	196,845
918	SUPERFIC INJ EYE/ADNEXA*	52	554,638
919	SUPERFICIAL INJ OTH SITE*	80	708,952
920	CONTUSION FACE/SCALP/NCK	54	497,457
921	CONTUSION EYE & ADNEXA*	73	612,403
922	CONTUSION OF TRUNK*	53	513,766
923	CONTUSION OF UPPER LIMB*	78	695,339
924	CONTUSION LEG & OTH SITE*	182	1,667,461
927	CRUSHING INJ UPPER LIMB*	13	109,854
928	CRUSHING INJURY OF LEG*	24	240,188
930	FOREIGN BODY EXTERN EYE*	41	386,257
931	FOREIGN BODY IN EAR	10	76,649
932	FOREIGN BODY IN NOSE	5	29,023
933	FB PHARYNX & LARYNX*	17	124,626
938	FOREIGN BODY GI NOS	13	104,711
940	BURN OF EYE & ADNEXA*	12	111,378
941	BURN OF HEAD/FACE/NECK*	7	54,376
942	BURN OF TRUNK*	8	57,959
943	BURN OF ARM*	15	117,631
944	BURN OF HAND & WRIST*	26	219,762
945	BURN OF LEG*	23	201,643
946	BURN OF MULTIPLE SITE*	7	67,683
949	BURN UNSPECIFIED*	14	130,039
952	SPINAL CORD INJ W/O FX*	17	177,455
953	INJ NERVE ROOT/SPIN PLEX*	4	45,852
955	INJ PERIPH NERV SHLD/ARM*	7	44,071
956	INJ PERIPH NERV PELV/LEG*	5	59,132
957	INJURY TO NERVE NEC/NOS*	6	56,441
958	EARLY COMPLIC OF TRAUMA*	7	61,754
959	INJURY NEC/NOS*	1,237	10,947,608
965	POIS-ANALGESIC/ANTIPYRET*	4	25,989
977	POIS-MEDICINAL NEC/NOS*	16	114,529

NOTE: ' * ' indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.6.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY PERWT01F
984	TOXIC EFF LEAD & COMPND*	9	45,510
985	TOXIC EFFECT OTH METALS*	4	38,894
987	TOXIDE EFF GAS/VAPOR NEC*	8	73,411
989	TOX EFF OTH NONMED SUBST*	105	919,349
990	EFFECTS RADIATION NOS	5	46,989
992	EFFECT OF HEAT/LIGHT*	27	248,716
994	EFFECT EXTERNAL CAUS NEC*	26	261,709
995	CERTAIN ADVERSE EFF NEC*	335	3,148,237
996	REPLACE & GRAFT COMPLIC*	96	934,609
997	SURG COMPL-BODY SYST NEC*	5	47,380
998	OTH SURGICAL COMPL NEC*	98	927,384
999	COMPLIC MEDICAL CARE NEC*	18	190,402
V01	COMMUNICABLE DIS CONTACT*	10	69,392
V04	VACCIN FOR VIRAL DISEASE*	14	116,072
V05	OTH VACCIN FOR SINGL DIS*	19	173,668
V06	VAC FOR DIS COMBINATION*	8	55,689
V07	PROPHYLACTIC MEASURES*	134	1,264,202
V08	ASYMP HIV INFECTN STATUS	6	46,857
V10	HX OF MALIGNANT NEOPLASM*	55	520,168
V12	HX OF DISEASE NEC*	51	545,279
V13	HX OF OTHER DISEASES*	14	166,089
V15	OTH HX OF HEALTH HAZARDS*	29	263,088
V16	FAMILY HX-MALIGNANCY*	9	104,708
V19	FAM HX-OTHER CONDITIONS*	2	24,865
V20	HEALTH SUPERVISION CHILD*	62	612,304
V21	CONSTITUT STATE IN DEVEL*	3	26,500
V22	NORMAL PREGNANCY*	1,051	8,561,923
V24	POSTPARTUM CARE/EXAM*	32	247,251
V25	CONTRACEPTIVE MANAGEMENT*	641	6,620,819
V26	PROCREATIVE MANAGEMENT*	20	236,671
V30	SINGLE LIVEBORN*	65	595,284
V40	MENTAL/BEHAVIORAL PROB*	95	690,867
V41	PROB W SPECIAL FUNCTIONS*	180	1,680,620
V42	ORGAN TRANSPLANT STATUS*	4	39,469
V43	ORGAN REPLACEMENT NEC*	16	143,337
V45	OTH POSTSURGICAL STATES*	97	1,015,331
V47	OTH PROBL W INTERNAL ORG*	53	475,670
V48	HEAD/NECK/TRUNK PROBLEMS*	19	137,668
V49	LIMB PROBLEM/PROBLEM NEC*	38	300,089
V50	OTHER ELECTIVE SURGERY*	25	184,626
V52	FITTING OF PROSTHESIS*	25	235,809
V53	ADJUSTMENT OF OTH DEVICE*	58	624,696
V54	OTH ORTHOPEDIC AFTERCARE*	15	112,850
V55	ATTEN TO ARTIFICIAL OPEN*	4	31,395
V56	DIALYSIS ENCOUNTER*	7	34,772
V57	REHABILITATION PROCEDURE*	24	213,597
V58	ENCOUNTR PROC/AFTRCR NEC*	60	499,221
V60	HOUSEHOLD CIRCUMSTANCES*	2	28,186
V61	OTH FAMILY CIRCUMSTANCES*	24	248,584
V62	OTH PSYCHOSOCIAL CIRCUM*	57	515,007
V65	OTHER REASON FOR CONSULT*	187	1,636,418

NOTE: ' * ' indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.6.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY PERWT01F
V66	CONVALESCENCE*	10	112,215
V67	FOLLOW-UP EXAMINATION*	218	2,104,184
V68	ADMINISTRATIVE ENCOUNTER*	1,760	16,288,959
V69	PROB RELATED TO LIFESTYLE*	22	214,071
V70	GENERAL MEDICAL EXAM*	455	3,790,506
V71	OBSERVATION-SUSPECT COND*	198	1,805,261
V72	SPECIAL EXAMINATIONS*	1,281	11,666,469
V74	SCREENING-BACTERIAL DIS*	12	95,985
V75	SCREEN-OTH INFECTIVE DIS*	6	53,516
V76	SCREENING-MALIG NEOPLASM*	154	1,264,915
V77	SCREEN-ENDO/NUTR/METAB*	77	695,502
V78	SCREENING FOR BLOOD DIS*	3	28,890
V80	SCREEN-NEURO/EYE/EAR DIS*	13	136,238
V81	SCREEN-HEART/RESP/GU DIS*	13	149,712
V82	SCREEN-OTHER CONDITIONS*	27	219,972
	TOTAL	102,489	924,998,432

NOTE: ' * ' indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.6.2 for additional information.

TABLE 2
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9PROX

ICD9PROX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY PERWT01F
-1	INAPPLICABLE	99,384	896,401,202
02	OTHER SKULL/BRAIN OPS*	3	20,396
03	SPINAL CORD & CANAL OPS*	20	188,278
04	CRAN & PERIPH NERVE OPS*	12	129,450
06	THYROID/PARATHYROID OPS*	14	130,210
08	EYELID OPERATIONS*	12	130,657
09	LACRIMAL SYSTEM OP*	4	23,791
11	OPERATIONS ON CORNEA*	27	252,175
12	ANTERIOR SEGMENT OPS*	4	32,692
13	OPERATIONS ON LENS*	94	878,356
14	POSTERIOR SEGMENT OPS*	6	49,071
16	ORBIT/EYEBALL OPS*	63	577,242
18	EXTERNAL EAR OPERATIONS*	10	68,355
20	OTHER MID & INNER EAR OP*	43	351,945
21	OPERATIONS ON NOSE*	11	80,231
22	NASAL SINUS OPERATIONS*	10	81,039
23	TOOTH REMOVAL & RESTORAT*	578	5,385,121
24	OTH OPS ON TEETH & GUMS*	63	561,782
27	OTHER MOUTH & FACE OPS*	46	433,940
28	TONSIL & ADENOID OPS*	39	285,459
31	LARYNX TRACHEA OPS NEC*	7	59,279
33	OTHER BRONCHIAL/LUNG OPS*	7	40,119
35	HEART VALVES & SEPTA OPS*	5	41,971
36	OPS ON HEART VESSELS*	62	674,838
37	OTHER HEART/PERICARD OPS*	37	335,204
38	VESSEL INC/EXCIS/OCLUS*	12	97,410
39	OTHER OPS ON VESSELS*	55	516,525
40	LYMPHATIC SYSTEM OPS*	4	27,917
41	BONE MARROW & SPLEEN OPS*	6	39,825
42	OPERATIONS ON ESOPHAGUS*	6	53,863
44	OTHER GASTRIC OPERATIONS*	17	135,152
45	INTEST INCIS/EXCIS/ANAST*	74	693,655
46	OTHER INTESTINAL OPS*	19	132,937
47	OPERATIONS ON APPENDIX*	13	67,676
49	OPERATIONS ON ANUS*	8	80,540
50	OPERATIONS ON LIVER*	4	24,548
51	BILIARY TRACT OPERATION*	57	446,487
53	REPAIR OF HERNIA*	34	283,193
54	OTHER ABDOMEN REGION OPS*	8	52,168
55	OPERATIONS ON KIDNEY*	16	138,305
57	URINARY BLADDER OPS*	19	186,078
59	OTHER URINARY TRACT OPS*	7	65,279
60	PROSTATE & SEMIN VES OPS*	19	208,771
63	SPERM CORD/EPID/VAS OPS*	31	308,111
64	OPERATIONS ON PENIS*	15	160,232
65	OPERATIONS ON OVARY*	11	71,581
66	FALLOPIAN TUBE OPERATION*	27	174,166
67	OPERATIONS ON CERVIX*	7	60,576
68	OTHER UTERINE INCIS/EXC*	121	1,068,660
69	OTHER UTERUS/SUPPORT OPS*	17	153,550
70	VAGINA & CUL-DE-SAC OPS*	4	31,115

NOTE: ' * ' indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.6.2 for additional information.

TABLE 2
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9PROX

ICD9PROX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY PERWT01F
71	VULVAR & PERINEAL OPS*	3	25,890
73	ASSIST/INDUCE DELIV NEC*	11	87,787
74	C-SECTION/REMOVAL FETUS*	18	164,146
76	FACIAL BONE & JOINT OPS*	5	40,433
77	INCIS/EXCIS/DIV BONE NEC*	22	183,647
78	OTH BONE OPS EXCEPT FACE*	26	242,527
80	INCISION/EXCISION JOINT*	23	236,916
81	JOINT REPAIR*	211	2,053,246
83	OTHER MUS/TEN/FAS/BUR OP*	12	139,264
84	OTHER MUSCULOSKELET PROC*	49	400,510
85	OPERATIONS ON THE BREAST*	68	655,600
86	SKIN & SUBQ OPERATIONS*	423	4,342,052
87	DIAGNOSTIC RADIOLOGY*	53	463,300
88	OTHER DX RADIOLOGY*	18	160,819
89	INTERVIEW/CONSULT/EXAM*	49	412,536
91	MICROSCOPIC EXAM--II*	35	259,510
92	NUCLEAR MEDICINE*	8	113,825
93	PT, REHAB & RELATED PROC*	65	657,080
94	PSYCHE RELATED PROCEDURE*	28	246,453
95	EYE & EAR DX/TREATMENT*	20	180,233
96	NON-OP INTUBAT & IRRIGAT*	32	329,023
97	REPLACE & REMOV DEVICES*	17	123,311
98	NONOP REMOVE FOREIGN BOD*	5	37,177
99	OTHER NONOPERATIVE PROC*	116	952,021
	TOTAL	102,489	924,998,432

NOTE: ' * ' indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.6.2 for additional information.

TABLE 3
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF CCCCODEX

CCCODEX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY PERWT01F
-1	INAPPLICABLE	2,102	19,376,774
-9	NOT ASCERTAINED	651	5,771,125
001	TUBERCULOSIS	23	155,744
002	SEPTICEMIA (EXCEPT IN LABOR)	30	222,055
003	BACTERIAL INFECTION, UNSPECIFIED SIT	165	1,559,740
004	MYCOSES	672	6,056,314
005	HIV INFECTION	34	256,062
006	HEPATITIS	74	684,899
007	VIRAL INFECTION	1,541	14,713,182
008	OTHER INFECTIONS, INCLUDING PARASITI	204	1,771,514
009	SEXUALLY TRANSMITTED INFECTIONS (NOT	7	57,792
010	IMMUNIZATIONS AND SCREENING FOR INFE	88	676,861
011	CANCER OF HEAD AND NECK	38	353,019
012	CANCER OF ESOPHAGUS	5	54,180
013	CANCER OF STOMACH	10	88,361
014	CANCER OF COLON	42	378,584
015	CANCER OF RECTUM AND ANUS	4	38,871
016	CANCER OF LIVER AND INTRAHEPATIC BIL	7	67,949
017	CANCER OF PANCREAS	4	32,237
019	CANCER OF BRONCHUS, LUNG	41	427,952
021	CANCER OF BONE AND CONNECTIVE TISSUE	11	90,283
022	MELANOMAS OF SKIN	36	346,186
023	OTHER NON-EPITHELIAL CANCER OF SKIN	305	3,101,965
024	CANCER OF BREAST	144	1,468,521
025	CANCER OF UTERUS	13	129,342
026	CANCER OF CERVIX	32	299,683
027	CANCER OF OVARY	6	59,883
028	CANCER OF OTHER FEMALE GENITAL ORGAN	6	34,320
029	CANCER OF PROSTATE	96	923,614
030	CANCER OF TESTIS	4	30,917
032	CANCER OF BLADDER	18	204,933
033	CANCER OF KIDNEY AND RENAL PELVIS	9	73,716
035	CANCER OF BRAIN AND NERVOUS SYSTEM	7	71,678
036	CANCER OF THYROID	6	69,519
037	HODGKIN'S DISEASE	6	78,940
038	NON-HODGKIN'S LYMPHOMA	26	254,577
039	LEUKEMIAS	28	281,960
040	MULTIPLE MYELOMA	9	86,550
041	CANCER, OTHER AND UNSPECIFIED PRIMAR	84	758,512
042	SECONDARY MALIGNANCIES	5	32,771
043	MALIGNANT NEOPLASM WITHOUT SPECIFICA	76	685,756
044	NEOPLASMS OF UNSPECIFIED NATURE OR U	301	2,980,535
045	MAINTENANCE CHEMOTHERAPY, RADIOTHERA	8	59,692
046	BENIGN NEOPLASM OF UTERUS	29	321,843
047	OTHER AND UNSPECIFIED BENIGN NEOPLAS	490	5,036,630
048	THYROID DISORDERS	1,250	12,084,053
049	DIABETES MELLITUS WITHOUT COMPLICATI	1,725	13,743,264
050	DIABETES MELLITUS WITH COMPLICATIONS	60	551,891
051	OTHER ENDOCRINE DISORDERS	449	4,186,410
052	NUTRITIONAL DEFICIENCIES	42	467,367
053	DISORDERS OF LIPID METABOLISM	1,939	18,331,799

NOTE: ' * ' indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.6.2 for additional information.

TABLE 3
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF CCCCODEX

CCCODEX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY PERWT01F
054	GOAT AND OTHER CRYSTAL ARTHROPATHIES	243	2,321,683
055	FLUID AND ELECTROLYTE DISORDERS	724	6,405,288
056	CYSTIC FIBROSIS	9	103,503
057	IMMUNITY DISORDERS	7	60,314
058	OTHER NUTRITIONAL, ENDOCRINE, AND ME	276	2,505,537
059	DEFICIENCY AND OTHER ANEMIA	351	2,837,520
061	SICKLE CELL ANEMIA	11	84,611
062	COAGULATION AND HEMORRHAGIC DISORDER	24	210,949
063	DISEASES OF WHITE BLOOD CELLS	19	192,766
064	OTHER HEMATOLOGIC CONDITIONS	108	903,956
065	MENTAL RETARDATION	19	115,133
066	ALCOHOL-RELATED MENTAL DISORDERS	43	413,244
067	SUBSTANCE-RELATED MENTAL DISORDERS	42	408,259
068	SENILITY AND ORGANIC MENTAL DISORDER	198	1,867,390
069	AFFECTIVE DISORDERS	256	2,573,872
070	SCHIZOPHRENIA AND RELATED DISORDERS	66	572,608
071	OTHER PSYCHOSES	28	247,196
072	ANXIETY, SOMATOFORM, DISSOCIATIVE, A	1,512	14,362,800
073	PREADULT DISORDERS	420	3,726,488
074	OTHER MENTAL CONDITIONS	2,266	20,587,036
075	PERSONAL HISTORY OF MENTAL DISORDER,	107	796,265
076	MENINGITIS (EXCEPT THAT CAUSED BY TU	14	154,475
077	ENCEPHALITIS (EXCEPT THAT CAUSED BY	5	38,010
078	OTHER CNS INFECTION AND POLIOMYELITI	7	62,849
079	PARKINSON'S DISEASE	54	583,437
080	MULTIPLE SCLEROSIS	39	362,251
081	OTHER HEREDITARY AND DEGENERATIVE NE	52	463,358
082	PARALYSIS	52	398,230
083	EPILEPSY, CONVULSIONS	319	2,496,320
084	HEADACHE, INCLUDING MIGRAINE	1,513	13,446,327
085	COMA, STUPOR, AND BRAIN DAMAGE	10	64,216
086	CATARACT	516	4,895,532
087	RETINAL DETACHMENTS, DEFECTS, VASCUL	165	1,784,736
088	GLAUCOMA	361	3,456,832
089	BLINDNESS AND VISION DEFECTS	610	5,797,616
090	INFILAMMATION, INFECTION OF EYE (EXCE	551	4,924,413
091	OTHER EYE DISORDERS	749	6,932,064
092	OTITIS MEDIA AND RELATED CONDITIONS	2,051	17,283,558
093	CONDITIONS ASSOCIATED WITH DIZZINESS	370	3,311,702
094	OTHER EAR AND SENSE ORGAN DISORDERS	769	6,989,518
095	OTHER NERVOUS SYSTEM DISORDERS	909	8,259,558
096	HEART VALVE DISORDERS	263	2,541,591
097	PERI-, ENDO-, AND MYOCARDITIS, CARDI	21	192,994
098	ESSENTIAL HYPERTENSION	4,188	36,492,960
099	HYPERTENSION WITH COMPLICATIONS AND	6	51,752
100	ACUTE MYOCARDIAL INFARCTION	140	1,190,628
101	CORONARY ATHEROSCLEROSIS AND OTHER H	293	2,860,814
102	NONSPECIFIC CHEST PAIN	404	3,424,026
103	PULMONARY HEART DISEASE	16	130,274
104	OTHER AND ILL-DEFINED HEART DISEASE	734	6,434,448
105	CONDUCTION DISORDERS	44	445,230

NOTE: ' * ' indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.6.2 for additional information.

TABLE 3
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF CCCCODEX

CCCODEX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY PERWT01F
106	CARDIAC DYSRHYTHMIAS	512	5,010,588
107	CARDIAC ARREST AND VENTRICULAR FIBRI	29	295,112
108	CONGESTIVE HEART FAILURE, NONHYPERT	189	1,728,881
109	ACUTE CEREBROVASCULAR DISEASE	234	2,036,146
110	OCCLUSION OR STENOSIS OF PRECEREBRAL	30	313,634
111	OTHER AND ILL-DEFINED CEREBROVASCUL	9	65,394
112	TRANSIENT CEREBRAL ISCHEMIA	25	270,467
113	LATE EFFECTS OF CEREBROVASCULAR DISE	25	221,572
114	PERIPHERAL AND VISCERAL ATHEROSCLERO	51	502,932
115	AORTIC, PERIPHERAL, AND VISCERAL ART	36	383,535
116	AORTIC AND PERIPHERAL ARTERIAL EMBOL	93	865,822
117	OTHER CIRCULATORY DISEASE	401	3,675,952
118	PHLEBITIS, THROMBOPHLEBITIS AND THRO	99	1,006,210
119	VARICOSE VEINS OF LOWER EXTREMITY	55	481,121
120	HEMORRHOIDS	154	1,553,006
121	OTHER DISEASES OF VEINS AND LYMPHATI	19	211,588
122	PNEUMONIA (EXCEPT THAT CAUSED BY TUB	567	5,315,081
123	INFLUENZA	1,935	15,969,726
124	ACUTE AND CHRONIC TONSILLITIS	203	1,630,539
125	ACUTE BRONCHITIS	35	287,664
126	OTHER UPPER RESPIRATORY INFECTIONS	9,272	84,169,713
127	CHRONIC OBSTRUCTIVE PULMONARY DISEAS	1,589	14,585,797
128	ASTHMA	1,695	13,725,939
130	PLEURISY, PNEUMOTHORAX, PULMONARY CO	54	449,602
131	RESPIRATORY FAILURE, INSUFFICIENCY,	6	63,591
132	LUNG DISEASE DUE TO EXTERNAL AGENTS	11	110,799
133	OTHER LOWER RESPIRATORY DISEASE	1,327	11,259,831
134	OTHER UPPER RESPIRATORY DISEASE	4,034	35,646,901
135	INTESTINAL INFECTION	3,227	28,274,502
136	DISORDERS OF TEETH AND JAW	1,438	13,006,283
137	DISEASES OF MOUTH, EXCLUDING DENTAL	158	1,435,932
138	ESOPHAGEAL DISORDERS	902	8,519,385
139	GASTRODUODENAL ULCER (EXCEPT HEMORRH	145	1,220,459
140	GASTRITIS AND DUODENITIS	163	1,084,442
141	OTHER DISORDERS OF STOMACH AND DUODE	1,335	11,426,768
142	APPENDICITIS AND OTHER APPENDICEAL C	42	361,351
143	ABDOMINAL HERNIA	332	3,080,309
144	REGIONAL ENTERITIS AND ULCERATIVE CO	35	348,651
145	INTESTINAL OBSTRUCTION WITHOUT HERNI	22	220,303
146	DIVERTICULOSIS AND DIVERTICULITIS	109	1,076,430
147	ANAL AND RECTAL CONDITIONS	26	274,252
148	PERITONITIS AND INTESTINAL ABSCESS	5	36,154
149	BILIARY TRACT DISEASE	179	1,550,333
151	OTHER LIVER DISEASES	117	854,113
152	PANCREATIC DISORDERS (NOT DIABETES)	32	257,823
153	GASTROINTESTINAL HEMORRHAGE	117	1,133,480
154	NONINFECTIOUS GASTROENTERITIS	76	615,913
155	OTHER GASTROINTESTINAL DISORDERS	1,015	8,664,403
156	NEPHRITIS, NEPHROSIS, RENAL SCLEROSI	10	84,268
157	ACUTE AND UNSPECIFIED RENAL FAILURE	65	476,922
158	CHRONIC RENAL FAILURE	18	91,669

NOTE: ' * ' indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.6.2 for additional information.

TABLE 3
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF CCCCODEX

CCCODEX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY PERWT01F
159	URINARY TRACT INFECTIONS	1,043	9,133,004
160	CALCULUS OF URINARY TRACT	184	1,762,467
161	OTHER DISEASES OF KIDNEY AND URETERS	141	1,153,870
162	OTHER DISEASES OF BLADDER AND URETHR	148	1,346,945
163	GENITOURINARY SYMPTOMS AND ILL-DEFIN	349	3,383,273
164	HYPERPLASIA OF PROSTATE	100	952,886
165	INFLAMMATORY CONDITIONS OF MALE GENI	54	492,614
166	OTHER MALE GENITAL DISORDERS	217	2,028,999
167	NONMALIGNANT BREAST CONDITIONS	342	3,143,228
168	INFLAMMATORY DISEASES OF FEMALE PELV	148	1,163,334
169	ENDOMETRIOSIS	53	539,515
170	PROLAPSE OF FEMALE GENITAL ORGANS	31	359,704
171	MENSTRUAL DISORDERS	400	3,609,253
172	OVARIAN CYST	113	916,051
173	MENOPAUSAL DISORDERS	708	6,455,185
174	FEMALE INFERTILITY	7	92,874
175	OTHER FEMALE GENITAL DISORDERS	425	3,660,163
176	CONTRACEPTIVE AND PROCREATIVE MANAGE	661	6,857,490
177	SPONTANEOUS ABORTION	68	631,786
178	INDUCED ABORTION	12	95,470
180	ECTOPIC PREGNANCY	3	37,336
181	OTHER COMPLICATIONS OF PREGNANCY	46	380,545
183	HYPERTENSION COMPLICATING PREGNANCY,	6	30,160
184	EARLY OR THREATENED LABOR	30	227,621
186	DIABETES OR ABNORMAL GLUCOSE TOLERAN	15	123,011
195	OTHER COMPLICATIONS OF BIRTH, PUERPE	28	214,064
196	NORMAL PREGNANCY AND/OR DELIVERY	1,212	9,808,420
197	SKIN AND SUBCUTANEOUS TISSUE INFECTI	412	3,670,667
198	OTHER INFLAMMATORY CONDITION OF SKIN	315	3,206,124
199	CHRONIC ULCER OF SKIN	207	1,667,782
200	OTHER SKIN DISORDERS	2,342	22,863,057
201	INFECTIVE ARTHRITIS AND OSTEOMYELITI	21	180,985
202	RHEUMATOID ARTHRITIS AND RELATED DIS	130	1,139,369
203	OSTEOARTHRITIS	211	2,171,333
204	OTHER NON-TRAUMATIC JOINT DISORDERS	3,304	29,528,310
205	Spondylosis, intervertebral disc dis	2,682	25,274,536
206	osteoporosis	375	3,648,296
207	pathological fracture	11	109,084
208	acquired foot deformities	138	1,235,770
209	other acquired deformities	39	330,072
210	systemic lupus erythematosus and con	61	587,695
211	other connective tissue disease	2,054	19,011,906
212	other bone disease and musculoskelet	306	3,058,932
213	cardiac and circulatory congenital a	19	180,497
214	digestive congenital anomalies	8	65,552
215	genitourinary congenital anomalies	40	375,694
216	nervous system congenital anomalies	15	119,867
217	other congenital anomalies	116	975,757
218	liveborn	65	595,284
219	short gestation, low birth weight, a	10	86,015
224	other perinatal conditions	12	127,522

NOTE: ' * ' indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.6.2 for additional information.

TABLE 3
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF CCCCODEX

CCCODEX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY PERWT01F
225	JOINT DISORDERS AND DISLOCATIONS, TR	237	2,153,767
226	FRACTURE OF NECK OF FEMUR (HIP)	40	436,098
227	SPINAL CORD INJURY	18	188,011
228	SKULL AND FACE FRACTURES	48	368,906
229	FRACTURE OF UPPER LIMB	374	3,457,109
230	FRACTURE OF LOWER LIMB	285	2,572,665
231	OTHER FRACTURES	165	1,486,326
232	SPRAINS AND STRAINS	1,558	15,121,033
233	INTRACRANIAL INJURY	151	1,443,230
234	CRUSHING INJURY OR INTERNAL INJURY	70	623,120
235	OPEN WOUNDS OF HEAD, NECK, AND TRUNK	590	5,578,113
236	OPEN WOUNDS OF EXTREMITIES	495	4,443,539
237	COMPLICATION OF DEVICE, IMPLANT OR G	96	934,609
238	COMPLICATIONS OF SURGICAL PROCEDURES	125	1,201,746
239	SUPERFICIAL INJURY, CONTUSION	709	6,440,486
240	BURNS	112	960,471
242	POISONING BY OTHER MEDICATIONS AND D	181	1,705,260
243	POISONING BY NONMEDICINAL SUBSTANCES	126	1,077,164
244	OTHER INJURIES AND CONDITIONS DUE TO	1,632	14,518,673
245	SYNCOPE	61	576,714
246	FEVER OF UNKNOWN ORIGIN	463	3,342,207
247	LYMPHADENITIS	82	730,568
248	GANGRENE	6	24,392
250	NAUSEA AND VOMITING	137	1,129,624
251	ABDOMINAL PAIN	222	1,879,613
252	MALAISE AND FATIGUE	366	3,311,967
253	ALLERGIC REACTIONS	880	8,200,219
254	REHABILITATION CARE, FITTING OF PROS	27	232,895
255	ADMINISTRATIVE/SOCIAL ADMISSION	2,090	19,308,342
256	MEDICAL EXAMINATION/EVALUATION	1,295	11,389,673
257	OTHER AFTERCARE	288	2,717,200
258	OTHER SCREENING FOR SUSPECTED CONDIT	287	2,495,229
259	RESIDUAL CODES, UNCLASSIFIED	2,663	23,852,337
	TOTAL	102,489	924,998,432

NOTE: ' * ' indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.6.2 for additional information.

Appendix 3
Clinical Classification Code to
ICD-9-CM Code Crosswalk

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

1	Tuberculosis	V1201	01000	01001	01002	01003	01004	01005	01006	01010	01011	01012	01013
		01014	01015	01016	01080	01081	01082	01083	01084	01085	01086	01090	01091
		01092	01093	01094	01095	01096	01100	01101	01102	01103	01104	01105	01106
		01110	01111	01112	01113	01114	01115	01116	01120	01121	01122	01123	01124
		01125	01126	01130	01131	01132	01133	01134	01135	01136	01140	01141	01142
		01143	01144	01145	01146	01150	01151	01152	01153	01154	01155	01156	01160
		01161	01162	01163	01164	01165	01166	01170	01171	01172	01173	01174	01175
		01176	01180	01181	01182	01183	01184	01185	01186	01190	01191	01192	01193
		01194	01195	01196	01200	01201	01202	01203	01204	01205	01206	01210	01211
		01212	01213	01214	01215	01216	01220	01221	01222	01223	01224	01225	01226
		01230	01231	01232	01233	01234	01235	01236	01280	01281	01282	01283	01284
		01285	01286	01300	01301	01302	01303	01304	01305	01306	01310	01311	01312
		01313	01314	01315	01316	01320	01321	01322	01323	01324	01325	01326	01330
		01331	01332	01333	01334	01335	01336	01340	01341	01342	01343	01344	01345
		01346	01350	01351	01352	01353	01354	01355	01356	01360	01361	01362	01363
		01364	01365	01366	01380	01381	01382	01383	01384	01385	01386	01390	01391
		01392	01393	01394	01395	01396	01400	01401	01402	01403	01404	01405	01406
		01480	01481	01482	01483	01484	01485	01486	01500	01501	01502	01503	01504
		01505	01506	01510	01511	01512	01513	01514	01515	01516	01520	01521	01522
		01523	01524	01525	01526	01550	01551	01552	01553	01554	01555	01556	01560
		01561	01562	01563	01564	01565	01566	01570	01571	01572	01573	01574	01575
		01576	01580	01581	01582	01583	01584	01585	01586	01590	01591	01592	01593
		01594	01595	01596	01600	01601	01602	01603	01604	01605	01606	01610	01611
		01612	01613	01614	01615	01616	01620	01621	01622	01623	01624	01625	01626
		01630	01631	01632	01633	01634	01635	01636	01640	01641	01642	01643	01644
		01645	01646	01650	01651	01652	01653	01654	01655	01656	01660	01661	01662
		01663	01664	01665	01666	01670	01671	01672	01673	01674	01675	01676	01690
		01691	01692	01693	01694	01695	01696	01700	01701	01702	01703	01704	01705
		01706	01710	01711	01712	01713	01714	01715	01716	01720	01721	01722	01723
		01724	01725	01726	01730	01731	01732	01733	01734	01735	01736	01740	01741
		01742	01743	01744	01745	01746	01750	01751	01752	01753	01754	01755	01756
		01760	01761	01762	01763	01764	01765	01766	01770	01771	01772	01773	01774
		01775	01776	01780	01781	01782	01783	01784	01785	01786	01790	01791	01792
		01793	01794	01795	01796	01800	01801	01802	01803	01804	01805	01806	01880
		01881	01882	01883	01884	01885	01886	01890	01891	01892	01893	01894	01895
		01896	1370	1371	1372	1373	1374						

2 Septicemia (except in labor)

0031	0202	0223	0362	0380	0381	03810	03811	03819	0382	0383	03840
03841	03842	03843	03844	03849	0388	0389	0545	7907			

3 Bacterial infection, unspecified site

V090	V091	V092	V093	V094	V0950	V0951	V096	V0970	V0971	V0980	V0981
V0990	V0991	0200	0208	0209	0218	0219	0228	0229	0230	0231	0232
0233	0238	0239	024	025	0260	0269	0270	0271	0272	0278	0279
0300	0301	0302	0303	0308	0309	0312	0318	0319	03289	0329	0330
0331	0338	0339	0341	0363	03681	03689	0369	037	0392	0393	0394
0398	0399	0400	0401	0402	0403	04081	04082	04089	0410	04100	04101
04102	04103	04104	04105	04109	0411	04110	04111	04119	0412	0413	0414

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

	0415 390	0416 3929	0417 7953	0418 79531	04181 79539	04182	04183	04184	04185	04186	04189	0419
4												
	Mycoses											
	1100 1113 1129 1162	1101 1118 1141 1170	1102 1119 1143 1171	1103 1120 1149 1172	1104 1121 11500 1173	1105 1122 11509 1174	1106 1123 11510 1175	1108 1125 11519 1176	1109 11282 11590 1177	1110 11284 11599 1178	1111 11285 1160 1179	1112 11289 1161 118
5												
	HIV infection											
	V08 0449	042 07953	0420 27910	0421 27919	0422 79571	0429 7958	0430	0431	0432	0433	0439	0440
6												
	Hepatitis											
	0700 0704 0706	0701 07041	0702 07042	07020 07043	07021 07044	07022 07049	07023 0705	0703 07051	07030 07052	07031 07053	07032 07054	07033 07059
7												
	Viral infection											
	0500 05311 05413 05600 0650 0669 0740 0784 0794 07999	0501 05312 05419 05609 0651 071 0741 0785 07950 7908	0502 05313 0542 05679 0652 0720 0743 0786 07951	0509 05319 0546 0568 0653 0723 0748 0787 07952	0510 05371 05471 0569 0654 07271 075 07881 07959	0511 05379 05473 0569 0654 07272 075 07882 0796	0512 0538 05473 0570 0578 07279 0781 07888 0798	0519 0539 05479 0578 0579 0728 0781 07889 0798	0527 0540 0548 0579 0600 0729 07810 07819 07981	0528 05410 0549 0579 0601 0737 07811 0782 07988	0529 05411 0558 0559 0609 0738 0782 0792 0799	05310 05412 0559 0559 061 0739 0783 0793 07998
8												
	Other infections, including parasitic											
	V120 0823 0842 0854 0879 1021 1033 1211 1224 1236 1259 1275 1308 1323 1361	V1200 08240 0843 0855 0880 1022 1039 1212 1225 1238 1260 1276 1309 1329 1362	V1203 08241 0844 0859 0888 1023 1040 1213 1226 1239 1261 1277 13100 1330 1364	V1209 0828 0846 0860 08881 1024 1048 1214 1227 1239 1262 1278 13101 1338 1365	080 0829 0847 0861 08882 1025 1049 1215 1228 124 1263 1279 13102 1339 1368	0810 0831 0848 0862 08889 1026 1200 1216 1229 1250 1268 1280 13103 1340 1369	0811 0832 0849 0863 0889 1027 1201 1218 1230 1251 1268 1281 13109 1341 1369	0812 0838 0849 0864 0889 1028 1202 1219 1231 1252 1269 1288 1318 1342 1348	0819 0839 0850 0865 1000 1028 1203 1220 1232 1253 1270 1289 1319 1348 1349	0820 0840 0851 0869 10089 1029 1208 1221 1233 1254 1271 1289 1319 1349 135	0821 0841 0852 0870 101 1030 1209 1222 1234 1255 1272 129 1305 1321 135 1360	0822 0841 0853 0871 1020 1031 1210 1223 1235 1257 1274 1307 1322 1360

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

9 Sexually transmitted infections (not HIV or hepatitis)

0900	0901	0902	0903	09040	09041	09042	09049	0905	0906	0907	0909
0910	0911	0912	0913	0914	09150	09151	09152	09161	09162	09169	0917
09181	09182	09189	0919	0920	0929	0930	0931	09320	09321	09322	09323
09324	09381	09382	09389	0939	0940	0941	0942	0943	09481	09482	09483
09484	09485	09486	09487	09489	0949	0950	0951	0952	0953	0954	0955
0956	0957	0958	0959	096	0970	0971	0979	0980	09810	09811	09812
09813	09814	09815	09816	09817	09819	0982	09830	09831	09832	09833	09834
09835	09836	09837	09839	09840	09841	09842	09843	09849	09850	09851	09852
09853	09859	0986	0987	09881	09882	09883	09884	09885	09886	09889	0990
0991	0992	0993	0994	09940	09941	09949	09950	09951	09952	09953	09954
09955	09956	09959	0998	0999							

10 Immunizations and screening for infectious disease

V010	V011	V012	V013	V014	V015	V016	V017	V018	V0181	V0189	V019
V020	V021	V022	V023	V024	V025	V0251	V0252	V0259	V026	V0260	V0261
V0262	V0269	V027	V028	V029	V030	V031	V032	V033	V034	V035	V036
V037	V038	V0381	V0382	V0389	V039	V040	V041	V042	V043	V044	V045
V046	V047	V048	V050	V051	V052	V053	V054	V058	V059	V060	V061
V062	V063	V064	V065	V066	V068	V069	V286	V712	V7178	V7182	V7183
V730	V731	V732	V733	V734	V735	V736	V738	V7388	V7389	V739	V7398
V7399	V740	V741	V742	V743	V744	V745	V746	V748	V749	V750	V751
V752	V753	V754	V755	V756	V757	V758	V759	7955	7956		

11 Cancer of head and neck

V1001	V1002	V1021	1400	1401	1403	1404	1405	1406	1408	1409	1410
1411	1412	1413	1414	1415	1416	1418	1419	1420	1421	1422	1428
1429	1430	1431	1438	1439	1440	1441	1448	1449	1450	1451	1452
1453	1454	1455	1456	1458	1459	1460	1461	1462	1463	1464	1465
1466	1467	1468	1469	1470	1471	1472	1473	1478	1479	1480	1481
1482	1483	1488	1489	1490	1491	1498	1499	1600	1601	1602	1603
1604	1605	1608	1609	1610	1611	1612	1613	1618	1619	1950	2300
2310											

12 Cancer of esophagus

V1003	1500	1501	1502	1503	1504	1505	1508	1509	2301		
-------	------	------	------	------	------	------	------	------	------	--	--

13 Cancer of stomach

V1004	1510	1511	1512	1513	1514	1515	1516	1518	1519	2302	
-------	------	------	------	------	------	------	------	------	------	------	--

14 Cancer of colon

V1005	1530	1531	1532	1533	1534	1535	1536	1537	1538	1539	1590
2303											

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

15	Cancer of rectum and anus									
	V1006	1540	1541	1542	1543	1548	2304	2305	2306	
16	Cancer of liver and intrahepatic bile duct									
	V1007	1550	1551	1552	2308					
17	Cancer of pancreas									
	1570	1571	1572	1573	1574	1578	1579			
18	Cancer of other GI organs, peritoneum									
	V1000	V1009	1520	1521	1522	1523	1528	1529	1560	1561
	1569	1580	1588	1589	1591	1598	1599	2307	2309	1562
19	Cancer of bronchus, lung									
	V1011	1622	1623	1624	1625	1628	1629	2312		
20	Cancer, other respiratory and intrathoracic									
	V1012	V1020	V1022	1620	1630	1631	1638	1639	1650	1658
	2318	2319							1659	2311
21	Cancer of bone and connective tissue									
	1700	1701	1702	1703	1704	1705	1706	1707	1708	1709
	1713	1714	1715	1716	1717	1718	1719			1710
22	Melanomas of skin									
	V1082	1720	1721	1722	1723	1724	1725	1726	1727	1728
23	Other non-epithelial cancer of skin									
	V1083	1730	1731	1732	1733	1734	1735	1736	1737	1738
	2321	2322	2323	2324	2325	2326	2327	2328	2329	1739
24	Cancer of breast									
	V103	1740	1741	1742	1743	1744	1745	1746	1748	1749
	2330									1750
25	Cancer of uterus									
	V1042	179	1820	1821	1828	2332				

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

26	Cancer of cervix											
	V1041	1800	1801	1808	1809	2331	7950					
27	Cancer of ovary											
	V1043	1830										
28	Cancer of other female genital organs											
	V1040	V1044	181	1832	1833	1834	1835	1838	1839	1840	1841	1842
	1843	1844	1848	1849	2333							
29	Cancer of prostate											
	V1046	185	2334									
30	Cancer of testis											
	V1047	1860	1869									
31	Cancer of other male genital organs											
	V1045	V1048	V1049	1871	1872	1873	1874	1875	1876	1877	1878	1879
	2335	2336										
32	Cancer of bladder											
	V1051	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	2337
33	Cancer of kidney and renal pelvis											
	V1052	1890	1891									
34	Cancer of other urinary organs											
	V1050	V1059	1892	1893	1894	1898	1899	2339				
35	Cancer of brain and nervous system											
	V1085	V1086	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919
	1920	1921	1922	1923	1928	1929						
36	Cancer of thyroid											
	V1087	193										
37	Hodgkin's disease											
	V1072	20100	20101	20102	20103	20104	20105	20106	20107	20108	20110	20111
	20112	20113	20114	20115	20116	20117	20118	20120	20121	20122	20123	20124
	20125	20126	20127	20128	20140	20141	20142	20143	20144	20145	20146	20147

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

20148	20150	20151	20152	20153	20154	20155	20156	20157	20158	20160	20161
20162	20163	20164	20165	20166	20167	20168	20170	20171	20172	20173	20174
20175	20176	20177	20178	20190	20191	20192	20193	20194	20195	20196	20197
20198											

38 Non-Hodgkin's lymphoma

V1071	V1079	20000	20001	20002	20003	20004	20005	20006	20007	20008	20010
20011	20012	20013	20014	20015	20016	20017	20018	20020	20021	20022	20023
20024	20025	20026	20027	20028	20080	20081	20082	20083	20084	20085	20086
20087	20088	20200	20201	20202	20203	20204	20205	20206	20207	20208	20210
20211	20212	20213	20214	20215	20216	20217	20218	20220	20221	20222	20223
20224	20225	20226	20227	20228	20280	20281	20282	20283	20284	20285	20286
20287	20288	20290	20291	20292	20293	20294	20295	20296	20297	20298	

39 Leukemias

V1060	V1061	V1062	V1063	V1069	20240	20241	20242	20243	20244	20245	20246
20247	20248	2031	20310	20311	2040	20400	20401	2041	20410	20411	2042
20420	20421	2048	20480	20481	2049	20490	20491	2050	20500	20501	2051
20510	20511	2052	20520	20521	2053	20530	20531	2058	20580	20581	2059
20590	20591	2060	20600	20601	2061	20610	20611	2062	20620	20621	2068
20680	20681	2069	20690	20691	2070	20700	20701	2071	20710	20711	2072
20720	20721	2078	20780	20781	2080	20800	20801	2081	20810	20811	2082
20820	20821	2088	20880	20881	2089	20890	20891				

40 Multiple myeloma

2030	20300	20301	2038	20380	20381
------	-------	-------	------	-------	-------

41 Cancer, other and unspecified primary

V1029	V1081	V1084	V1088	V1089	V109	V711	1640	1641	1642	1643	1648
1649	1760	1761	1762	1763	1764	1765	1768	1769	1900	1901	1902
1903	1904	1905	1906	1907	1908	1909	1940	1941	1943	1944	1945
1946	1948	1949	1951	1952	1953	1954	1955	1958	20230	20231	20232
20233	20234	20235	20236	20237	20238	20250	20251	20252	20253	20254	20255
20256	20257	20258	20260	20261	20262	20263	20264	20265	20266	20267	20268
2340	2348	2349	7951								

42 Secondary malignancies

1960	1961	1962	1963	1965	1966	1968	1969	1970	1971	1972	1973
1974	1975	1976	1977	1978	1980	1981	1982	1983	1984	1985	1986
1987	19881	19882	19889								

43 Malignant neoplasm without specification of site

1990	1991
------	------

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

44	Neoplasms of unspecified nature or uncertain behavior											
	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361
	2362	2363	2364	2365	2366	2367	23690	23691	23699	2370	2371	2372
	2373	2374	2375	2376	2377	23770	23771	23772	2379	2380	2381	2382
	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394
	2395	2396	2397	2398	2399							
45	Maintenance chemotherapy, radiotherapy											
	V580	V581	V661	V662	V671	V672						
46	Benign neoplasm of uterus											
	2180	2181	2182	2189	2190	2191	2198	2199				
47	Other and unspecified benign neoplasm											
	V1272	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110
	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122
	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134
	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2148	2149
	2150	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162
	2163	2164	2165	2166	2167	2168	2169	217	220	2210	2211	2212
	2218	2219	2220	2221	2222	2223	2224	2228	2229	2230	2231	2232
	2233	22381	22389	2239	2240	2241	2242	2243	2244	2245	2246	2247
	2248	2249	2250	2251	2252	2253	2254	2258	2259	226	2270	2271
	2273	2274	2275	2276	2278	2279	22800	22801	22802	22803	22804	22809
	2281	2290	2298	2299								
48	Thyroid disorders											
	2400	2409	2410	2411	2419	24200	24201	24210	24211	24220	24221	24230
	24231	24240	24241	24280	24281	24290	24291	243	2440	2441	2442	2443
	2448	2449	2450	2451	2452	2453	2454	2458	2459	2460	2461	2462
	2463	2468	2469	7945								
49	Diabetes mellitus without complication											
	25000	25001	7902	7915	7916							
50	Diabetes mellitus with complications											
	25002	25003	25010	25011	25012	25013	25020	25021	25022	25023	25030	25031
	25032	25033	25040	25041	25042	25043	25050	25051	25052	25053	25060	25061
	25062	25063	25070	25071	25072	25073	25080	25081	25082	25083	25090	25091
	25092	25093										
51	Other endocrine disorders											
	2510	2511	2512	2513	2514	2515	2518	2519	2520	2521	2528	2529
	2530	2531	2532	2533	2534	2535	2536	2537	2538	2539	2540	2541
	2548	2549	2550	2551	2552	2553	2554	2555	2556	2558	2559	2560

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

	2561 2588	2562 2589	2564 2590	2568 2591	2569 2592	2570 2593	2571 2594	2572 2598	2578 2599	2579 7946	2580	2581
52												
	V121 2643 2662 2699	260 2644 2669 7994	261 2645 267	262 2646 2680	2630 2647 2681	2631 2648 2682	2632 2649 2689	2638 2650 2690	2639 2651 2691	2640 2652 2692	2641 2660 2693	2642 2661 2698
53												
	2720	2721	2722	2723	2724							
54												
	2740 71214 71226 71238 71290	27410 71215 71227 71239 71291	27411 71216 71228 71280 71292	27419 71217 71229 71281 71293	27481 71218 71230 71282 71294	27482 71219 71231 71283 71295	27489 71220 71232 71284 71296	2749 71221 71233 71285 71297	71210 71222 71234 71286 71298	71211 71223 71235 71287 71299	71212 71224 71236 71288 71299	71213 71225 71237 71289
55												
	2760	2761	2762	2763	2764	2765	2766	2767	2768	2769		
56												
	27700	27701	27702	27703	27709							
57												
	27900 2793	27901 2794	27902 2798	27903 2799	27904	27905	27906	27909	27911	27912	27913	2792
58												
	V122 2711 2731 27542 2779 78322 79579	2700 2712 2732 27549 2780 7833	2701 2713 2733 2758 27800 7834	2702 2714 2738 2759 27801 78340	2703 2718 2739 2771 2781 78341	2704 2719 2750 2772 2782 78342	2705 2725 2751 2773 2783 78343	2706 2726 2752 2774 2784 78343	2707 2727 2753 2775 2788 7835	2708 2728 2754 2776 2788 7837	2709 2729 27540 2777 27831 7839	2710 2730 27541 2778 7832 78321 7947 7957
59												
	2800 2821 2832	2801 2822 2839	2808 2823 2840	2809 2824 2848	2810 2827 2849	2811 2828 2850	2812 2829 28521	2813 2830 28522	2814 2831 28529	2818 28310 2858	2819 28311 2859	2820 28319

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

60	Acute posthemorrhagic anemia											
	2851											
61	Sickle cell anemia											
	2825 28260 28261 28262 28263 28269											
62	Coagulation and hemorrhagic disorders											
	2860 2861 2862 2863 2864 2865 2866 2867 2869 2870 2871 2872											
	2873 2874 2875 2878 2879 7827											
63	Diseases of white blood cells											
	2880 2881 2882 2883 2888 2889											
64	Other hematologic conditions											
	V123 V582 2890 2894 28950 28951 28959 2896 2897 2898 2899 7900											
	79001 79009											
65	Mental retardation											
	317 3180 3181 3182 319											
66	Alcohol-related mental disorders											
	2910 2911 2912 2913 2914 2915 2918 29181 29189 2919 30300 30301											
	30302 30303 30390 30391 30392 30393 30500 30501 30502 30503											
67	Substance-related mental disorders											
	V1582 2920 29211 29212 2922 29281 29282 29283 29284 29289 2929 30400											
	30401 30402 30403 30410 30411 30412 30413 30420 30421 30422 30423 30430											
	30431 30432 30433 30440 30441 30442 30443 30450 30451 30452 30453 30460											
	30461 30462 30463 30470 30471 30472 30473 30480 30481 30482 30483 30490											
	30491 30492 30493 3051 30510 30511 30512 30513 30520 30521 30522 30523											
	30530 30531 30532 30533 30540 30541 30542 30543 30550 30551 30552 30553											
	30560 30561 30562 30563 30570 30571 30572 30573 30580 30581 30582 30583											
	30590 30591 30592 30593											
68	Senility and organic mental disorders											
	2900 29010 29011 29012 29013 29020 29021 2903 29040 29041 29042 29043											
	2908 2909 2930 2931 29381 29382 29383 29384 29389 2939 2940 2941											
	29410 29411 2948 2949 3100 3101 3102 3108 3109 3310 3311 3312											
	797											
69	Affective disorders											
	29600 29601 29602 29603 29604 29605 29606 29610 29611 29612 29613 29614											
	29615 29616 29620 29621 29622 29623 29624 29625 29626 29630 29631 29632											

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

29633	29634	29635	29636	29640	29641	29642	29643	29644	29645	29646	29650
29651	29652	29653	29654	29655	29656	29660	29661	29662	29663	29664	29665
29666	2967	29680	29681	29682	29689	29690	29699	2980	3004	30111	30113
70	Schizophrenia and related disorders										
29500	29501	29502	29503	29504	29505	29510	29511	29512	29513	29514	29515
29520	29521	29522	29523	29524	29525	29530	29531	29532	29533	29534	29535
29540	29541	29542	29543	29544	29545	29550	29551	29552	29553	29554	29555
29560	29561	29562	29563	29564	29565	29570	29571	29572	29573	29574	29575
29580	29581	29582	29583	29584	29585	29590	29591	29592	29593	29594	29595
29900	29901	29910	29911	29980	29981	29990	29991				
71	Other psychoses										
2970	2971	2972	2973	2978	2979	2981	2982	2983	2984	2988	2989
72	Anxiety, somatoform, dissociative, and personality disorders										
30000	30001	30002	30009	30010	30011	30012	30013	30014	30015	30016	30019
30020	30021	30022	30023	30029	3003	3005	3006	3007	30081	30082	3010
30110	30112	30120	30121	30122	3013	3014	30150	30151	30159	3016	3017
30181	30182	30183	30184	30189	3019	30740	30741	30742	30743	30744	30745
30747	30748	30749	30780	30781	30789	3079	3080	3081	3082	3083	3084
3089	30981	31230	31231	31232	31233	31234	31235	31239			
73	Preadult disorders										
30921	31200	31201	31202	31203	31210	31211	31212	31213	31220	31221	31222
31223	3124	3128	31281	31282	31289	3129	3130	31321	31400	31401	3141
74	Other mental conditions										
30089	3009	3021	3022	3023	3024	30250	30251	30252	30253	3026	30270
30271	30272	30273	30274	30275	30276	30279	30281	30282	30283	30284	30285
30289	3029	3060	3061	3062	3063	3064	30650	30651	30652	30653	30659
3066	3067	3068	3069	3070	3071	30720	30721	30722	30723	3073	30746
30750	30751	30752	30753	30754	30759	3076	3077	3090	3091	30922	30923
30924	30928	30929	3093	3094	30982	30983	30989	3099	311	3131	31322
31323	3133	31381	31382	31383	31389	3139	31500	31501	31502	31509	3151
3152	31531	31532	31539	3154	3155	3158	3159	316	7801		
75	Personal history of mental disorder, mental and behavioral problems, observation and screening for mental condition										
V110	V111	V112	V113	V118	V119	V154	V1541	V1542	V1549	V400	V401
V402	V403	V409	V663	V673	V701	V702	V7101	V7102	V7109	V790	V791
V792	V793	V798	V799								

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

76	Meningitis (except that caused by tuberculosis or sexually transmitted disease)												
	00321	0360	0470	0471	0478	0479	0490	0491	0530	05472	0721	10081	
	11283	1142	11501	11511	11591	3200	3201	3202	3203	3207	3208	32081	
	32082	32089	3209	3210	3211	3212	3213	3214	3218	3220	3221	3222	
	3229												
77	Encephalitis (except that caused by tuberculosis or sexually transmitted disease)												
	0361	0462	0498	0499	0520	0543	0550	05601	0620	0621	0622	0623	
	0624	0625	0628	0629	0630	0631	0632	0638	0639	064	0662	0722	
	1300	1390	3230	3231	3232	3234	3235	3236	3237	3238	3239		
78	Other CNS infection and poliomylitis												
	V1202	04500	04501	04502	04503	04510	04511	04512	04513	04520	04521	04522	
	04523	04590	04591	04592	04593	0460	0461	0463	0468	0469	048	138	
	3240	3241	3249	326									
79	Parkinson's disease												
	3320												
80	Multiple sclerosis												
	340												
81	Other hereditary and degenerative nervous system conditions												
	3300	3301	3302	3303	3308	3309	3313	3314	3317	33181	33189	3319	
	3330	3331	3332	3333	3334	3335	3336	3337	33381	33382	33383	33384	
	33389	33390	33391	33392	33393	33399	3340	3341	3342	3343	3344	3348	
	3349	3350	33510	33511	33519	33520	33521	33522	33523	33524	33529	3358	
	3359	3360	3361	3362	3363	3368	3369	3370	3371	3373	3379		
82	Paralysis												
	3420	34200	34201	34202	3421	34210	34211	34212	34280	34281	34282	3429	
	34290	34291	34292	3430	3431	3432	3433	3434	3438	3439	3440	34400	
	34401	34402	34403	34404	34409	3441	3442	3443	34430	34431	34432	3444	
	34440	34441	34442	3445	34460	3448	34481	34489	3449	7814			
83	Epilepsy, convulsions												
	3450	34500	34501	3451	34510	34511	3452	3453	3454	34540	34541	3455	
	34550	34551	3456	34560	34561	3457	34570	34571	3458	34580	34581	3459	
	34590	34591	7803	78031	78039								
84	Headache, including migraine												
	3460	34600	34601	3461	34610	34611	3462	34620	34621	3468	34680	34681	
	3469	34690	34691	7840									

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

85	Coma, stupor, and brain damage												
	3481	7800	78001	78003	78009								
86	Cataract												
	V431	36600	36601	36602	36603	36604	36609	36610	36611	36612	36613	36614	
	36615	36616	36617	36618	36619	36620	36621	36622	36623	36630	36631	36632	
	36633	36634	36641	36642	36643	36644	36645	36646	36650	36651	36652	36653	
	3668	3669											
87	Retinal detachments, defects, vascular occlusion, and retinopathy												
	36100	36101	36102	36103	36104	36105	36106	36107	36110	36111	36112	36113	
	36114	36119	3612	36130	36131	36132	36133	36181	36189	3619	36201	36202	
	36210	36211	36212	36213	36214	36215	36216	36217	36218	36221	36229	36230	
	36231	36232	36233	36234	36235	36236	36237	36240	36241	36242	36243	36250	
	36251	36252	36253	36254	36255	36256	36257	36260	36261	36262	36263	36264	
	36265	36266	36270	36271	36272	36273	36274	36275	36276	36277	36281	36282	
	36283	36284	36285	36289	3629								
88	Glaucoma												
	36500	36501	36502	36503	36504	36510	36511	36512	36513	36514	36515	36520	
	36521	36522	36523	36524	36531	36532	36541	36542	36543	36544	36551	36552	
	36559	36560	36561	36562	36563	36564	36565	36581	36582	36583	36589	3659	
89	Blindness and vision defects												
	V410	3670	3671	36720	36721	36722	36731	36732	3674	36751	36752	36753	
	36781	36789	3679	36800	36801	36802	36803	36810	36811	36812	36813	36814	
	36815	36816	3682	36830	36831	36832	36833	36834	36840	36841	36842	36843	
	36844	36845	36846	36847	36851	36852	36853	36854	36855	36859	36860	36861	
	36862	36863	36869	3688	3689	36900	36901	36902	36903	36904	36905	36906	
	36907	36908	36910	36911	36912	36913	36914	36915	36916	36917	36918	36920	
	36921	36922	36923	36924	36925	3693	3694	36960	36961	36962	36963	36964	
	36965	36966	36967	36968	36969	36970	36971	36972	36973	36974	36975	36976	
	3698	3699											
90	Inflammation, infection of eye (except that caused by tuberculosis or sexually transmitted disease)												
	0213	03281	05320	05321	05322	05329	05440	05441	05442	05443	05444	05449	
	05571	0760	0761	0769	0770	0771	0772	0773	0774	0778	0779	07798	
	07799	11502	11512	11592	1301	1302	1391	36000	36001	36002	36003	36004	
	36011	36012	36013	36014	36019	36300	36301	36303	36304	36305	36306	36307	
	36308	36310	36311	36312	36313	36314	36315	36320	36321	36322	36400	36401	
	36402	36403	36404	36405	36410	36411	36421	36422	36423	36424	3643	37020	
	37021	37022	37023	37024	37031	37032	37033	37034	37035	37040	37044	37049	
	37050	37052	37054	37055	37059	3708	3709	37200	37201	37202	37203	37204	
	37205	37210	37211	37212	37213	37214	37215	37220	37221	37222	37230	37231	
	37233	37239	37300	37301	37302	37311	37312	37313	37331	37332	37333	37334	
	3734	3735	3736	3738	3739	37500	37501	37502	37503	37530	37531	37532	

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

37533	37541	37542	37543	37600	37601	37602	37603	37604	37610	37611	37612
37613	37730	37731	37732	37733	37734	37739	37900	37901	37902	37903	37904
37905	37906	37907	37909								

91 Other eye disorders

V411	V425	V430	V456	V4561	V4569	V522	V531	V720	36020	36021	36023
36024	36029	36030	36031	36032	36033	36034	36040	36041	36042	36043	36044
36050	36051	36052	36053	36054	36055	36059	36060	36061	36062	36063	36064
36065	36069	36081	36089	3609	36330	36331	36332	36333	36334	36335	36340
36341	36342	36343	36350	36351	36352	36353	36354	36355	36356	36357	36361
36362	36363	36370	36371	36372	3638	3639	36441	36442	36451	36452	36453
36454	36455	36456	36457	36459	36460	36461	36462	36463	36464	36470	36471
36472	36473	36474	36475	36476	36477	3648	3649	37000	37001	37002	37003
37004	37005	37006	37007	37060	37061	37062	37063	37064	37100	37101	37102
37103	37104	37105	37110	37111	37112	37113	37114	37115	37116	37120	37121
37122	37123	37124	37130	37131	37132	37133	37140	37141	37142	37143	37144
37145	37146	37148	37149	37150	37151	37152	37153	37154	37155	37156	37157
37158	37160	37161	37162	37170	37171	37172	37173	37181	37182	37189	3719
37240	37241	37242	37243	37244	37245	37250	37251	37252	37253	37254	37255
37256	37261	37262	37263	37264	37271	37272	37273	37274	37275	3728	37281
37289	3729	3732	37400	37401	37402	37403	37404	37405	37410	37411	37412
37413	37414	37420	37421	37422	37423	37430	37431	37432	37433	37434	37441
37443	37444	37445	37446	37450	37451	37452	37453	37454	37455	37456	37481
37482	37483	37484	37485	37486	37487	37489	3749	37511	37512	37513	37514
37515	37516	37520	37521	37522	37551	37552	37553	37554	37555	37556	37557
37561	37569	37581	37589	3759	37621	37622	37630	37631	37632	37633	37634
37635	37636	37640	37641	37642	37643	37644	37645	37646	37647	37650	37651
37652	3766	37681	37682	37689	3769	37700	37701	37702	37703	37704	37710
37711	37712	37713	37714	37715	37716	37721	37722	37723	37724	37741	37742
37749	37751	37752	37753	37754	37761	37762	37763	37771	37772	37773	37775
3779	37800	37801	37802	37803	37804	37805	37806	37807	37808	37810	37811
37812	37813	37814	37815	37816	37817	37818	37820	37821	37822	37823	37824
37830	37831	37832	37833	37834	37835	37840	37841	37842	37843	37844	37845
37850	37851	37852	37853	37854	37855	37856	37860	37861	37862	37863	37871
37872	37873	37881	37882	37883	37884	37885	37886	37887	3789	37911	37912
37913	37914	37915	37916	37919	37921	37922	37923	37924	37925	37926	37929
37931	37932	37933	37934	37939	37940	37941	37942	37943	37945	37946	37949
37950	37951	37952	37953	37954	37955	37956	37957	37958	37959	3798	37990
37991	37992	37993	37999	78193							

92 Otitis media and related conditions

0552	38100	38101	38102	38103	38104	38105	38106	38110	38119	38120	38129
3813	3814	38150	38151	38152	38160	38161	38162	38163	3817	38181	38189
3819	38200	38201	38202	3821	3822	3823	3824	3829	38300	38301	38302
3831	38320	38321	38322	38330	38331	38332	38333	38381	38389	3839	38420
38421	38422	38423	38424	38425	38481	38482	3849	38500	38501	38502	38503
38509	38510	38511	38512	38513	38519	38521	38522	38523	38524	3870	3871
3872	3878	3879									

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

93 Conditions associated with dizziness or vertigo

38600	38601	38602	38603	38604	38610	38611	38612	38619	3862	38630	38631
38632	38633	38634	38635	38640	38641	38642	38643	38648	38650	38651	38652
38653	38654	38655	38656	38658	3868	3869	7804				

94 Other ear and sense organ disorders

V412	V413	V532	V721	38000	38001	38002	38010	38011	38012	38013	38014
38015	38016	38021	38022	38023	38030	38031	38032	38039	3804	38050	38051
38052	38053	38081	38089	3809	38400	38401	38409	3841	38530	38531	38532
38533	38535	38582	38583	38589	3859	38800	38801	38802	38810	38811	38812
3882	38830	38831	38832	38840	38841	38842	38843	38844	3885	38860	38861
38869	38870	38871	38872	3888	3889	38900	38901	38902	38903	38904	38908
38910	38911	38912	38914	38918	3892	3897	3898	3899			

95 Other nervous system disorders

V124	V1240	V1241	V1249	V415	V452	V484	V485	V493	V530	V5301	V5302
V5309	325	3321	33720	33721	33722	33729	3410	3411	3418	3419	34461
347	3480	3482	3483	3484	3485	3488	3489	3492	34981	34982	34989
3499	3501	3502	3508	3509	3510	3511	3518	3519	3520	3521	3522
3523	3524	3525	3526	3529	3530	3531	3532	3533	3534	3535	3536
3538	3539	3540	3541	3542	3543	3544	3545	3548	3549	3550	3551
3552	3553	3554	3555	3556	3557	35571	35579	3558	3559	3560	3561
3562	3563	3564	3568	3569	3570	3571	3572	3573	3574	3575	3576
3577	3578	35781	35782	35789	3579	3580	3581	3582	3588	3589	3590
3591	3592	3593	3594	3595	3596	3598	35981	35989	3599	7810	7811
7812	7813	7817	7818	7820	7843	7845	78460	78461	78469	7920	7930
79400	79401	79402	79409	79410	79411	79412	79413	79414	79415	79416	79417
79419	7961										

96 Heart valve disorders

V422	V433	3940	3941	3942	3949	3950	3951	3952	3959	3960	3961
3962	3963	3968	3969	3970	3971	3979	4240	4241	4242	4243	42490
42491	42499	7852	7853								

97 Peri-, endo-, and myocarditis, cardiomyopathy (except that caused by tuberculosis or sexually transmitted disease)

03282	03640	03641	03642	03643	07420	07421	07422	07423	11281	11503	11504
11513	11514	11593	11594	1303	3910	3911	3912	3918	3919	3920	393
3980	39890	39899	4200	42090	42091	42099	4210	4211	4219	4220	42290
42291	42292	42293	42299	4230	4231	4232	4238	4239	4250	4251	4252
4253	4254	4255	4257	4258	4259	4290					

98 Essential hypertension

4011	4019
------	------

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

99	Hypertension with complications and secondary hypertension												
	4010	40200	40201	40210	40211	40290	40291	4030	40300	40301	4031	40310	
	40311	4039	40390	40391	4040	40400	40401	40402	40403	4041	40410	40411	
	40412	40413	4049	40490	40491	40492	40493	40501	40509	40511	40519	40591	
	40599	4372											
100	Acute myocardial infarction												
	4100	41000	41001	41002	4101	41010	41011	41012	4102	41020	41021	41022	
	4103	41030	41031	41032	4104	41040	41041	41042	4105	41050	41051	41052	
	4106	41060	41061	41062	4107	41070	41071	41072	4108	41080	41081	41082	
	4109	41090	41091	41092									
101	Coronary atherosclerosis and other heart disease												
	V4581	V4582	4110	4111	4118	41181	41189	412	4130	4131	4139	4140	
	41400	41401	4148	4149									
102	Nonspecific chest pain												
	78650	78651	78659										
103	Pulmonary heart disease												
	4150	4151	41519	4160	4161	4168	4169	4170	4171	4178	4179		
104	Other and ill-defined heart disease												
	41410	41411	41412	41419	4291	4292	4293	4295	4296	42971	42979	42981	
	42982	42989	4299										
105	Conduction disorders												
	V450	V4500	V4501	V4502	V4509	V533	V5331	V5332	V5339	4260	42610	42611	
	42612	42613	4262	4263	4264	42650	42651	42652	42653	42654	4266	4267	
	42681	42689	4269										
106	Cardiac dysrhythmias												
	4270	4271	4272	42731	42732	42760	42761	42769	42781	42789	4279	7850	
	7851												
107	Cardiac arrest and ventricular fibrillation												
	42741	42742	4275										
108	Congestive heart failure, nonhypertensive												
	39891	4280	4281	42820	42821	42822	42823	42830	42831	42832	42833	42840	
	42841	42842	42843	4289									

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

109	Acute cerebrovascular disease											
	430	431	4320	4321	4329	43301	43311	43321	43331	43381	43391	4340
	43400	43401	4341	43410	43411	4349	43490	43491	436			
110	Occlusion or stenosis of precerebral arteries											
	4330	43300	4331	43310	4332	43320	4333	43330	4338	43380	4339	43390
111	Other and ill-defined cerebrovascular disease											
	4370	4371	4373	4374	4375	4376	4377	4378	4379			
112	Transient cerebral ischemia											
	4350	4351	4352	4353	4358	4359						
113	Late effects of cerebrovascular disease											
	438	4380	43810	43811	43812	43819	43820	43821	43822	43830	43831	43832
	43840	43841	43842	43850	43851	43852	43853	4386	4387	43881	43882	43883
	43884	43885	43889	4389								
114	Peripheral and visceral atherosclerosis											
	4400	4401	4402	44020	44021	44022	44023	44029	4408	4409	4439	5570
	5571	5579										
115	Aortic, peripheral, and visceral artery aneurysms											
	4410	44100	44101	44102	44103	4411	4412	4413	4414	4415	4416	4417
	4419	4420	4421	4422	4423	44281	44282	44283	44284	44289	4429	44321
	44322	44323	44324	44329								
116	Aortic and peripheral arterial embolism or thrombosis											
	4440	4441	44421	44422	44481	44489	4449	44501	44502	44581	44589	
117	Other circulatory disease											
	V125	V1250	V1259	V151	V421	V432	V434	V717	4430	4431	44381	44389
	4460	4461	4462	44620	44621	44629	4463	4464	4465	4466	4467	4470
	4471	4472	4473	4474	4475	4476	4478	4479	4480	4481	4489	4580
	4581	4588	4589	4590	45989	4599	7859	79430	79431	79439	7962	
118	Phlebitis, thrombophlebitis and thromboembolism											
	V1251	V1252	4510	45111	45119	4512	45181	45182	45183	45184	45189	4519
	452	4530	4531	4532	4533	4538	4539					

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

119	Varicose veins of lower extremity											
	4540	4541	4542	4548	4549							
120	Hemorrhoids											
	4550	4551	4552	4553	4554	4555	4556	4557	4558	4559		
121	Other diseases of veins and lymphatics											
	4563	4564	4565	4566	4568	4570	4571	4572	4578	4579	4591	45910
	45911	45912	45913	45919	4592	45930	45931	45932	45933	45939	45981	
122	Pneumonia (except that caused by tuberculosis or sexually transmitted disease)											
	00322	0203	0204	0205	0212	0221	0310	0391	0521	0551	0730	0830
	1124	1140	1144	1145	11505	11515	11595	1304	1363	4800	4801	4802
	4808	4809	481	4820	4821	4822	4823	48230	48231	48232	48239	4824
	48240	48241	48249	4828	48281	48282	48283	48284	48289	4829	483	4830
	4831	4838	4841	4843	4845	4846	4847	4848	485	486	5130	5171
123	Influenza											
	4870	4871	4878									
124	Acute and chronic tonsillitis											
	463	4740	47400	47401	47402	47410	47411	47412	4742	4748	4749	475
125	Acute bronchitis											
	4660	4661	46611	46619								
126	Other upper respiratory infections											
	0320	0321	0322	0323	0340	460	4610	4611	4612	4613	4618	4619
	462	4640	46400	46401	46410	46411	46420	46421	46430	46431	4644	46450
	46451	4650	4658	4659	4730	4731	4732	4733	4738	4739		
127	Chronic obstructive pulmonary disease and bronchiectasis											
	490	4910	4911	4912	49120	49121	4918	4919	4920	4928	494	4940
	4941	496										
128	Asthma											
	49300	49301	49302	49310	49311	49312	49320	49321	49322	49390	49391	49392
129	Aspiration pneumonitis, food/vomitus											
	5070											

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

130	Pleurisy, pneumothorax, pulmonary collapse											
	5100	5109	5110	5111	5118	5119	5120	5128	5180	5181	5182	
131	Respiratory failure, insufficiency, arrest (adult)											
	V461	V462	5185	51881	51882	51883	51884	7991				
132	Lung disease due to external agents											
	4950	4951	4952	4953	4954	4955	4956	4957	4958	4959	500	501
	502	503	504	505	5060	5061	5062	5063	5064	5069	5071	5078
	5080	5081	5088	5089								
133	Other lower respiratory disease											
	V126	V426	5131	514	515	5160	5161	5162	5163	5168	5169	5172
	5178	5183	5184	51889	5194	5198	5199	7825	78600	78601	78602	78603
	78604	78605	78606	78607	78609	7862	7863	7864	78652	7866	7867	7868
	7869	7931	7942									
134	Other upper respiratory disease											
	V414	V440	V550	470	4710	4711	4718	4719	4720	4721	4722	4760
	4761	4770	4778	4779	4780	4781	47820	47821	47822	47824	47825	47826
	47829	47830	47831	47832	47833	47834	4784	4785	4786	47870	47871	47874
	47875	47879	4788	4789	5191	5192	5193	7841	78440	78441	78449	7847
	7848	7849	7861									
135	Intestinal infection											
	0010	0011	0019	0020	0021	0022	0023	0029	0030	00320	00329	0038
	0039	0040	0041	0042	0043	0048	0049	0050	0051	0052	0053	0054
	0058	00581	00589	0059	0060	0061	0062	0063	0064	0065	0066	0068
	0069	0070	0071	0072	0073	0074	0075	0078	0079	0080	00800	00801
	00802	00803	00804	00809	0081	0082	0083	00841	00842	00843	00844	00845
	00846	00847	00849	0085	0086	00861	00862	00863	00864	00865	00866	00867
	00869	0088	0090	0091	0092	0093	0211	0222				
136	Disorders of teeth and jaw											
	V523	V534	V585	V722	5200	5201	5202	5203	5204	5205	5206	5207
	5208	5209	5210	52100	52101	52102	52103	52104	52105	52109	5211	5212
	5213	5214	5215	5216	5217	5218	5219	5220	5221	5222	5223	5224
	5225	5226	5227	5228	5229	5230	5231	5232	5233	5234	5235	5236
	5238	5239	5240	52400	52401	52402	52403	52404	52405	52406	52409	5241
	52410	52411	52412	52419	5242	5243	5244	5245	5246	52460	52461	52462
	52463	52469	52470	52471	52472	52473	52474	52479	5248	5249	5250	5251
	52510	52510	52511	52512	52513	52519	5252	5253	5258	5259	5260	5261
	5262	5263	5264	5265	52681	52689	5269					

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

137	Diseases of mouth, excluding dental												
	5270	5271	5272	5273	5274	5275	5276	5277	5278	5279	5280	5281	
	5282	5283	5284	5285	5286	5287	5288	5289	5290	5291	5292	5293	
	5294	5295	5296	5298	5299	7924							
138	Esophageal disorders												
	4561	45621	5300	5301	53010	53011	53012	53019	5302	5303	5304	5305	
	5306	5308	53081	53083	53084	53089	5309						
139	Gastroduodenal ulcer (except hemorrhage)												
	V1271	53110	53111	53130	53131	53150	53151	53170	53171	53190	53191	53210	
	53211	53230	53231	53250	53251	53270	53271	53290	53291	53310	53311	53330	
	53331	53350	53351	53370	53371	53390	53391	53410	53411	53430	53431	53450	
140	Gastritis and duodenitis												
	5350	53500	53501	5351	53510	53511	5352	53520	53521	5353	53530	53531	
	5354	53540	53541	5355	53550	53551	5356	53560	53561				
141	Other disorders of stomach and duodenum												
	5360	5361	5362	5363	5368	5369	5370	5371	5372	5373	5374	5375	
	5376	53781	53782	53783	53784	53789	5379						
142	Appendicitis and other appendiceal conditions												
	5400	5401	5409	541	542	5430	5439						
143	Abdominal hernia												
	55000	55001	55002	55003	55010	55011	55012	55013	55090	55091	55092	55093	
	55100	55101	55102	55103	5511	55120	55121	55129	5513	5518	5519	55200	
	55201	55202	55203	5521	55220	55221	55229	5523	5528	5529	55300	55301	
	55302	55303	5531	55320	55321	55329	5533	5538	5539				
144	Regional enteritis and ulcerative colitis												
	5550	5551	5552	5559	556	5560	5561	5562	5563	5564	5565	5566	
	5568	5569											
145	Intestinal obstruction without hernia												
	5600	5601	5602	56030	56031	56039	56081	56089	5609				
146	Diverticulosis and diverticulitis												
	56200	56201	56202	56203	56210	56211	56212	56213					

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

147	Anal and rectal conditions											
	5646	5650	5651	566	5690	5691	5692	56941	56942	56949		
148	Peritonitis and intestinal abscess											
	03283	5670	5671	5672	5678	5679	5695					
149	Biliary tract disease											
	57400	57401	57410	57411	57420	57421	57430	57431	57440	57441	57450	57451
	57460	57461	57470	57471	57480	57481	57490	57491	5750	5751	57510	57511
	57512	5752	5753	5754	5755	5756	5758	5759	5760	5761	5762	5763
	5764	5765	5768	5769	7933							
150	Liver disease, alcohol-related											
	5710	5711	5712	5713								
151	Other liver diseases											
	V427	570	5715	5716	5718	5719	5720	5721	5722	5723	5724	5728
	5730	5734	5738	5739	7824	7891	7895	7904	7905	7948		
152	Pancreatic disorders (not diabetes)											
	5770	5771	5772	5778	5779	5794						
153	Gastrointestinal hemorrhage											
	4560	45620	5307	53082	53100	53101	53120	53121	53140	53141	53160	53161
	53200	53201	53220	53221	53240	53241	53260	53261	53300	53301	53320	53321
	53340	53341	53360	53361	53400	53401	53420	53421	53440	53441	53460	53461
	5693	5780	5781	5789								
154	Noninfectious gastroenteritis											
	5589											
155	Other gastrointestinal disorders											
	V127	V1270	V1279	V416	V441	V442	V443	V444	V453	V473	V535	V551
	V552	V553	V554	5581	5582	5640	56400	56401	56402	56409	5641	5645
	5647	5648	56481	56489	5649	5680	56881	56882	56889	5689	56981	56982
	56983	56984	56985	56986	56989	5699	5790	5791	5792	5798	5799	7871
	7872	7873	7874	7875	7876	7877	7879	78791	78799	7892	7893	78930
	78931	78932	78933	78934	78935	78936	78937	78939	7894	78940	78941	78942
	78943	78944	78945	78946	78947	78949	7899	7921	7934	7936		

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

156	Nephritis, nephrosis, renal sclerosis											
	5800	5804	58081	58089	5809	5810	5811	5812	5813	58181	58189	5819
	5820	5821	5822	5824	58281	58289	5829	5830	5831	5832	5834	5836
	5837	58381	58389	5839	587							
157	Acute and unspecified renal failure											
	5845	5846	5847	5848	5849	586						
158	Chronic renal failure											
	V420	V451	V560	V561	V562	V5631	V5632	V568	585	7925		
159	Urinary tract infections											
	03284	59000	59001	59010	59011	5902	5903	59080	59081	5909	5950	5951
	5952	5953	5954	59581	59582	59589	5959	5970	59780	59781	59789	59800
	59801	5990										
160	Calculus of urinary tract											
	V1301	5920	5921	5929	5940	5941	5942	5948	5949	7880		
161	Other diseases of kidney and ureters											
	5880	5881	5888	5889	5890	5891	5899	591	5930	5931	5932	5933
	5934	5935	5936	5937	59370	59371	59372	59373	59381	59382	59389	5939
162	Other diseases of bladder and urethra											
	5960	5961	5962	5963	5964	5965	59651	59652	59653	59654	59655	59659
	5966	5967	5968	5969	5981	5982	5988	5989	5991	5992	5993	5994
	5995	59981	59982	59983	59984							
163	Genitourinary symptoms and ill-defined conditions											
	V130	V1300	V1309	V417	V435	V445	V4450	V4451	V4452	V4459	V446	V474
	V475	V536	V555	V556	5996	5997	5998	59989	5999	7881	7882	78820
	78821	78829	7883	78830	78831	78832	78833	78834	78835	78836	78837	78839
	7884	78841	78842	78843	7885	7886	78861	78862	78869	7887	7888	7889
	7910	7911	7912	7913	7914	7917	7919	7935	7944			
164	Hyperplasia of prostate											
	600	6000	6001	6002	6003	6009						
165	Inflammatory conditions of male genital organs											
	6010	6011	6012	6013	6014	6018	6019	6031	6040	60490	60491	60499
	6071	6072	6080	6084								

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

166	Other male genital disorders											
	6020	6021	6022	6023	6028	6029	6030	6038	6039	605	6060	6061
	6068	6069	6070	6073	60781	60782	60783	60784	60789	6079	6081	6082
	6083	60881	60882	60883	60884	60885	60886	60887	60889	6089	7922	
167	Nonmalignant breast conditions											
	6100	6101	6102	6103	6104	6108	6109	6110	6111	6112	6113	6114
	6115	6116	61171	61172	61179	6118	6119	7938	79380	79381	79389	
168	Inflammatory diseases of female pelvic organs											
	6140	6141	6142	6143	6144	6145	6146	6147	6148	6149	6150	6151
	6159	6160	61610	61611	6162	6163	6164	61650	61651	6168	6169	
169	Endometriosis											
	6170	6171	6172	6173	6174	6175	6176	6178	6179			
170	Prolapse of female genital organs											
	6180	6181	6182	6183	6184	6185	6186	6187	6188	6189		
171	Menstrual disorders											
	6253	6260	6261	6262	6263	6264	6265	6266	6268	6269		
172	Ovarian cyst											
	6200	6201	6202									
173	Menopausal disorders											
	V074	2563	25631	25639	6270	6271	6272	6273	6274	6278	6279	
174	Female infertility											
	6280	6281	6282	6283	6284	6288	6289					
175	Other female genital disorders											
	V132	V1321	V1329	V557	V723	6190	6191	6192	6198	6199	6203	6204
	6205	6206	6207	6208	6209	6210	6211	6212	6213	6214	6215	6216
	6217	6218	6219	6220	6221	6222	6223	6224	6225	6226	6227	6228
	6229	6230	6231	6232	6233	6234	6235	6236	6237	6238	6239	6240
	6241	6242	6243	6244	6245	6246	6248	6249	6250	6251	6252	6254
	6255	6256	6258	6259	6267	6290	6291	6298	6299	79500	79501	79502
	79509											

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

176 Contraceptive and procreative management

V157	V2501	V2502	V2509	V251	V252	V253	V2540	V2541	V2542	V2543	V2549
V255	V258	V259	V260	V261	V262	V2621	V2622	V2629	V263	V264	V2651
V2652	V268	V269	V455	V4551	V4552	V4559					

177 Spontaneous abortion

63400	63401	63402	63410	63411	63412	63420	63421	63422	63430	63431	63432
63440	63441	63442	63450	63451	63452	63460	63461	63462	63470	63471	63472
63480	63481	63482	63490	63491	63492						

178 Induced abortion

63500	63501	63502	63510	63511	63512	63520	63521	63522	63530	63531	63532
63540	63541	63542	63550	63551	63552	63560	63561	63562	63570	63571	63572
63580	63581	63582	63590	63591	63592	63600	63601	63602	63610	63611	63612
63620	63621	63622	63630	63631	63632	63640	63641	63642	63650	63651	63652
63660	63661	63662	63670	63671	63672	63680	63681	63682	63690	63691	63692
63700	63701	63702	63710	63711	63712	63720	63721	63722	63730	63731	63732
63740	63741	63742	63750	63751	63752	63760	63761	63762	63770	63771	63772
63780	63781	63782	63790	63791	63792	6380	6381	6382	6383	6384	6385
6386	6387	6388	6389								

179 Postabortion complications

6390	6391	6392	6393	6394	6395	6396	6398	6399			
------	------	------	------	------	------	------	------	------	--	--	--

180 Ectopic pregnancy

6330	63300	63301	6331	63310	63311	6332	63320	63321	6338	63380	63381
6339	63390	63391									

181 Other complications of pregnancy

630	631	632	64300	64301	64303	64310	64311	64313	64320	64321	64323
64380	64381	64383	64390	64391	64393	64600	64601	64603	64610	64611	64612
64613	64614	64620	64621	64622	64623	64624	64630	64631	64633	64640	64641
64642	64643	64644	64650	64651	64652	64653	64654	64660	64661	64662	64663
64664	64670	64671	64673	64680	64681	64682	64683	64684	64690	64691	64693
64700	64701	64702	64703	64704	64710	64711	64712	64713	64714	64720	64721
64722	64723	64724	64730	64731	64732	64733	64734	64740	64741	64742	64743
64744	64750	64751	64752	64753	64754	64760	64761	64762	64763	64764	64780
64781	64782	64783	64784	64790	64791	64792	64793	64794	64810	64811	64812
64813	64814	64820	64821	64822	64823	64824	64830	64831	64832	64833	64834
64840	64841	64842	64843	64844	64850	64851	64852	64853	64854	64860	64861
64862	64863	64864	64870	64871	64872	64873	64874	64890	64891	64892	64893
64894											

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

182	Hemorrhage during pregnancy, abruptio placenta, placenta previa	64000 64001 64003 64080 64081 64083 64090 64091 64093 64100 64101 64103 64110 64111 64113 64120 64121 64123 64130 64131 64133 64180 64181 64183 64190 64191 64193
183	Hypertension complicating pregnancy, childbirth and the puerperium	64200 64201 64202 64203 64204 64210 64211 64212 64213 64214 64220 64221 64222 64223 64224 64230 64231 64232 64233 64234 64240 64241 64242 64243 64244 64250 64251 64252 64253 64254 64260 64261 64262 64263 64264 64270 64271 64272 64273 64274 64290 64291 64292 64293 64294
184	Early or threatened labor	64400 64403 64410 64413 64420 64421
185	Prolonged pregnancy	64500 64501 64503 64510 65510 64511 64513 64520 64521 64523
186	Diabetes or abnormal glucose tolerance complicating pregnancy, childbirth, or the puerperium	64800 64801 64802 64803 64804 64880 64881 64882 64883 64884
187	Malposition, malpresentation	65200 65201 65203 65210 65211 65213 65220 65221 65223 65230 65231 65233 65240 65241 65243 65250 65251 65253 65260 65261 65263 65270 65271 65273 65280 65281 65283 65290 65291 65293 66000 66001 66003
188	Fetopelvic disproportion, obstruction	65300 65301 65303 65310 65311 65313 65320 65321 65323 65330 65331 65333 65340 65341 65343 65350 65351 65353 65360 65361 65363 65370 65371 65373 65380 65381 65383 65390 65391 65393 66010 66011 66013 66020 66021 66023 66030 66031 66033 66040 66041 66043 66050 66051 66053 66060 66061 66063 66070 66071 66073 66080 66081 66083 66090 66091 66093
189	Previous C-section	65420 65421 65423
190	Fetal distress and abnormal forces of labor	65630 65631 65633 66100 66101 66103 66110 66111 66113 66120 66121 66123 66130 66131 66133 66140 66141 66143 66190 66191 66193 66200 66201 66203 66210 66211 66213 66220 66221 66223 66230 66231 66233

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

191 Polyhydramnios and other problems of amniotic cavity

65700	65701	65703	65800	65801	65803	65810	65811	65813	65820	65821	65823
65830	65831	65833	65840	65841	65843	65880	65881	65883	65890	65891	65893
7923											

192 Umbilical cord complication

66300	66301	66303	66310	66311	66313	66320	66321	66323	66330	66331	66333
66340	66341	66343	66350	66351	66353	66360	66361	66363	66380	66381	66383
66390	66391	66393									

193 Trauma to perineum and vulva

66400	66401	66404	66410	66411	66414	66420	66421	66424	66430	66431	66434
66440	66441	66444	66450	66451	66454	66480	66481	66484	66490	66491	66494

194 Forceps delivery

66950	66951
-------	-------

195 Other complications of birth, puerperium affecting management of mother

V230	V231	V232	V233	V234	V2341	V2349	V235	V237	V238	V2381	V2382
V2383	V2384	V2389	V239	65103	65113	65123	65130	65131	65133	65140	65141
65143	65150	65151	65153	65160	65161	65163	65183	65193	65400	65401	65402
65403	65404	65410	65411	65412	65413	65414	65430	65431	65432	65433	65434
65440	65441	65442	65443	65444	65450	65451	65452	65453	65454	65460	65461
65462	65463	65464	65470	65471	65472	65473	65474	65480	65481	65482	65483
65484	65490	65491	65492	65493	65494	65500	65501	65503	65510	65511	65513
65520	65521	65523	65530	65531	65533	65540	65541	65543	65550	65551	65553
65560	65561	65563	65570	65571	65573	65580	65581	65583	65590	65591	65593
65600	65601	65603	65610	65611	65613	65620	65621	65623	65640	65641	65643
65650	65651	65653	65660	65661	65663	65670	65671	65673	65680	65681	65683
65690	65691	65693	65900	65901	65903	65910	65911	65913	65920	65921	65923
65930	65931	65933	65940	65941	65943	65950	65951	65953	65960	65961	65963
65970	65971	65973	65980	65981	65983	65990	65991	65993	66500	66501	66503
66510	66511	66512	66514	66520	66522	66524	66530	66531	66534	66540	66541
66544	66550	66551	66554	66560	66561	66564	66570	66571	66572	66574	66580
66581	66582	66583	66584	66590	66591	66592	66593	66594	66600	66602	66604
66610	66612	66614	66620	66622	66624	66630	66632	66634	66700	66702	66704
66710	66712	66714	66800	66801	66802	66803	66804	66810	66811	66812	66813
66814	66820	66821	66822	66823	66824	66880	66881	66882	66883	66884	66890
66891	66892	66893	66894	66900	66901	66902	66903	66904	66910	66911	66912
66913	66914	66920	66921	66922	66923	66924	66930	66932	66934	66940	66941
66942	66943	66944	66960	66961	66970	66971	66980	66981	66982	66983	66984
66990	66991	66992	66993	66994	67000	67002	67004	67100	67101	67102	67103
67104	67110	67111	67112	67113	67114	67120	67121	67122	67123	67124	67130
67131	67133	67140	67142	67144	67150	67151	67152	67153	67154	67180	67181
67182	67183	67184	67190	67191	67192	67193	67194	67200	67202	67204	67300
67301	67302	67303	67304	67310	67311	67312	67313	67314	67320	67321	67322
67323	67324	67330	67331	67332	67333	67334	67380	67381	67382	67383	67384
67400	67401	67402	67403	67404	67410	67412	67414	67420	67422	67424	67430

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

67432	67434	67440	67442	67444	67480	67482	67484	67490	67492	67494	67500
67501	67502	67503	67504	67510	67511	67512	67513	67514	67520	67521	67522
67523	67524	67580	67581	67582	67583	67584	67590	67591	67592	67593	67594
67600	67601	67602	67603	67604	67610	67611	67612	67613	67614	67620	67621
67622	67623	67624	67630	67631	67632	67633	67634	67640	67641	67642	67643
67644	67650	67651	67652	67653	67654	67660	67661	67662	67663	67664	67680
67681	67682	67683	67684	67690	67691	67692	67693	67694	677		

196 Normal pregnancy and/or delivery

V220	V221	V222	V240	V241	V242	V270	V271	V272	V273	V274	V275
V276	V277	V279	V724	650	65100	65101	65110	65111	65120	65121	65180
65181	65190	65191									

197 Skin and subcutaneous tissue infections

0201	0210	0220	0311	03285	035	0390	6800	6801	6802	6803	6804
6805	6806	6807	6808	6809	68100	68101	68102	68110	68111	6819	6820
6821	6822	6823	6824	6825	6826	6827	6828	6829	684	6850	6851
6860	68600	68601	68609	6861	6868	6869					

198 Other inflammatory condition of skin

690	69010	69011	69012	69018	6908	69276	69277	6940	6941	6942	6943
6944	6945	69460	69461	6948	6949	6950	6951	6952	6953	6954	69581
69589	6959	6960	6961	6962	6963	6964	6965	6968	6970	6971	6978
6979	6980	6981	6982	6983	6984	6988	6989				

199 Chronic ulcer of skin

7070	7071	70710	70711	70712	70713	70714	70715	70719	7078	7079	
------	------	-------	-------	-------	-------	-------	-------	-------	------	------	--

200 Other skin disorders

V133	V423	69275	700	7010	7011	7012	7013	7014	7015	7018	7019
702	7020	7021	70211	70219	7028	7030	7038	7039	70400	70401	70402
70409	7041	7042	7043	7048	7049	7050	7051	70581	70582	70583	70589
7059	7060	7061	7062	7063	7068	7069	7090	70900	70901	70909	7091
7092	7093	7094	7098	7099	7808	7821	7822				

201 Infective arthritis and osteomyelitis (except that caused by tuberculosis or sexually transmitted disease)

00323	00324	0261	03682	05671	71100	71101	71102	71103	71104	71105	71106
71107	71108	71109	71110	71111	71112	71113	71114	71115	71116	71117	71118
71119	71120	71121	71122	71123	71124	71125	71126	71127	71128	71129	71130
71131	71132	71133	71134	71135	71136	71137	71138	71139	71140	71141	71142
71143	71144	71145	71146	71147	71148	71149	71150	71151	71152	71153	71154
71155	71156	71157	71158	71159	71160	71161	71162	71163	71164	71165	71166
71167	71168	71169	71170	71171	71172	71173	71174	71175	71176	71177	71178
71179	71180	71181	71182	71183	71184	71185	71186	71187	71188	71189	71190
71191	71192	71193	71194	71195	71196	71197	71198	71199	73000	73001	73002
73003	73004	73005	73006	73007	73008	73009	73010	73011	73012	73013	73014
73015	73016	73017	73018	73019	73020	73021	73022	73023	73024	73025	73026

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

73027	73028	73029	73030	73031	73032	73033	73034	73035	73036	73037	73038
73039	73070	73071	73072	73073	73074	73075	73076	73077	73078	73079	73080
73081	73082	73083	73084	73085	73086	73087	73088	73089	73090	73091	73092
73093	73094	73095	73096	73097	73098	73099					

202 Rheumatoid arthritis and related disease

7140	7141	7142	71430	71431	71432	71433	7144	71481	71489	7149	7200
------	------	------	-------	-------	-------	-------	------	-------	-------	------	------

203 Osteoarthritis

V134	71500	71504	71509	71510	71511	71512	71513	71514	71515	71516	71517
71518	71520	71521	71522	71523	71524	71525	71526	71527	71528	71530	71531
71532	71533	71534	71535	71536	71537	71538	71580	71589	71590	71591	71592
71593	71594	71595	71596	71597	71598						

204 Other non-traumatic joint disorders

7130	7131	7132	7133	7134	7135	7136	7137	7138	71600	71601	71602
71603	71604	71605	71606	71607	71608	71609	71620	71621	71622	71623	71624
71625	71626	71627	71628	71629	71630	71631	71632	71633	71634	71635	71636
71637	71638	71639	71640	71641	71642	71643	71644	71645	71646	71647	71648
71649	71650	71651	71652	71653	71654	71655	71656	71657	71658	71659	71660
71661	71662	71663	71664	71665	71666	71667	71668	71680	71681	71682	71683
71684	71685	71686	71687	71688	71689	71690	71691	71692	71693	71694	71695
71696	71697	71698	71699	71810	71811	71812	71813	71814	71815	71817	71818
71819	71820	71821	71822	71823	71824	71825	71826	71827	71828	71829	71850
71851	71852	71853	71854	71855	71856	71857	71858	71859	71860	71865	71870
71871	71872	71873	71874	71875	71876	71877	71878	71879	71880	71881	71882
71883	71884	71885	71886	71887	71888	71889	71890	71891	71892	71893	71894
71895	71897	71898	71899	71900	71901	71902	71903	71904	71905	71906	71907
71908	71909	71910	71911	71912	71913	71914	71915	71916	71917	71918	71919
71920	71921	71922	71923	71924	71925	71926	71927	71928	71929	71930	71931
71932	71933	71934	71935	71936	71937	71938	71939	71940	71941	71942	71943
71944	71945	71946	71947	71948	71949	71950	71951	71952	71953	71954	71955
71956	71957	71958	71959	71960	71961	71962	71963	71964	71965	71966	71967
71968	71969	71970	71975	71976	71977	71978	71979	71980	71981	71982	71983
71984	71985	71986	71987	71988	71989	71990	71991	71992	71993	71994	71995
71996	71997	71998	71999								

205 Spondylosis, intervertebral disc disorders, other back problems

7201	7202	72081	72089	7209	7210	7211	7212	7213	72141	72142	7215
7216	7217	7218	72190	72191	7220	72210	72211	7222	72230	72231	72232
72239	7224	72251	72252	7226	72270	72271	72272	72273	72280	72281	72282
72283	72290	72291	72292	72293	7230	7231	7232	7233	7234	7235	7236
7237	7238	7239	72400	72401	72402	72409	7241	7242	7243	7244	7245
7246	72470	72471	72479	7248	7249						

206 Osteoporosis

73300	73301	73302	73303	73309
-------	-------	-------	-------	-------

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

207	Pathological fracture												
	7331	73310	73311	73312	73313	73314	73315	73316	73319	73393	73394	73395	
208	Acquired foot deformities												
	7271	734	7350	7351	7352	7353	7354	7355	7358	7359	73670	73671	
	73672	73673	73674	73675	73676	73679							
209	Other acquired deformities												
	71840	71841	71842	71843	71844	71845	71846	71847	71848	71849	73600	73601	
	73602	73603	73604	73605	73606	73607	73609	7361	73620	73621	73622	73629	
	73630	73631	73632	73639	73641	73642	7365	7366	73681	73689	7369	7370	
	73710	73711	73712	73719	73720	73721	73722	73729	73733	73734	73739	73740	
	73741	73742	73743	7378	7379	7380	7381	73810	73811	73812	73819	7382	
	7383	7384	7385	7386	7387	7388	7389						
210	Systemic lupus erythematosus and connective tissue disorders												
	7100	7101	7102	7103	7104	7108	7109						
211	Other connective tissue disease												
	V135	V436	V4360	V4361	V4362	V4363	V4364	V4365	V4366	V4369	V437	V454	
	V481	V482	V483	V490	V491	V492	V495	V4960	V4961	V4962	V4963	V4964	
	V4965	V4966	V4967	V4970	V4971	V4972	V4973	V4974	V4975	V4976	V4977	V537	
	7105	725	7260	72610	72611	72612	72619	7262	72630	72631	72632	72633	
	72639	7264	7265	72660	72661	72662	72663	72664	72665	72669	72670	72671	
	72672	72673	72679	7268	72690	72691	72700	72701	72702	72703	72704	72705	
	72706	72709	7272	7273	72740	72741	72742	72743	72749	72750	72751	72759	
	72760	72761	72762	72763	72764	72765	72766	72767	72768	72769	72781	72782	
	72783	72789	7279	7280	72810	72811	72812	72813	72819	7282	7283	7284	
	7285	7286	72871	72879	72881	72882	72883	72884	72885	72886	72889	7289	
	7290	7291	7292	72930	72931	72939	7294	7295	7296	72981	72982	72989	
	7299	7819	78191	78192	78199	7937							
212	Other bone disease and musculoskeletal deformities												
	V424	V486	V487	V494	7310	7311	7312	7318	7320	7321	7322	7323	
	7324	7325	7326	7327	7328	7329	73320	73321	73322	73329	7333	73340	
	73341	73342	73343	73344	73349	7335	7336	7337	73381	73382	73390	73391	
	73392	73399	73730	73731	73732	7390	7391	7392	7393	7394	7395	7396	
	7397	7398	7399										
213	Cardiac and circulatory congenital anomalies												
	7450	74510	74511	74512	74519	7452	7453	7454	7455	74560	74561	74569	
	7457	7458	7459	74600	74601	74602	74609	7461	7462	7463	7464	7465	
	7466	7467	74681	74682	74683	74684	74685	74686	74687	74689	7469	7470	
	74710	74711	74720	74721	74722	74729	7473	74740	74741	74742	74749	7475	
	7476	74760	74761	74762	74763	74764	74769	74781	74782	74783	74789	7479	

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

214 Digestive congenital anomalies

7500	75010	75011	75012	75013	75015	75016	75019	75021	75022	75023	75024
75025	75026	75027	75029	7503	7504	7505	7506	7507	7508	7509	7510
7511	7512	7513	7514	7515	75160	75161	75162	75169	7517	7518	7519

215 Genitourinary congenital anomalies

V1361	7520	75210	75211	75219	7522	7523	75240	75241	75242	75249	7525
75251	75252	7526	75261	75262	75263	75264	75265	75269	7527	7528	7529
7530	7531	75310	75311	75312	75313	75314	75315	75316	75317	75319	7532
75320	75321	75322	75323	75329	7533	7534	7535	7536	7537	7538	7539

216 Nervous system congenital anomalies

7400	7401	7402	74100	74101	74102	74103	74190	74191	74192	74193	7420
7421	7422	7423	7424	74251	74253	74259	7428	7429			

217 Other congenital anomalies

V136	V1369	74300	74303	74306	74310	74311	74312	74320	74321	74322	74330
74331	74332	74333	74334	74335	74336	74337	74339	74341	74342	74343	74344
74345	74346	74347	74348	74349	74351	74352	74353	74354	74355	74356	74357
74358	74359	74361	74362	74363	74364	74365	74366	74369	7438	7439	74400
74401	74402	74403	74404	74405	74409	7441	74421	74422	74423	74424	74429
74443	74441	74442	74443	74446	74447	74449	7445	74481	74482	74483	74484
74489	7449	7480	7481	7482	7483	7484	7485	74860	74861	74869	7488
7489	74900	74901	74902	74903	74904	74910	74911	74912	74913	74914	74920
74921	74922	74923	74924	74925	7540	7541	7542	75430	75431	75432	75433
75435	75440	75441	75442	75443	75444	75450	75451	75452	75453	75459	75460
75461	75462	75469	75470	75471	75479	75481	75482	75489	75500	75501	75502
75510	75511	75512	75513	75514	75520	75521	75522	75523	75524	75525	75526
75527	75528	75529	75530	75531	75532	75533	75534	75535	75536	75537	75538
75539	7554	75550	75551	75552	75553	75554	75555	75556	75557	75558	75559
75560	75561	75562	75563	75564	75565	75566	75567	75569	7558	7559	7560
75610	75611	75612	75613	75614	75615	75616	75617	75619	7562	7563	7564
75650	75651	75652	75653	75654	75655	75656	75659	7566	7567	75670	75671
75679	75681	75682	75683	75689	7569	7570	7571	7572	75731	75732	75733
75739	7574	7575	7576	7578	7579	7580	7581	7582	7583	7584	7585
7586	7587	7588	75881	75889	7589	7590	7591	7592	7593	7594	7595
7596	7597	7598	75981	75982	75983	75989	7599	7952			

218 Liveborn

V300	V3000	V3001	V301	V302	V310	V3100	V3101	V311	V312	V320	V3200
V3201	V321	V322	V330	V3300	V3301	V331	V332	V340	V3400	V3401	V341
V342	V350	V3500	V3501	V351	V352	V360	V3600	V3601	V361	V362	V370
V3700	V3701	V371	V372	V390	V3900	V3901	V391	V392			

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

219 Short gestation, low birth weight, and fetal growth retardation

V2130	V2131	V2132	V2133	V2134	V2135	7640	76400	76401	76402	76403	76404
76405	76406	76407	76408	76409	7641	76410	76411	76412	76413	76414	76415
76416	76417	76418	76419	7642	76420	76421	76422	76423	76424	76425	76426
76427	76428	76429	7649	76490	76491	76492	76493	76494	76495	76496	76497
76498	76499	7650	76500	76501	76502	76503	76504	76505	76506	76507	76508
76509	7651	76510	76511	76512	76513	76514	76515	76516	76517	76518	76519
76520	76521	76522	76523	76524	76525	76526	76527	76528	76529		

220 Intrauterine hypoxia and birth asphyxia

7680	7681	7682	7683	7684	7685	7686	7689
------	------	------	------	------	------	------	------

221 Respiratory distress syndrome

769

222 Hemolytic jaundice and perinatal jaundice

7730	7731	7732	7733	7734	7735	7740	7741	7742	77430	77431	77439
7744	7745	7746	7747								

223 Birth trauma

7670	7671	7672	7673	7674	7675	7676	7677	7678	7679
------	------	------	------	------	------	------	------	------	------

224 Other perinatal conditions

V137	V502	7600	7601	7602	7603	7604	7605	7606	76070	76071	76072
76073	76074	76075	76076	76079	7608	7609	7610	7611	7612	7613	7614
7615	7616	7617	7618	7619	7620	7621	7622	7623	7624	7625	7626
7627	7628	7629	7630	7631	7632	7633	7634	7635	7636	7637	7638
76381	76382	76383	76389	7639	7660	7661	7662	7700	7701	7702	7703
7704	7705	7706	7707	7708	77081	77082	77083	77084	77089	7709	7710
7711	7712	7713	7714	7715	7716	7717	7718	77181	77182	77183	77189
7720	7721	77210	77211	77212	77213	77214	7722	7723	7724	7725	7726
7728	7729	7750	7751	7752	7753	7754	7755	7756	7757	7758	7759
7760	7761	7762	7763	7764	7765	7766	7767	7768	7769	7771	7772
7773	7774	7775	7776	7778	7779	7780	7781	7782	7783	7784	7785
7786	7787	7788	7789	7790	7791	7792	7793	7794	7795	7796	7797
7798	77981	77982	77989	7799	78091	78092					

225 Joint disorders and dislocations, trauma-related

71610	71611	71612	71613	71614	71615	71616	71617	71618	71619	7170	7171
7172	7173	71740	71741	71742	71743	71749	7175	7176	7177	71781	71782
71783	71784	71785	71789	7179	71800	71801	71802	71803	71804	71805	71807
71808	71809	71830	71831	71832	71833	71834	71835	71836	71837	71838	71839
8300	8301	83100	83101	83102	83103	83104	83109	83110	83111	83112	83113
83114	83119	83200	83201	83202	83203	83204	83209	83210	83211	83212	83213
83214	83219	83300	83301	83302	83303	83304	83305	83309	83310	83311	83312
83313	83314	83315	83319	83400	83401	83402	83410	83411	83412	83500	83501

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

83502	83503	83510	83511	83512	83513	8360	8361	8362	8363	8364	83650
83651	83652	83653	83654	83659	83660	83661	83662	83663	83664	83669	8370
8371	83800	83801	83802	83803	83804	83805	83806	83809	83810	83811	83812
83813	83814	83815	83816	83819	83900	83901	83902	83903	83904	83905	83906
83907	83908	83910	83911	83912	83913	83914	83915	83916	83917	83918	83920
83921	83930	83931	83940	83941	83942	83949	83950	83951	83952	83959	83961
83969	83971	83979	8398	8399	9056						

226 Fracture of neck of femur (hip)

V5413	V5423	82000	82001	82002	82003	82009	82010	82011	82012	82013	82019
82020	82021	82022	82030	82031	82032	8208	8209	9053			

227 Spinal cord injury

80600	80601	80602	80603	80604	80605	80606	80607	80608	80609	80610	80611
80612	80613	80614	80615	80616	80617	80618	80619	80620	80621	80622	80623
80624	80625	80626	80627	80628	80629	80630	80631	80632	80633	80634	80635
80636	80637	80638	80639	8064	8065	80660	80661	80662	80669	80670	80671
80672	80679	8068	8069	9072	95200	95201	95202	95203	95204	95205	95206
95207	95208	95209	95210	95211	95212	95213	95214	95215	95216	95217	95218
95219	9522	9523	9524	9528	9529	99655	99656	99668			

228 Skull and face fractures

80000	80001	80002	80003	80004	80005	80006	80009	80050	80051	80052	80053
80054	80055	80056	80059	80100	80101	80102	80103	80104	80105	80106	80109
80150	80151	80152	80153	80154	80155	80156	80159	8020	8021	80220	80221
80222	80223	80224	80225	80226	80227	80228	80229	80230	80231	80232	80233
80234	80235	80236	80237	80238	80239	8024	8025	8026	8027	8028	8029
80300	80301	80302	80303	80304	80305	80306	80309	80350	80351	80352	80353
80354	80355	80356	80359	80400	80401	80402	80403	80404	80405	80406	80409
80450	80451	80452	80453	80454	80455	80456	80459	9050			

229 Fracture of upper limb

V5410	V5411	V5412	V5420	V5421	V5422	81000	81001	81002	81003	81010	81011
81012	81013	81100	81101	81102	81103	81109	81110	81111	81112	81113	81119
81200	81201	81202	81203	81209	81210	81211	81212	81213	81219	81220	81221
81230	81231	81240	81241	81242	81243	81244	81249	81250	81251	81252	81253
81254	81259	81300	81301	81302	81303	81304	81305	81306	81307	81308	81310
81311	81312	81313	81314	81315	81316	81317	81318	81320	81321	81322	81323
81330	81331	81332	81333	81340	81341	81342	81343	81344	81345	81350	81351
81352	81353	81354	81380	81381	81382	81383	81390	81391	81392	81393	81400
81401	81402	81403	81404	81405	81406	81407	81408	81409	81410	81411	81412
81413	81414	81415	81416	81417	81418	81419	81500	81501	81502	81503	81504
81509	81510	81511	81512	81513	81514	81519	81600	81601	81602	81603	81610
81611	81612	81613	8170	8171	8180	8181	8190	8191	9052		

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

230 Fracture of lower limb

V5414	V5415	V5416	V5424	V5425	V5426	82100	82101	82110	82111	82120	82121
82122	82123	82129	82130	82131	82132	82133	82139	8220	8221	82300	82301
82302	82310	82311	82312	82320	82321	82322	82330	82331	82332	82340	82341
82342	82380	82381	82382	82390	82391	82392	8240	8241	8242	8243	8244
8245	8246	8247	8248	8249	8250	8251	82520	82521	82522	82523	82524
82525	82529	82530	82531	82532	82533	82534	82535	82539	8260	8261	8270
8271		9054									

231 Other fractures

V540	V5417	V5419	V5427	V5429	V664	V674	80500	80501	80502	80503	80504
80505	80506	80507	80508	80510	80511	80512	80513	80514	80515	80516	80517
80518	8052	8053	8054	8055	8056	8057	8058	8059	80700	80701	80702
80703	80704	80705	80706	80707	80708	80709	80710	80711	80712	80713	80714
80715	80716	80717	80718	80719	8072	8073	8074	8075	8076	8080	8081
8082	8083	80841	80842	80843	80849	80851	80852	80853	80859	8088	8089
8090	8091	8280	8281	8290	8291	9051	9055				

232 Sprains and strains

8400	8401	8402	8403	8404	8405	8406	8407	8408	8409	8410	8411
8412	8413	8418	8419	84200	84201	84202	84209	84210	84211	84212	84213
84219	8430	8431	8438	8439	8440	8441	8442	8443	8448	8449	84500
84501	84502	84503	84509	84510	84511	84512	84513	84519	8460	8461	8462
8463	8468	8469	8470	8471	8472	8473	8474	8479	8480	8481	8482
8483	84840	84841	84842	84849	8485	8488	8489	9057			

233 Intracranial injury

80010	80011	80012	80013	80014	80015	80016	80019	80020	80021	80022	80023
80024	80025	80026	80029	80030	80031	80032	80033	80034	80035	80036	80039
80040	80041	80042	80043	80044	80045	80046	80049	80060	80061	80062	80063
80064	80065	80066	80069	80070	80071	80072	80073	80074	80075	80076	80079
80080	80081	80082	80083	80084	80085	80086	80089	80090	80091	80092	80093
80094	80095	80096	80099	80110	80111	80112	80113	80114	80115	80116	80119
80120	80121	80122	80123	80124	80125	80126	80129	80130	80131	80132	80133
80134	80135	80136	80139	80140	80141	80142	80143	80144	80145	80146	80149
80160	80161	80162	80163	80164	80165	80166	80169	80170	80171	80172	80173
80174	80175	80176	80179	80180	80181	80182	80183	80184	80185	80186	80189
80190	80191	80192	80193	80194	80195	80196	80199	80310	80311	80312	80313
80314	80315	80316	80319	80320	80321	80322	80323	80324	80325	80326	80329
80330	80331	80332	80333	80334	80335	80336	80339	80340	80341	80342	80343
80344	80345	80346	80349	80360	80361	80362	80363	80364	80365	80366	80369
80370	80371	80372	80373	80374	80375	80376	80379	80380	80381	80382	80383
80384	80385	80386	80389	80390	80391	80392	80393	80394	80395	80396	80399
80410	80411	80412	80413	80414	80415	80416	80419	80420	80421	80422	80423
80424	80425	80426	80429	80430	80431	80432	80433	80434	80435	80436	80439
80440	80441	80442	80443	80444	80445	80446	80449	80460	80461	80462	80463
80464	80465	80466	80469	80470	80471	80472	80473	80474	80475	80476	80479
80480	80481	80482	80483	80484	80485	80486	80489	80490	80491	80492	80493
80494	80495	80496	80499	8500	8501	8502	8503	8504	8505	8509	85100

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

85101	85102	85103	85104	85105	85106	85109	85110	85111	85112	85113	85114
85115	85116	85119	85120	85121	85122	85123	85124	85125	85126	85129	85130
85131	85132	85133	85134	85135	85136	85139	85140	85141	85142	85143	85144
85145	85146	85149	85150	85151	85152	85153	85154	85155	85156	85159	85160
85161	85162	85163	85164	85165	85166	85169	85170	85171	85172	85173	85174
85175	85176	85179	85180	85181	85182	85183	85184	85185	85186	85189	85190
85191	85192	85193	85194	85195	85196	85199	85200	85201	85202	85203	85204
85205	85206	85209	85210	85211	85212	85213	85214	85215	85216	85219	85220
85221	85222	85223	85224	85225	85226	85229	85230	85231	85232	85233	85234
85235	85236	85239	85240	85241	85242	85243	85244	85245	85246	85249	85250
85251	85252	85253	85254	85255	85256	85259	85300	85301	85302	85303	85304
85305	85306	85309	85310	85311	85312	85313	85314	85315	85316	85319	85400
85401	85402	85403	85404	85405	85406	85409	85410	85411	85412	85413	85414
85415	85416	85419	9070								

234 Crushing injury or internal injury

8600	8601	8602	8603	8604	8605	86100	86101	86102	86103	86110	86111
86112	86113	86120	86121	86122	86130	86131	86132	8620	8621	86221	86222
86229	86231	86232	86239	8628	8629	8630	8631	86320	86321	86329	86330
86331	86339	86340	86341	86342	86343	86344	86345	86346	86349	86350	86351
86352	86353	86354	86355	86356	86359	86380	86381	86382	86383	86384	86385
86389	86390	86391	86392	86393	86394	86395	86399	86400	86401	86402	86403
86404	86405	86409	86410	86411	86412	86413	86414	86415	86419	86500	86501
86502	86503	86504	86509	86510	86511	86512	86513	86514	86519	86600	86601
86602	86603	86610	86611	86612	86613	8670	8671	8672	8673	8674	8675
8676	8677	8678	8679	86800	86801	86802	86803	86804	86809	86810	86811
86812	86813	86814	86819	8690	8691	90000	90001	90002	90003	9001	90081
90082	90089	9009	9010	9011	9012	9013	90140	90141	90142	90181	90182
90183	90189	9019	9020	90210	90211	90219	90220	90221	90222	90223	90224
90225	90226	90227	90229	90231	90232	90233	90234	90239	90240	90241	90242
90249	90250	90251	90252	90253	90254	90255	90256	90259	90281	90282	90287
90289	9029	90300	90301	90302	9031	9032	9033	9034	9035	9038	9039
9040	9041	9042	9043	90440	90441	90442	90450	90451	90452	90453	90454
9046	9047	9048	9049	9064	9080	9081	9082	9083	9084	925	9251
9252	9260	92611	92612	92619	9268	9269	92700	92701	92702	92703	92709
92710	92711	92720	92721	9273	9278	9279	92800	92801	92810	92811	92820
92821	9283	9288	9289	9290	9299						

235 Open wounds of head, neck, and trunk

8700	8701	8702	8703	8704	8708	8709	8710	8711	8712	8713	8714
8715	8716	8717	8719	87200	87201	87202	87210	87211	87212	87261	87262
87263	87264	87269	87271	87272	87273	87274	87279	8728	8729	8730	8731
87320	87321	87322	87323	87329	87330	87331	87332	87333	87339	87340	87341
87342	87343	87344	87349	87350	87351	87352	87353	87354	87359	87360	87361
87362	87363	87364	87365	87369	87370	87371	87372	87373	87374	87375	87379
8738	8739	87400	87401	87402	87410	87411	87412	8742	8743	8744	8745
8748	8749	8750	8751	8760	8761	8770	8771	8780	8781	8782	8783
8784	8785	8786	8787	8788	8789	8790	8791	8792	8793	8794	8795
8796	8797	8798	8799	9060							

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

236 Open wounds of extremities

88000	88001	88002	88003	88009	88010	88011	88012	88013	88019	88020	88021
88022	88023	88029	88100	88101	88102	88110	88111	88112	88120	88121	88122
8820	8821	8822	8830	8831	8832	8840	8841	8842	8850	8851	8860
8861	8870	8871	8872	8873	8874	8875	8876	8877	8900	8901	8902
8910	8911	8912	8920	8921	8922	8930	8931	8932	8940	8941	8942
8950	8951	8960	8961	8962	8963	8970	8971	8972	8973	8974	8975
8976	8977	9058	9059	9061							

237 Complication of device, implant or graft

41402	41403	41404	41405	41406	44030	44031	44032	56960	56961	56969	99600
99601	99602	99603	99604	99609	9961	9962	99630	99631	99632	99639	9964
99651	99652	99653	99654	99655	99656	99659	9966	99660	99661	99662	99663
99664	99665	99666	99667	99668	99669	9967	99670	99671	99672	99673	99674
99675	99676	99677	99678	99679	99680	99681	99682	99683	99684	99685	99686
99687	99689	99690	99691	99692	99693	99694	99695	99696	99699		

238 Complications of surgical procedures or medical care

3490	3491	41511	4294	4582	5121	5190	51900	51901	51902	51909	53640
53641	53642	53649	56962	5642	5643	5644	5696	56962	5793	9093	99549
9586	9970	99700	99701	99702	99709	9971	9972	9973	9974	9975	99760
99761	99762	99769	99771	99772	99779	9979	99791	99799	9980	9981	99811
99812	99813	9982	9983	99832	9984	9985	99851	99859	9986	9987	9988
99881	99882	99883	99889	9989	9990	9991	9992	9993	9994	9995	9996
9997	9998	9999									

239 Superficial injury, contusion

9062	9063	9100	9101	9102	9103	9104	9105	9106	9107	9108	9109
9110	9111	9112	9113	9114	9115	9116	9117	9118	9119	9120	9121
9122	9123	9124	9125	9126	9127	9128	9129	9130	9131	9132	9133
9134	9135	9136	9137	9138	9139	9140	9141	9142	9143	9144	9145
9146	9147	9148	9149	9150	9151	9152	9153	9154	9155	9156	9157
9158	9159	9160	9161	9162	9163	9164	9165	9166	9167	9168	9169
9170	9171	9172	9173	9174	9175	9176	9177	9178	9179	9180	9181
9182	9189	9190	9191	9192	9193	9194	9195	9196	9197	9198	9199
920	9210	9211	9212	9213	9219	9220	9221	9222	9223	92231	92232
92233	9224	9228	9229	92300	92301	92302	92303	92309	92310	92311	92320
92321	9233	9238	9239	92400	92401	92410	92411	92420	92421	9243	9244
9245	9248	9249									

240 Burns

9065	9066	9067	9068	9069	9400	9401	9402	9403	9404	9405	9409
94100	94101	94102	94103	94104	94105	94106	94107	94108	94109	94110	94111
94112	94113	94114	94115	94116	94117	94118	94119	94120	94121	94122	94123
94124	94125	94126	94127	94128	94129	94130	94131	94132	94133	94134	94135
94136	94137	94138	94139	94140	94141	94142	94143	94144	94145	94146	94147
94148	94149	94150	94151	94152	94153	94154	94155	94156	94157	94158	94159
94200	94201	94202	94203	94204	94205	94209	94210	94211	94212	94213	94214

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

94215	94219	94220	94221	94222	94223	94224	94225	94229	94230	94231	94232
94233	94234	94235	94239	94240	94241	94242	94243	94244	94245	94249	94250
94251	94252	94253	94254	94255	94259	94300	94301	94302	94303	94304	94305
94306	94309	94310	94311	94312	94313	94314	94315	94316	94319	94320	94321
94322	94323	94324	94325	94326	94329	94330	94331	94332	94333	94334	94335
94336	94339	94340	94341	94342	94343	94344	94345	94346	94349	94350	94351
94352	94353	94354	94355	94356	94359	94400	94401	94402	94403	94404	94405
94406	94407	94408	94410	94411	94412	94413	94414	94415	94416	94417	94418
94420	94421	94422	94423	94424	94425	94426	94427	94428	94430	94431	94432
94433	94434	94435	94436	94437	94438	94440	94441	94442	94443	94444	94445
94446	94447	94448	94450	94451	94452	94453	94454	94455	94456	94457	94458
94500	94501	94502	94503	94504	94505	94506	94509	94510	94511	94512	94513
94514	94515	94516	94519	94520	94521	94522	94523	94524	94525	94526	94529
94530	94531	94532	94533	94534	94535	94536	94539	94540	94541	94542	94543
94544	94545	94546	94549	94550	94551	94552	94553	94554	94555	94556	94559
9460	9461	9462	9463	9464	9465	9470	9471	9472	9473	9474	9478
9479	94800	94810	94811	94820	94821	94822	94830	94831	94832	94833	94840
94841	94842	94843	94844	94850	94851	94852	94853	94854	94855	94860	94861
94862	94863	94864	94865	94866	94870	94871	94872	94873	94874	94875	94876
94877	94880	94881	94882	94883	94884	94885	94886	94887	94888	94890	94891
94892	94893	94894	94895	94896	94897	94898	94899	9490	9491	9492	9493
9494	9495										

241 Poisoning by psychotropic agents

9690	9691	9692	9693	9694	9695	9696	9697	9698	9699
------	------	------	------	------	------	------	------	------	------

242 Poisoning by other medications and drugs

9090	9095	9600	9601	9602	9603	9604	9605	9606	9607	9608	9609
9610	9611	9612	9613	9614	9615	9616	9617	9618	9619	9620	9621
9622	9623	9624	9625	9626	9627	9628	9629	9630	9631	9632	9633
9634	9635	9638	9639	9640	9641	9642	9643	9644	9645	9646	9647
9648	9649	96500	96501	96502	96509	9651	9654	9655	9656	96561	96569
9657	9658	9659	9660	9661	9662	9663	9664	9670	9671	9672	9673
9674	9675	9676	9678	9679	9680	9681	9682	9683	9684	9685	9686
9687	9689	9700	9701	9708	9709	9710	9711	9712	9713	9719	9720
9721	9722	9723	9724	9725	9726	9727	9728	9729	9730	9731	9732
9733	9734	9735	9736	9738	9739	9740	9741	9742	9743	9744	9745
9746	9747	9750	9751	9752	9753	9754	9755	9756	9757	9758	9760
9761	9762	9763	9764	9765	9766	9767	9768	9769	9770	9771	9772
9773	9774	9778	9779	9780	9781	9782	9783	9784	9785	9786	9788
9789	9790	9791	9792	9793	9794	9795	9796	9797	9799	9952	

243 Poisoning by nonmedicinal substances

9091	9800	9801	9802	9803	9808	9809	981	9820	9821	9822	9823
9824	9828	9830	9831	9832	9839	9840	9841	9848	9849	9850	9851
9852	9853	9854	9855	9856	9858	9859	986	9870	9871	9872	9873
9874	9875	9876	9877	9878	9879	9880	9881	9882	9888	9889	9890
9891	9892	9893	9894	9895	9896	9897	9898	98981	98982	98983	98984
98989	9899										

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

244 Other injuries and conditions due to external causes

V155	V156	V713	V714	V715	V716	7960	7990	9071	9073	9074	9075
9079	9085	9086	9089	9092	9094	9099	9300	9301	9302	9308	9309
931	932	9330	9331	9340	9341	9348	9349	9350	9351	9352	936
937	938	9390	9391	9392	9393	9399	9500	9501	9502	9503	9509
9510	9511	9512	9513	9514	9515	9516	9517	9518	9519	9530	9531
9532	9533	9534	9535	9538	9539	9540	9541	9548	9549	9550	9551
9552	9553	9554	9555	9556	9557	9558	9559	9560	9561	9562	9563
9564	9565	9568	9569	9570	9571	9578	9579	9580	9581	9582	9583
9584	9585	9586	9587	9588	9589	9590	95901	95909	9591	9592	9593
9595	9596	9597	9598	9599	990	9910	9911	9912	9913	9914	9915
9916	9918	9919	9920	9921	9922	9923	9924	9925	9926	9927	9928
9929	9930	9931	9932	9933	9934	9938	9939	9940	9941	9942	9943
9944	9945	9946	9947	9948	9949	9951	9955	99550	99551	99552	99553
99554	99555	99559	99580	99581	99582	99583	99584	99585	99589	99590	99591
99592	99593	99594									

245 Syncope

7802

246 Fever of unknown origin

7806

247 Lymphadenitis

2891 2892 2893 683 7856

248 Gangrene

44024 7854

249 Shock

78550 78551 78559

250 Nausea and vomiting

7870 78701 78702 78703

251 Abdominal pain

7890	78900	78901	78902	78903	78904	78905	78906	78907	78909	78960	78961
78962	78963	78964	78965	78966	78967	78969					

252 Malaise and fatigue

7807 78071 78079

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

253 Allergic reactions

V071	V140	V141	V142	V143	V144	V145	V1501	V1502	V1503	V1504	V1505
V1507	V1508	V1509	V146	V147	V148	V149	V150	V727	4771	5583	9957
5186	6910	6918	6920	6921	6922	6923	6924	6925	6926	69270	69271
69272	69273	69274	69279	69281	69282	69283	69289	6929	6930	6931	6938
6939	7080	7081	7082	7083	7084	7085	7088	7089	9950	9953	99560
99561	99562	99563	99564	99565	99566	99567	99568	99569			

254 Rehabilitation care, fitting of prostheses, and adjustment of devices

V520	V521	V524	V528	V529	V538	V570	V571	V572	V5721	V5722	V573
V574	V5781	V5789	V579	V5882							

255 Administrative/social admission

V200	V201	V202	V600	V601	V602	V603	V604	V605	V606	V608	V609
V610	V611	V6110	V6111	V6112	V6120	V6121	V6122	V6129	V613	V6141	V6149
V616	V617	V618	V619	V620	V621	V622	V623	V624	V625	V626	V6281
V6282	V6283	V6289	V629	V630	V631	V632	V638	V639	V650	V651	V652
V653	V654	V6540	V6541	V6542	V6543	V6544	V6545	V6549	V655	V658	V659
V680	V681	V682	V6881	V6889	V689						

256 Medical examination/evaluation

V290	V291	V292	V293	V298	V299	V700	V703	V704	V705	V706	V707
V708	V709	V718	V719	V725	V726	V728	V7281	V7282	V7283	V7284	V7285
V729											

257 Other aftercare

V51	V539	V548	V5481	V5489	V549	V558	V559	V583	V584	V5841	V5842
V5843	V5849	V5861	V5862	V5869	V5871	V5872	V5873	V5874	V5875	V5876	V5877
V5878	V588	V5881	V5883	V5889	V589	V660	V665	V666	V667	V669	V670
V6770	V6701	V6709	V6751	V6759	V676	V679					

258 Other screening for suspected conditions (not mental disorders or infectious disease)

V280	V281	V282	V283	V284	V285	V288	V289	V760	V761	V7610	V7611
V7612	V7619	V762	V763	V7641	V7642	V7643	V7644	V7645	V7649	V768	V769
V770	V771	V772	V773	V774	V775	V776	V777	V778	V779	V780	V781
V782	V783	V788	V789	V800	V801	V802	V803	V810	V811	V812	V813
V814	V815	V816	V820	V821	V822	V823	V824	V825	V826	V828	V829

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

² Classification system for E codes developed by CDC and incorporated into CCS is presented below.

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

259 Residual codes, unclassified

V070	V072	V073	V0731	V0739	V078	V079	V1053	V131	V138	V139	V152
V153	V1581	V1584	V1585	V1586	V1589	V159	V160	V161	V162	V163	V164
V1640	V1641	V1642	V1643	V1649	V165	V1651	V1659	V166	V167	V168	V169
V170	V171	V172	V173	V174	V175	V176	V177	V178	V180	V181	V182
V183	V184	V185	V186	V1861	V1869	V187	V188	V190	V191	V192	V193
V194	V195	V196	V197	V198	V210	V211	V212	V218	V219	V418	V419
V428	V4281	V4282	V4283	V4284	V4289	V429	V438	V4381	V4382	V4383	V4389
V447	V448	V449	V4571	V4572	V4573	V4574	V4575	V4576	4577	V4578	V4579
V4583	V4584	V4589	V460	V468	V469	V470	V471	V472	V479	V480	V488
V489	V498	V4981	V4982	V4989	V499	V500	V501	V503	V5041	V5042	V5049
V508	V509	V590	V5901	V5902	V5909	V591	V592	V593	V594	V595	V596
V598	V599	V615	V640	V641	V642	V643	V644	V690	V691	V692	V693
V698	V699	V8301	V8302	V8381	V8389	3020	78002	78050	78051	78052	78053
78054	78055	78056	78057	78059	7809	78099	7815	7816	7823	78261	78262
7828	7829	7830	7836	7842	7901	7903	7906	7909	79091	79092	79093
79094	79099	7929	7932	7939	7949	7954	7963	7964	7965	7969	7980
7981	7982	7989	7992	7993	7998	7999					

260 All E Codes².

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

² Classification system for E codes developed by CDC and incorporated into CCS is presented below.

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

E CODE CLASSIFICATION

E code	Category	ICD-9-CM codes								
2601	Cut/pierce	E9200-E9205	E9208	E9209	E956	E966	E974	E986		
2602	Drowning/submersion	E8300-E8306 E9100-E9104	E8308 E9108	E8309 E9109	E8320-E8326 E954	E964	E8328 E984	E8329		
2603	Fall	E8800 E8801 E8839-E8846 E8869 E888 E9570-E9572	E8809-E8811 E8849 E885 E888 E8881 E9579 E9681	E882 E8850-E8854 E8888 E8889 E9870-E9872	E8830-E8832 E8854 E8889		E8859-E8860			
2604	Fire/burn	E8900-E8903 E8930-E8932 E8981 E899 E9587 E961	E8908-E8913 E8938 E8939 E9240-E9242 E9680 E9683	E8918 E894 E9248 E9881	E8919 E895 E9249 E9882	E892 E896 E9581 E9887	E897 E8582			
2605	Firearm	E9220-E9224 E970	E9228 E9850-E9854	E9229	E9550-E9554		E9650-E9654			
2606	Machinery		E9190-E9199							
2607	Motor vehicle traffic (MVT)	E8100-E8199		E9585	E9685	E9885				
2608	Pedal cyclist, not MVT	E8003 E8013 E8206 E8216	E8023 E8226	E8033 E8236	E8043 E8246	E8053 E8256	E8063 E8261	E8073 E8269		
2609	Pedestrian, not MVT	E8002 E8012 E8207 E8217 E8280 E8290	E8022 E8227	E8032 E8237	E8042 E8247	E8052 E8257	E8062 E8260	E8072 E8270		
2610	Transport, not MVT	E8000 E8001 E8038-E8041 E8078 E8079 E8228-E8235 E8262-E8264 E8284 E8288 E8318 E8319 E8358-E8366 E8400-E819	E8008-E8011 E8048-E8051 E8200-E8205 E8238-E8245 E8268 E8272-E8274 E8289 E8294 E8330-E8336 E8368-E8376 E8426-E8450	E8018-E8021 E8058-E8061 E8208-E8215 E8248-E8255 E8278 E8298 E8299 E8338-E8346 E8378-E8366 E8458 E8459	E8028-E8031 E8068-E8071 E8218-E8225 E8258 E8259 E8279 E8282 E8310-E8316 E8348-8356 E8388 E8399 E9586 E9886					
2611	Natural/environment	E9000 E9001 E903 E9040-E9043 E908-E9084 E9583 E9883	E9009-E9011 E9049-E9065 E9088-E9094	E9018-E9022 E9068-E907 E9098 E9099	E9028 E9280-E9283					
2612	Overexertion		E927							

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 2003¹)

This document provides a listing of ICD-9-CM codes included in each CCS diagnosis category.

2613	Poisoning	E8500-E851 E8548 E8600-E8604 E8650-E8655 E8698 E9528 E9818	E8520-E8525 E8550-E8556 E8608-E8616 E8658-E867 E9500-E9511 E9620-E9622 E9820	E8528-E8532 E856 E8619-E8625 E8680-E8683 E9518 E9629 E972	E8538-E8543 E8580-8589 E8629-8644 E8688-E8694 E9521 E9800-E9811		
2614	Struck by, against	E916	E9170-E9179	E9600	E9682	E973	E975
2615	Suffocation	E911 E9538	E912 E9539	E9130-E9133 E963 E9830	E9138 E9831	E9139 E9838	E9530 E9839
2616	Adverse effects of medical care	E8700-E8726 E8758-E8765	E8728-E8736 E8768 E8769	E8738-E8745 E8780-E8786	E8748-E8752 E8788-E8799		
2617	Adverse effects of medical drugs	E9300-E9335 E9389-E9401 E9450-E9458 E9499	E9338-E9364 E9408-E9413 E9460-E9474	E9370-E9376 E9419-E9436 E9478-E9486	E9378-E9387 E9438-E9447 E9488-E9497		
2618	Other specified and classifiable	E846 -E848 E9219 E9225 E9258-E9265 E9559 E9580 E9684 E9686 E9856 E9857 E992 E993	E914 E9230-E9232 E9268 E9269 E9584 E9601 E9687 E971 E9880 E9884 E994 E996	E915 E9238 E9295 E9655-E9659 E9670-E9679 E978 E9790-E9799 E990 E9909-E9913 E9919	E9210 E9239 E9555-E9557 E9670-E9679 E9855 E9909-E9913 E9919	E9211 E9250-E9252 E9555-E9557 E9670-E9679 E9855 E9919	E9218
2619	Other specified, not elsewhere classified	E9288 E989	E9298 E995	E9588 E9978	E959 E998	E9688 E999	E969 E9990
2620	Unspecified	E887	E9289	E9299	E9589	E9689	E976
2621	Place of occurrence	E8490-E84					

¹ All ICD-9-CM coding changes from January 1980 through September 2003 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 4

List of Priority Conditions

LIST OF PRIORITY CONDITIONS

A. LONG-TERM, LIFE THREATENING CONDITIONS:

Cancer (of any body part)

cancer
tumor
malignancy
malignant tumor
carcinoma
sarcoma
lymphoma
Hodgkin's disease
leukemia
melanoma
metastasis
neuroma
adenoma

High Cholesterol

high cholesterol
high or elevated triglycerides
hyperlipidemia
hypercholesterolemia

HIV/AIDS

HIV
AIDS

Hypertension

hypertension
high blood pressure

Ischemic Heart Disease

ischemic heart disease (MUST use
the word "ischemic")
angina
angina pectoris
coronary artery disease
blocked, obstructed, or occluded
coronary arteries
arteriosclerosis
myocardial infarction
heart attack

Diabetes

diabetes
diabetes mellitus
high blood sugar
juvenile diabetes (Type I diabetes)
adult-onset diabetes (Type II diabetes)
diabetic neuropathy

Emphysema

emphysema
chronic obstructive pulmonary disease
(COPD)
chronic bronchitis (MUST use the word
("chronic", only for adults)
chronic obstructive bronchitis (MUST
use the word "chronic", only for
adults)
smoker's cough

Stroke

stroke
cerebral hemorrhage
cerebral aneurysm
transient ischemic accident
transient ischemic attack
apoplexy
carotid artery blockage
arterial thrombosis in brain
blood clot in brain

B. CHRONIC, MANAGEABLE CONDITIONS:

Arthritis

anything with the word “arthritis”
rheumatoid arthritis
degenerative arthritis
osteoarthritis
bursitis
rheumatism

Back Problems of Any Kind

back problems or pain of any kind
(lower or upper back)
sore, hurt, injured, or stiff back
backache
anything with the words ‘vertebra’,
‘vertebrae’, ‘lumbar’, ‘spine’, or
‘spinal’

sprained back

muscle spasms

back spasms

bad back

lumbago

sciatica or sciatic nerve problems

disc problems: herniated, ruptured,
slipped, compressed, extruded,
dislocated, deteriorated, or misaligned
discs

Gall Bladder Disease

gall bladder disease, trouble,
attacks, infection, or problems
gallstones

Stomach Ulcers

stomach ulcer
duodenal ulcer
peptic ulcer
bleeding ulcer
ulcerated stomach
perforated ulcer

C. MENTAL HEALTH ISSUES:

Alzheimer's Disease and Other Dementias

anything with the words 'Alzheimer's' or 'dementia'
organic brain syndrome

Depression and Anxiety Disorders

depression (including severe, chronic, or major depression)
dysthymia
dysthymic disorder
bipolar disorder
manic depression or manic depressive illness
anxiety attacks
panic attacks
anxiety
nerves
nervous condition
nervous breakdown